
Perimeter of Regular Shapes

Look at the following figures.



What do we observe in these figures?

It can be observed that all the sides of the given figures are equal. These types of figures are known as **regular polygons.**

The first, second, and third figures are the figures of an equilateral triangle, a square, and a regular pentagon respectively.

Example 1:

What is the perimeter of a regular hexagon with side 15 cm?

Solution:

Number of sides of a regular hexagon = 6

Length of each side of the regular hexagon = 15 cm

Perimeter of a regular hexagon = Number of sides of the hexagon × Length of a side of the hexagon

 \therefore Perimeter of the regular hexagon = (6 × 15) cm = 90 cm

Example 2:

A piece of string, which is 120 cm long, is used to form a regular pentagon. What will be the length of each side of this regular pentagon?

Solution:

Number of sides of a regular pentagon = 5

A piece of string 120 cm long is used to form a regular pentagon

i.e., perimeter of the regular pentagon = 120 cm

However, perimeter of a regular polygon = Number of sides of the polygon × Length of a side of the polygon

Length of a side of a pentagon = $\frac{\text{Perimeter of the pentagon}}{\text{Number of sides of the pentagon}}$

$$= \left(\frac{120}{5}\right) cm$$
$$= 24 cm$$

Thus, the length of each side of the regular pentagon is 24 cm.

Example 3:

Find the cost of fencing a square park of side 375 m at the rate of Rs 16 per metre.

Solution:

Length of one side of square = 375 m

To find the cost of fencing around the square park, we have to find the perimeter of the square park.

Perimeter of the square park = $4 \times \text{Length of a side}$

= (4 × 375) m

= 1500 m

It is given that the cost of fencing 1 m of the park is Rs 16.

Therefore, cost of fencing $1500 \text{ m} = \text{Rs} (1500 \times 16) = \text{Rs} 24000$

Thus, the cost of fencing around the square park is Rs 24000.

Perimeter of Rectangle

Rectangle is a quadrilateral with opposite sides equal. Let us try to find the general formula for perimeter of any rectangle with given length and breadth with the help of an example.

Let us discuss some more examples based on the perimeter of a rectangle.

Example 1:

Find the cost of fencing a rectangular park of length 217 m and breadth 183 m at the rate of Rs 12.50 per metre.

Solution:

Length of the rectangle = 217 m

Breadth of the rectangle = 183 m

To find the cost of fencing the rectangular park, we have to find out the perimeter of the rectangular park.

Now, perimeter of the rectangular park = $2 \times (\text{length} + \text{breadth})$

 $= 2 \times (217 \text{ m} + 183 \text{ m})$

 $= 2 \times (400 \text{ m})$

= 800 m

Cost of fencing = Rs 12.50 per metre

∴Cost of fencing 800 m = Rs (12.50 × 800) = Rs 10000

Thus, the cost of fencing the whole rectangular park is Rs 10000.

Example 2:

The lid of a rectangular box of size 60 cm by 20 cm is sealed all around with tape. Find the length of the tape required.

Solution:

Length of the rectangular box = 60 cm

Breadth of the rectangular box = 20 cm

The rectangular box is sealed all around with tape i.e., the tape covers the boundary of the rectangular box.

 \therefore Length of tape required = Perimeter of the rectangular box

 $= 2 \times (\text{Length} + \text{Breadth})$

- $= 2 \times (60 \text{ cm} + 20 \text{ cm})$
- = 2 × (80 cm)
- = 160 cm

Example 3:

A rectangular piece of land measures 0.75 km by 0.5 km. Each side is to be fenced with 6 rows of wires. Find the length of the wire required.

Solution:

Length of the rectangular land = 0.75 km

Breadth of the rectangular land = 0.5 km

It is given that each side of the land is to be fenced with 6 rows of wires.

Therefore, the total length of wire required for fencing is 6 times the perimeter of the land.

Perimeter of the rectangular land = $2 \times (\text{Length} + \text{Breadth})$

 $= 2 \times (0.75 \text{ km} + 0.5 \text{ km})$

 $= 2 \times (1.25 \text{ km})$

= 2.5 km

 \therefore Length of wire required = (6 × 2.5 km) = 15 km

Example 4:

Chulbul takes 10 rounds of a rectangular park, which is 65 m long and 35 m wide. Find the total distance covered by her.

Solution:

Length of the rectangular park = 65 m

Breadth of the rectangular park = 35 m

Total distance covered by Chulbul in one round is the perimeter of the rectangular park.

Perimeter of the rectangular park = $2 \times (\text{Length} + \text{Breadth})$

$$= 2 \times (65 \text{ m} + 35 \text{ m})$$

= 200 m

Therefore, total distance covered by Chulbul in 1 round = 200 m

: Distance covered by Chulbul in 10 rounds = $(10 \times 200 \text{ m}) = 2000 \text{ m}$


However,
$$1 \text{ m} = \left(\frac{1}{1000}\right) \text{ km}$$

 $\therefore 2000 \text{ m} = \left(2000 \times \frac{1}{1000}\right) \text{ km} = 2 \text{ km}$

Thus, the distance covered by Chulbul is 2 km.

Example 5:

A rectangular portion is cut off from one side of a square sheet of paper as shown in the figure. If the length of the rectangular portion is 15 cm, then what will be the difference between the perimeters of the sheet of paper before and after cutting off the rectangular portion?



Solution:

Original perimeter of the sheet of paper = 4×30 cm = 120 cm

Length of the rectangular portion that is cut of f = 15 cm

Breadth of the rectangular portion that is cut off = 10 cm

After cutting off the rectangular portion, three sides of the sheet of paper remain the same, but one side gets changed.

Thus, perimeter of the sheet of paper after the rectangular portion is cut off

= 30 cm + 30 cm + 30 cm + (30 - 10) cm + 15 cm + 10 cm + 15 cm


= 30 cm + 30 cm + 30 cm + 20 cm + 15 cm + 10 cm + 15 cm

= 150 cm

Thus, difference between the two perimeters = 150 cm - 120 cm = 30 cm

Example 6:

What is the difference between the perimeters of rectangles ABCD and LMNO?



Solution:

Length of rectangle ABCD = 35 m

Breadth of rectangle ABCD = 25 m

 \therefore Perimeter of rectangle ABCD = 2 (35 m + 25 m) = 2 x 60 m = 120 m

Length of rectangle LMNO = 2m + 35m + 2m = 39m

Breadth of rectangle LMNO = 2 m + 25 m + 2 m = 29 m

 \therefore Perimeter of rectangle LMNO = 2 (39 m + 29 m) = 2 × 68 m = 136 m

 \therefore Difference between the perimeters of the two rectangles = 136 m - 120 m = 16 m

Example 7:

The perimeters of a square and a rectangle are equal. If the length of the rectangle is 9 cm and its breadth is 3 cm less than its length, then what is the length of each side of the square?

Solution:

Length (*I*) of the rectangle = 9 cm

Thus, breadth (b) of the rectangle = (9 - 3) cm = 6 cm

: Perimeter of the rectangle = $2 \times (l + b) = 2 \times (9 + 6)$ cm = 2×15 cm = 30 cm

It is given that the perimeters of the square and the rectangle are equal.

Therefore, perimeter of the square = $4 \times \text{length of the square} = 30 \text{ cm}$

$$\frac{30 \text{ cm}}{4} = 7.5 \text{ cm}$$


Thus, length of each side of the square =

Circumference of Circle

A car moved certain distance. To cover this distance, its wheel of radius 21 cm made 50 revolutions. Can we calculate this distance covered by the car?

We can find the distance covered by the car, if we can find the circumference of the circular wheel. For this, we have to know the formula for the circumference of a circle from its radius. Let us learn how to find the circumference of the circle from its radius.

For this, let us consider a circle of radius *r* and diameter *d*.



The circumference C of the circle is given by the formula

 $C = \pi d$ or $C = 2\pi r$

22

Here, d = 2r and the approximate value of π (read as 'pi') is 3.14 or ⁷.

Using this formula for the circumference of a circle, let us find the distance covered by the car.

It is given that the radius of the wheel, r = 21 cm

We have, distance covered = $50 \times \text{circumference of the circle}$

$$= 50 \times 2\pi r$$


$$= \left(50 \times 2 \times \frac{22}{7} \times 21 \right) \text{ cm} \qquad (\text{Putting values of } r \text{ and } \pi)$$

$$= 6600 \text{ cm}$$

$$= \left(\frac{6600}{100} \right) \text{ m} \qquad \left[1 \text{ cm} = \left(\frac{1}{100} \right) \text{ m} \right]$$

$$= 66 \text{ m}$$

In case of semicircle, we find the perimeter *P* as follows:



$$P = \pi r + 2r$$

or
$$P = \pi r + d$$

Now, let us discuss some examples based on circumference of a circle. In each of the examples, assume the value of π as 22/7, unless mentioned otherwise.

Example 1:

What is the difference between the circumferences of two circles if the diameter of one is 21 cm and radius of the other is 7 cm?

Solution:

Circumference of the circle of diameter 21 cm = $\pi a = \frac{22}{7} \times 21$ cm = 66 cm

Circumference of the circle of radius 7 cm =
$$2 \times \frac{22}{7} \times 7$$
 cm = 44 cm

Thus, difference between the circumference of the two circles = (66 - 44) cm = 22 cm

Example 2:

The wheel of a vehicle made 150 revolutions to cover a distance of 132 m. Find the diameter of the wheel.

Solution:

Distance covered by the wheel = 132 m = 13200 cm

Number of revolutions made by the wheel = 150

Now, distance covered in one revolution $= \frac{\text{Total distance covered by the vehicle}}{\text{Number of revolutions}}$

$$=\frac{13200 \text{ cm}}{150}$$

= 88 cm

We know that the distance covered by the wheel in one revolution equals its circumference.

 \therefore Circumference of the wheel = 88 cm

We know, the circumference of the wheel = πd , where *d* is the diameter.

$$\Rightarrow \frac{22}{7} \times d = 88 \text{ cm}$$
$$\Rightarrow d = \left(88 \times \frac{7}{22}\right) \text{ cm} = 28 \text{ cm}$$

Thus, the diameter of the wheel is 28 cm.


Example 3:

A gardener wants to fence a semi-circular garden of diameter 50 m with three rounds of wire. Find the length of the wire that he needs to purchase. Also find the costs of the wire, if it costs Rs 6 per metre. (Take π = 3.14)

Solution:

It is given that the diameter of the circle, d = 50 m

To find the length of wire required, we have to find the perimeter of the semi-circular field. The perimeter of the semi-circular field includes the circumference of the semi-circle and the diameter.



Now, perimeter of the semi-circular field = Circumference of the semi-circle

+ diameter of the circle $= \frac{1}{2} \times \pi d + d$ $= \left(\frac{1}{2} \times 3.14 \times 50 + 50\right) m$ = (78.5 + 50) m = 128.5 m

1 round of wire requires 128.5 m of wire.

 \therefore 3 rounds of wire requires (128.5 x 3) m = 385.5 m wire

Therefore, the gardener has to purchase 385.5 m of wire.

It is given that cost of 1 m of wire = Rs 6

∴ Cost of 385.5 m wire = Rs (385.5 × 6) = Rs 2313

Therefore, the cost of the wire is Rs 2313.

Perimeter and Semi Perimeter of Triangles

Perimeter and Semi-Perimeter

The concept of perimeter is applicable to many real-life situations. We need to calculate the perimeter: to find the length of barbed wire required for fencing the boundary of a garden; to find the length of the walkway around a swimming pool; and even to find the length of fabric required for stitching around the edge of a blanket or quilt.



Here, we will introduce a new term called **semi-perimeter** which, as the name itself implies, means half the perimeter.

In this lesson, we will learn how to find the perimeter and semi-perimeter of a triangle.


Perimeter of a Triangle

Perimeter is the length of the boundary of a closed figure.

The perimeter of a polygon is the sum of the lengths of all its sides.


For example, in case of a polygon ABCDEF:

Perimeter of ABCDEF = AB + BC + CD + DE + EF + AF



In case of a triangle ABC, with sides of lengths *a*, *b* and *c* units:

Perimeter of ABC = AB + BC + AC = a + b + c



Did You Know?

Perimeter is the combination of the Greek words *peri*, which means 'around', and *meter*, which means 'measure'.

Solved Examples

Easy

Example 1:

Two sides of a triangle measure 5 cm and 7 cm respectively. If the perimeter of the triangle is 20 cm, find the length of the third side.

Solution:

Let the measure of the three sides of the triangle be *a*, *b* and *c*.

We know that:

a = 5 cm

b = 7 cm

Perimeter = 20 cm

We also know that:

Perimeter = a + b + c

 \Rightarrow 20 cm = 5 cm + 7 cm + c

 \Rightarrow c = 20 cm - (5 + 7) cm

= 20 cm - 12 cm

= 8 cm

Thus, the length of the third side is 8 cm.

Example 2:

Ashish has a clock with a triangular frame. Its dimensions are 20 cm, 24 cm and 24 cm. One of the edges of the frame is cracked. Ashish puts tape along the boundary twice. What is the length of the tape put around the frame?



Solution:

Perimeter of the frame = 20 cm + 24 cm + 24 cm

= 68 cm

 \therefore Length of tape put around the frame = 2 x 68 cm


= 136 cm

= 1 m 36 cm

Medium

Example 1:

The two triangles shown in the figure have the same perimeter. What is the length of QR?



Solution:

We know that the sides of an equilateral triangle are equal in length.

 $\therefore AB = BC = AC = 6 cm$

Perimeter of $\triangle ABC = AB + BC + AC$

= 6 cm + 6 cm + 6 cm

= 18 cm

We know that two sides of an isosceles triangle are equal.

In $\triangle PQR$, PQ = PR = 7 cm.

Perimeter of $\triangle PQR = PQ + QR + PR$

= 7 cm + QR + 7 cm

= 14 cm + QR

It is given that:

Perimeter of $\triangle ABC$ = Perimeter of $\triangle PQR$

18 cm = 14 cm + QR

18 cm - 14 cm = QR

 \therefore QR = 4 cm

Example 2:

Ravi paid Rs 1200 for fencing his triangular park of dimensions 7 m, 8 m and 9 m. Find the cost of fencing per metre.

Solution:

Perimeter of the triangular park = 7 m + 8 m + 9 m

= 24 m

Cost of fencing 24 m = Rs 1200

$$Rs \frac{1200}{24}$$

∴ Cost of fencing 1 m =

= Rs 50

Thus, the cost of fencing is Rs 50 per metre.

Activity

Follow these steps to verify the perimeter of a triangle.

- (1) Take a wire of length, say, / cm.
- (2) Bend the wire to make a triangle.
- (3) Now, measure the length of each side of this triangle.
- (4) Add the lengths to get the perimeter of the triangle.


You will observe that the perimeter of the triangle is equal to the length of the wire.

Show a wire of length / cm which is bending to form a triangle.

Semi-Perimeter of a Triangle

The word'semi' means 'half'. So, the semi-perimeter of a triangle is half the perimeter of the triangle.

The perimeter of a triangle with sides a, b and c is (a + b + c).



The semi-perimeter of a triangle is used for calculating the area of the triangle when the length of the altitude is not known.

Solved Examples

Easy

Example 1:

The sides of a triangular field are 4 m, 7 m and 9 m. Calculate its semi-perimeter.

Solution:

Let the sides of the field be *a*, *b* and *c*.

We know that a = 4 m, b = 7 m and c = 9 m.

$$\therefore \text{ Semi-perimeter, s} = \frac{a+b+c}{2}$$

$$=\left(\frac{4+7+9}{2}\right)m$$
$$=10\,\mathrm{m}$$

Thus, the semi-perimeter of the field is 10 m.

Example 2:

The semi-perimeter of a triangle is 25.5 cm. Two sides of this triangle are 8 cm and 11 cm. What is the length of the third side?

Solution:

Let the sides of the triangle be *a*, *b* and *c*.

It is given that a = 8 cm and b = 11 cm.

Also, semi-perimeter, s = 25.5 cm

We know that:

$$= \frac{a+b+c}{2}$$

$$\Rightarrow 25.5 \text{ cm} = \frac{(8+11) \text{ cm} + c}{2}$$

$$\Rightarrow 51 \text{ cm} = 19 \text{ cm} + c$$

$$\therefore c = (51-19) \text{ cm}$$

$$= 32 \text{ cm}$$

Thus, the length of the third side of the triangle is 32 cm.

Medium

Example 1:

The sides of a triangle are in the ratio 5:3:4 and its semi-perimeter is 48 cm. Find the length of each side.

Solution:

Let the sides of the triangle be *a*, *b* and *c*.

It is given that the sides are in the ratio 5:3:4.

So, a = 5x, b = 3x and c = 4x.

Also, the semi-perimeter (s) of the triangle is 48 cm.

We know that:

$$s = \frac{a+b+c}{2}$$

$$\Rightarrow 48 \text{ cm} = \frac{5x + 3x + 4x}{2}$$
$$\Rightarrow 48 \text{ cm} \times 2 = 12x$$
$$\Rightarrow x = \frac{96}{12} \text{ cm} = 8 \text{ cm}$$

Now, $5x = 5 \times 8 \text{ cm} = 40 \text{ cm}$ $3x = 3 \times 8 \text{ cm} = 24 \text{ cm}$ $4x = 4 \times 8 \text{ cm} = 32 \text{ cm}$

Thus, the sides of the triangle are 40 cm, 24 cm and 32 cm.

Example 2:

The pairs of the sides of a triangle add up to 6 cm, 5 cm and 7 cm. What is its semi-perimeter?

Solution:

Let the sides of the triangle be *a*, *b* and *c*.

According to the given condition:

$$a+b=6 \text{ cm } \dots(1)$$

 $b+c=5 \text{ cm } \dots(2)$
 $c+a=7 \text{ cm } \dots(3)$

On adding equations (1), (2) and (3), we get:

```
(a+b)+(b+c)+(c+a) = (6+5+7) \text{ cm}

\Rightarrow 2(a+b+c) = 18 \text{ cm}

\Rightarrow a+b+c = 9 \text{ cm}

Semi-perimeter, s = \frac{a+b+c}{2}

= \frac{9}{2} \text{ cm}


= 4.5 \text{ cm}
```

Thus, the semi-perimeter of the triangle is 4.5 cm.

Hard

Example 1:

In a \triangle ABC, AC is 8 cm, AB is 6 cm and the length of the perpendicular drawn from A to D is 4.8 cm. Find the semi-perimeter of \triangle ABC if its area is 24 cm². Solution:



Area of $\triangle ABC = 24 \text{ cm}^2$

$$\Rightarrow \frac{1}{2} \times BC \times AD = 24 \text{ cm}^2$$
$$\Rightarrow \frac{1}{2} \times BC \times 4.8 \text{ cm} = 24 \text{ cm}^2$$
$$\therefore BC = 10 \text{ cm}$$

$$s = \frac{AB + BC + AC}{2}$$


Semi-perimeter of **ΔABC**,

$$\Rightarrow s = \left(\frac{6+8+10}{2}\right) \text{cm}$$
$$= 12 \text{ cm}$$

Area of Rectangle and Square

We usually come across the situations in our life when we need to find the area of various types of things such as area of a piece of land, area of wall to be painted, area of cloth required etc. The most common shapes that we see in our life are square and rectangle and thus, it becomes necessary for us to learn how to find their area.

Look at the figures given below.



Here, the first figure, i.e. ABCD, is a rectangle of length 6 cm and breadth 4 cm whereas the second figure, i.e. PQRS, is a square of side 5 cm.

If the measure of the diagonal of the square is known, then its area can be calculated using the following formula.

Area of square $=\frac{(\text{Diagonal})^2}{2}$

Now, let us consider a real life situation to understand the concept better.

The owner of a paddy field decides to construct a 3 m wide path outside the field along its boundary. What will be the cost of constructing the path at the rate of Rs 500 per m²?

Go through the given video to find the solution of this problem.

Now, let us discuss how to convert units of area.

As, we have already studied about the conversion of units for length and they are as follows:


1 centimetre = 10 millimetres

1 metre = 100 centimetres

1 kilometre = 1000 metres

In the same manner, we can convert the unites of areas as well.

Let us consider a square of side 1 cm and divide that square into 100 small squares, each of side 1 mm.



It is evident from the figure that area of a square of side 1 cm will be equal to the areas of 100 small squares of side 1 mm.

 \Rightarrow 1 cm² = 100 x 1 mm²

Similarly, we can say that $1 \text{ m}^2 = 1 \text{ m} \times 1 \text{ m} = 100 \text{ cm} \times 100 \text{ cm} = 10000 \text{ cm}^2$.

Now, to convert 1 km² into m², we will proceed as follows:

 $1 \text{ km}^2 = 1 \text{ km} \times 1 \text{ km} = 1000 \text{ m} \times 1000 \text{ m} = 1000000 \text{ m}^2$.

It is quite significant to note that when we convert a unit of area to a smaller unit, the resulting number of units will be bigger.

The areas of land are usually measured in hectares where 1 hectare = Area of a square of side 100 m.

i.e. 1 hectare = $100 \text{ m} \times 100 \text{ m} = 10000 \text{ m}^2$.

Let us have a look at some more examples to be clear with the concept.

Example 1:

A paddy field is in the form of a square with length 100 m. Find the area of the field.

Solution:

It is given that the length of a side of the square paddy field is 100 m.

- \therefore Area of the paddy field = (Side)²
- $= (100 \text{ m})^2$
- = 10000 m²

Example 2:

A square park is 300 m long diagonally. What is the area of the park?

Solution:

Length of diagonal of square park = 300 m

Area of square park = $\frac{(\text{Diagonal})^2}{2}$ \Rightarrow Area of square park = $\frac{(300)^2}{2}$ m² \Rightarrow Area of square park = $\frac{90000}{2}$ m²

 \Rightarrow Area of square park = 45000 m²

Example 3:

All the four walls of a room have to be painted. If all the four walls have the equal length of 4 m and equal breadth of 3 m, then find the total cost of painting the walls at the rate of Rs 7 per m^2 .

Solution:

Length of a wall = 4 m

Breadth of a wall = 3 m

Now, area of one wall = length × breadth

= 4m × 3m

= 12 m²

: Total area of the four walls = 4 ×12 m^2

= 48 m²

Cost of painting the walls = Rs 7 per m^2 .

 \therefore Total cost of painting the four walls = Rs (7 × 48)

= Rs 336

Example 4:

A 90 cm long wire is bent into a rectangle of length 30 cm and an 80 cm long wire is bent in the form of a square. Which encloses more area – the rectangle or the square, and by how much?

Solution:

Perimeter of the rectangle = Length of the wire = 90 cm

Length of the rectangle = 30 cm

Let the breadth of the rectangle be *b*.

 \therefore Perimeter of the rectangle = 90 cm = 2 (30 cm + b)

 \Rightarrow 90 cm = 2 x 30 cm + 2 x b

 \Rightarrow 90 cm = 60 cm + 2b

 $\Rightarrow 2b = 90 \text{ cm} - 60 \text{ cm} = 30 \text{ cm}$

$$\Rightarrow b = \frac{30 \text{ cm}}{2} = 15 \text{ cm}$$

Thus, area enclosed by the rectangle = length × breadth = $30 \text{ cm} \times 15 \text{ cm} = 450 \text{ cm}^2$

Perimeter of the square = Length of the wire = 80 cm

Let the length of the square be *I*.

 \therefore Perimeter of the square = 80 cm = 41

$$\Rightarrow l = \frac{80 \text{ cm}}{4} = 20 \text{ cm}$$

Thus, area enclosed by the square = side x side = $20 \text{ cm} \times 20 \text{ cm} = 400 \text{ cm}^2$

Therefore, the rectangle encloses $450 \text{ cm}^2 - 400 \text{ cm}^2 = 50 \text{ cm}^2$ more area than the square.

Example 5:

From a rectangular sheet of paper of 30 cm length and 600 cm² area, the biggest possible square is cut out. What is the area of the sheet of paper left?

Solution:

Length of the rectangular sheet of paper = 30 cm

Let the width of the rectangular sheet of paper be *w*.

Area of the sheet of paper = $600 \text{ cm}^2 = 30 \text{ cm} \times w$

 $\Rightarrow w = \frac{600 \text{ cm}^2}{30 \text{ cm}} = 20 \text{ cm}$

 \therefore Width of the sheet = 20 cm

The biggest possible square that can be cut off from this sheet has each side of length equal to the width of the square i.e., 20 cm.

Thus, area of the square that is cut off = $20 \text{ cm} \times 20 \text{ cm} = 400 \text{ cm}^2$


Thus, area of the sheet left = Original area of the sheet – Area of the square that is cut off

 $= 600 \text{ cm}^2 - 400 \text{ cm}^2$

 $= 200 \text{ cm}^2$

Example 6:

Two jogging tracks, each of width 4 m, run along the two opposite sides inside a park. Another jogging track runs through the centre of the park and intersects the two tracks perpendicularly. What is the total area of the tracks?



Solution:

In the given figure, the shaded portion represents the jogging tracks.

Now, area of the roads

= area of PABS + area of CQRD + area of LMON - Area of LEFN - area of GMOH


 $= (80 \text{ m} \times 4 \text{ m}) + (80 \text{ m} \times 4 \text{ m}) + (80 \text{ m} \times 4 \text{ m}) - (4 \text{ m} \times 4 \text{ m}) - (4 \text{ m} \times 4 \text{ m})$

 $= 960 \text{ m}^2 - 32 \text{ m}^2$

 $= 928 \text{ m}^2$

Example 7:

Raju was given a sheet of paper having all the sides of length 1 m. He was asked to draw squares with side 5 cm on the given sheet without leaving any space. How many squares can be drawn?



Solution:

Given, length of the sheet = 1 m = 100 cm

The length of all sides of the sheet is the same i.e., the sheet is in the form of a square.

Therefore, area of the sheet = $(side)^2$

- $= (100 \text{ cm})^2$
- $= 10000 \text{ cm}^2$

Now, side of each square to be drawn = 5 cm

- \therefore Area of one square = (Side)²
- $= (5 \text{ cm})^2$
- $= 25 \text{ cm}^2$

Number of squares that can be drawn on the sheet

```
= \frac{\text{Area of the sheet}}{\text{Area of one square}}= \frac{10000}{25} = 400
```

Thus, 400 squares can be drawn on the sheet.

Example 8:


The area of a rectangular pond is 38.5 m^2 . If the breadth of the pond is 5.5 m, then find the length of the pond.

Solution:

Given, area of the pond = 38.5 m^2

Breadth of the pond = 5.5 m

We have to find the length of the pond.



Since the pond is rectangular in shape,

Length \times Breadth = Area of the pond


 \Rightarrow Length x 5.5 m = 38.5 m²

$$\Rightarrow \text{Length} = \left(\frac{38.5}{5.5}\right) \text{m} = 7 \text{ m}$$

Thus, the length of the pond is 7 m.


Example 9:

By splitting the following figures into rectangles, find their areas. (The measures are given in centimetres)



Solution:

(a) By splitting the given figure into rectangles, we will obtain the following figure.



For rectangle I,

Length = 4 cm and breadth = 9 cm

: Area of rectangle I = Length × Breadth = (4×9) sq cm = 36 cm²

For rectangle II,

Length = 14 cm and breadth = 2 cm

: Area of rectangle II = Length × Breadth = (14×2) sq cm = 28 cm²

For rectangle III,

Length = 7 cm and breadth = 4 cm

: Area of rectangle III = Length × Breadth = (7×4) sq cm = 28 cm²

For rectangle IV,

Length = 10 cm and breadth = 3 cm

: Area of rectangle IV = Length × Breadth = (10×3) sq cm = 30 cm²

: Area of the given figure = Area of rectangle I + Area of rectangle II +

Area of rectangle III + Area of rectangle IV


 $= 36 \text{ cm}^2 + 28 \text{ cm}^2 + 28 \text{ cm}^2 + 30 \text{ cm}^2$

 $= (36 + 28 + 28 + 30) \text{ cm}^2$

$$= 122 \text{ cm}^2$$

Thus, the area of the given figure is 122 cm².

(b) By splitting the given figure into rectangles, we will obtain the following figure.



For rectangle I,

Length = 3 cm and breadth = 1 cm

: Area of rectangle I = Length × Breadth = (3×1) cm² = 3 cm²

For rectangle II,

Length = 4 cm and breadth = 1 cm

: Area of rectangle II = Length × Breadth = (4×1) cm² = 4 cm²

For rectangle III,

Length = 11 cm and breadth = 2 cm

: Area of rectangle III = Length × Breadth = (11×2) cm² = 22 cm²

```
: Area of the given figure = Area of rectangle I + Area of rectangle II +
```

Area of rectangle III

 $= (3 + 4 + 22) \text{ cm}^2$

 $= 29 \text{ cm}^2$


Thus, the area of the given figure is 29 cm².

Areas Of Triangles

A gardener wanted to grow roses and tulips in a garden. The garden was rectangular in shape and had a length of 40 m and breadth of 25 m. The gardener wanted to dedicate equal areas to grow these two types of flowers.


He did not know anything about geometry, but even then, he thought that if he divided the garden diagonally, then it would be divided into two equal parts. Now, he could grow roses in one part of the garden and tulips in the other part. **Was he correct?**

Let ABCD be the garden.




If it is divided along the diagonal BD, then two triangles ABD and BCD are formed.

Thus, the formula for the area of a triangle is:



To use the formula, any side of a triangle can be taken as the base and the perpendicular drawn to the base from the opposite vertex is the corresponding height of the triangle.

Let us look at \triangle ABC drawn below. Side AC measures 10 cm and side BC measures 4 cm. AE is the perpendicular from vertex A to side BC and measures 8 cm.



Now, how do we find the area of $\triangle ABC$? Let us choose side BC as the base of $\triangle ABC$. Then, segment AE will be its corresponding height.

Therefore, area of $\triangle ABC = \frac{1}{2} \times base \times height = \left(\frac{1}{2} \times 4 \times 8\right) cm^2 = 16 cm^2$

That was easy! Now, can we also find the length of the perpendicular BD?


Note that if we choose side AC as the base of \triangle ABC, then segment BD will be its corresponding height.

Thus, the area of $\triangle ABC$ can also be expressed as $\frac{1}{2} \times AC \times BD$.

$$\Rightarrow \frac{1}{2} \times 10 \text{ cm} \times \text{BD} = 16 \text{ cm}^2$$
$$\Rightarrow \text{BD} = \frac{16 \times 2}{10} \text{ cm}$$
$$\Rightarrow \text{BD} = 3.2 \text{ cm}$$

Area of the right angled triangle:

Observe the right angled triangle given below:



It can be seen that \triangle ABC is right angled at B. So, side AB is perpendicular to side BC.

Thus, in $\triangle ABC$, side AB is the altitude or height and side BC is the base.

Now,

Area of $\triangle ABC = \frac{1}{2} \times (Base \times Height)$


$$\Rightarrow$$
 Area of $\triangle ABC = \frac{1}{2} \times (BC \times AB)$

So, it can be concluded that:

Area of a right angled triangle = $\frac{1}{2}$ × Product of the lengths of the sides making right angle

Area of the equilateral triangle:

Let us take an equilateral triangle, say ΔPQR , such that PQ = QR = RP = a.



If we fold this triangle along side QR such that point Q coincides with point R, we will get two congruent triangles such as Δ PQS and Δ PRS.

In $\triangle PQS$ and $\triangle PRS$, we obtain

$$QS = RS = \frac{a}{2}$$
 and

 $\angle PSQ = \angle PSR = 90^{\circ}$

By applying Pythagoras theorem on ΔPQS , we obtain

$$(\mathbb{PQ})^{2} = (\mathbb{QS})^{2} + (\mathbb{SP})^{2}$$

$$\Rightarrow a^{2} = \left(\frac{a}{2}\right)^{2} + (\mathbb{SP})^{2}$$

$$\Rightarrow (\mathbb{SP})^{2} = a^{2} - \frac{a^{2}}{4}$$

$$\Rightarrow (\mathbb{SP})^{2} = \frac{3}{4}a^{2}$$

$$\Rightarrow \mathbb{SP} = \frac{\sqrt{3}}{2}a$$

Now,

Area of
$$\triangle PQR = \frac{1}{2} \times (Base \times Height)$$

Area of
$$\Delta PQR = \frac{1}{2} \times QR \times SP$$

 \Rightarrow Area of $\Delta PQR = \frac{1}{2} \times a \times \frac{\sqrt{3}}{2}a$
 \Rightarrow Area of $\Delta PQR = \frac{\sqrt{3}}{4}a^2$

Thus, it can be concluded that


Area of equilateral triangle =
$$\frac{\sqrt{3}}{4} \times (\text{Side})^2$$

One important point to remember about congruent triangles and their area is as follows.

We know that congruent figures are exactly alike. Thus, the areas of two congruent triangles will always be equal. However, its converse is not true. This means that two triangles, which have the same area, need not be congruent.

For example, look at triangles ABC and ABD drawn below. Both share the same base AB. Their height is also the same. Thus, the two triangles have the same area. However, it is clear from the figure that the two triangles are not congruent.

Thus, this proves the fact that two triangles having the same area need not be congruent.



Let us solve some examples using the above concepts.



Example 1:

Find the area of the triangle, which has a base of length 9 cm and a height of 11 cm.

Solution:


Area of triangle =
$$\frac{1}{2}$$
 × Base × Height = $\frac{1}{2}$ × 9 cm × 11 cm = 49.5 cm²

Example 2:

Find the area of the isosceles right angled triangle whose hypotenuse measures $10\sqrt{2}$ cm.

Solution:

Let \triangle ABC be the isosceles right angled triangle right angled at B whose hypotenuse measures $10\sqrt{2}$ cm.



In $\triangle ABC$, CA is the hypotenuse and AB = BC.

By applying Pythagoras theorem on $\triangle ABC$, we obtain

$$(CA)^{2} = (AB)^{2} + (BC)^{2}$$

$$(10\sqrt{2})^{2} = (AB)^{2} + (AB)^{2} \qquad (As AB = BC)$$

$$\Rightarrow (10\sqrt{2})^{2} = 2(AB)^{2}$$

$$\Rightarrow 2(AB)^{2} = 200$$

$$\Rightarrow (AB)^{2} = 100$$

$$\Rightarrow AB = 10$$

$$\therefore AB = BC = 10 \text{ cm}$$

Now,

Area of a right angled triangle = $\frac{1}{2}$ × Product of the lengths of the sides making right angle

⇒ Area of
$$\triangle ABC = \frac{1}{2} \times AB \times BC$$

⇒ Area of $\triangle ABC = (\frac{1}{2} \times 10 \times 10) \text{ cm}^2$ (AB = BC = 10 cm)
⇒ Area of $\triangle ABC = 50 \text{ cm}^2$


Thus, the area of the required triangle is 50 cm².

Example 3:

Find the area of the equilateral triangle whose height is $2\sqrt{3}$ cm.

Solution:

Let ΔPQR be the equilateral triangle whose height SP is $2\sqrt{3}$ cm.



In ΔPQR , we have

 $\mathsf{PQ} = \mathsf{QR} = \mathsf{RP},$

 $QS = SP = \frac{QR}{2}$ and

 $\angle PSQ = PSR = 90^{\circ}$

By applying Pythagoras theorem on ΔPQS , we obtain

$$(PQ)^{2} = (QS)^{2} + (SP)^{2}$$

$$\Rightarrow (QR)^{2} = \left(\frac{QR}{2}\right)^{2} + \left(2\sqrt{3}\right)^{2} \qquad \left(PQ = QR, QS = \frac{QR}{2} \text{ and } SP = 2\sqrt{3} \text{ cm}\right)$$

$$\Rightarrow (QR)^{2} = \frac{(QR)^{2}}{4} + 12$$

$$\Rightarrow \frac{3}{4}(QR)^{2} = 12$$

$$\Rightarrow (QR)^{2} = 16$$

$$\Rightarrow QR = 4$$

Thus, PQ = QR = RP = 4 cm

Now,

Area of equilateral triangle = $\frac{\sqrt{3}}{4} \times (\text{Side})^2$

Area of $\Delta PQR = \left(\frac{\sqrt{3}}{4} \times 4^2\right) cm^2$


⇒ Area of
$$\Delta PQR = 4\sqrt{3} \text{ cm}^2$$

Thus, the area of the required triangle is $4\sqrt{3}$ cm².

Example 4:

ABCD is a rectangle of length 7 cm and breadth 5 cm. What is the area of \triangle ABD?

Solution:




If a rectangle is divided diagonally, then the area of each triangle so obtained equals one-half the area of the rectangle.

:. Area of $\triangle ABD = \frac{1}{2} \times \text{Area of rectangle ABCD}$ = $\frac{1}{2} \times \text{Length} \times \text{Width}$ = $\frac{1}{2} \times 7 \text{ cm} \times 5 \text{ cm}$ = 17.5 cm²

Example 5:

The given figure shows a rectangle ABCD. E and F are the mid-points of sides AB and BC respectively. Find the area of the shaded portion in the given figure.



Solution:

Here, area of the shaded part = area of rectangle ABCD – (area of Δ ADE + area of Δ BEF + area of Δ CDF)

Length AD of rectangle ABCD = 20 m

Width AB of rectangle ABCD = 9 m

: Area of rectangle ABCD = 9 m × 20 m = 180 m²

E is the mid-point of side AB.

$$\therefore AE = EB^{-\frac{9}{2}} m = 4.5 m$$

Also, F is the mid-point of side BC.

$$\therefore BF = FC^{=\frac{20}{2}} m = 10 m$$

In $\triangle ADE$, length of base AD = 20 m

Length of corresponding height AE = 4.5 m

$$\therefore \text{ Area of } \Delta \text{ADE} = \frac{1}{2} \times 20 \text{ m} \times 4.5 \text{ m} = 45 \text{ m}^2$$

In \triangle BEF, length of base BF = 10 m

Length of corresponding height BE = 4.5 m

∴ Area of ΔBEF =
$$\frac{1}{2}$$
 ×10 m×4.5 m = 22.5 m²

In \triangle CDF, length of base CD = 9 m

Length of corresponding height CF = 10 m


$$\therefore \text{ Area of } \Delta \text{CDF} = \frac{1}{2} \times 9 \text{ m} \times 10 \text{ m} = 45 \text{ m}^2$$

Thus, area of the shaded portion = [180 - (45 + 22.5 + 45)] m²

= 67.5 m²

Example 6:

The given figure shows a parallelogram PQRS that has an area of 16 cm². If the length of diagonal QS is 8 cm, then what is the length of perpendicular PT?



Solution:

Diagonal QS divides parallelogram PQRS into two triangles, Δ PQS and Δ QRS.

Thus, the area of ΔPQS is one-half the area of parallelogram PQRS.

:. Area of
$$\triangle PQS = \frac{1}{2} \times 16$$
 cm² = 8 cm²

If we choose QS as the base of Δ PQS, then PT is its corresponding height.


Thus, the area of ΔPQS can also be expressed as $\frac{1}{2} \times QS \times PT$

$$\therefore \frac{1}{2} \times QS \times PT = 8 \text{ cm}^2$$
$$\Rightarrow \frac{1}{2} \times 8 \text{ cm} \times PT = 8 \text{ cm}^2$$
$$\Rightarrow PT = \left(\frac{8 \times 2}{8}\right) \text{ cm} = 2 \text{ cm}$$

Thus, the length of perpendicular PT is 2 cm.

Area of Circle

The figure drawn below shows a circular park of diameter 50 m. The shaded region represents a 6 m wide jogging track, which runs along the boundary of the park.



This path requires to be gravelled at the rate of Rs 12 per square metre. Now, how do we calculate the required amount? The given video will help you understand the application of formula used to calculate the area of a circle.

In many cases, we have to find the area of semicircular shapes. Area of a semicircle is exactly half the area of the corresponding circle.

Mathematically, we can calculate the same using the following formula.

Area of semicircle = $\frac{1}{2} \times \pi r^2$

Let us discuss some examples based on the area of circles and semicircles in order to understand the concept better.

Example 1:

The circumference of a circle is 77 cm. Find its area.

Solution:

Let *r* be the radius of the circle.

It is given that $2\pi r = 77$ cm.

$$\Rightarrow r = \frac{77}{2 \times \frac{22}{7}}$$
$$\Rightarrow r = \frac{7 \times 7}{2 \times 2}$$
$$\Rightarrow r = \frac{49}{4}$$
Area of circle = πr^2
$$= \frac{22}{7} \times \left(\frac{49}{4}\right)^2$$
$$= 471.625 \text{ cm}^2$$

Thus, area of the circle is 471.625 cm².

Example 2:

Rajeev wants to paint the semi-circular face of a wooden article. If the diameter of the semi-circle is 3.5 m, then find the cost of painting it at the rate of Rs 100/m²?

$$\left(\text{Use } \pi = \frac{22}{7} \right)$$

Solution:

Diameter of the semi-circular face, d = 3.5 m

We know that the diameter of a circle, d = 2r, where *r* is the radius of the circle.

$$r = \left(\frac{3.5}{2}\right) \mathrm{m} = 1.75 \mathrm{m}$$

Area of the semi-circular face $=\frac{1}{2} \times \pi r^2 = \left(\frac{1}{2} \times \frac{22}{7} \times (1.75)^2\right) m^2$ $= \left(\frac{1}{2} \times \frac{22}{7} \times 1.75 \times 1.75\right) m^2 = 4.8125 m^2$

Now, cost of painting 1 m^2 area = Rs 100

Therefore, cost of painting 4.8125 m² area = Rs (100 \times 4.8125) = Rs 481.25


Thus, the cost of painting the top face of the wooden block is Rs 481.25.

Example 3:

A rectangular garden is 18 m long and 12 m wide. A sprinkler is used to water the garden and covers a radius of 6 m. What area of the garden is not watered by the sprinkler? [Use π = 3.14]

Solution:

The given information can be represented as



Here, the rectangle represents the garden, while point O shows the sprinkler.

The portion of the garden that is not watered by the sprinkler is shown by the shaded part.

It is clear that, area of the garden that is not watered by the sprinkler

= Area of the garden - area of circle with radius 6 m

Area of the garden = length x breadth = $18 \text{ m} \times 12 \text{ m} = 216 \text{ m}^2$

Also, we know area of a circle = πr^2 , where *r* is the radius of the circle.

: Area of the circle with radius 6 m = $\pi \times (6 \text{ m})^2$ = (3.14 × 36) m² = 113.04 m²

Thus, area of the garden that is not watered by the sprinkler = (216 - 113.04) m²

= 102.96 m²

Example 4:

The second's hand of a circular clock is 10 cm long. What area does the tip of the second's hand cover in half an hour? (Take π = 3.14)

Solution:

Radius of the second's hand, r = 10 cm

The second's hand of a clock takes 1 minute to complete one revolution.

We know half an hour = 30 minutes

Therefore, number of revolution made by the second's hand in half an hour = 30

Area covered by the second's hand in one revolution = πr^2 = (3.14 × 10 × 10) cm²

 $= 314 \text{ cm}^2$

Thus, area covered by the second's hand in 30 revolutions = (30×314) cm² = 9420 cm²