

Introduction to HTML

1. The correct syntax of HTML tags is _____.
 (a) (HTML) (b) <%HTML %>
 (c) "HTML" (d) <HTML>
2. Besides , which of the following tags can make text bold on a webpage?
 (a) <fat> (b)
 (c) <dark> (d) <solid>
3. You should use _____ attributes to change the size of an image in HTML.
 (a) Diagonal coordinates
 (b) Height and width
 (c) Top left and bottom right coordinates
 (d) Bigger and smaller dimensions
4. A vlink is a _____ link.
 (a) Active (b) Virtual
 (c) Visited (d) Verified
5. To define the font style Arial, use _____.
 (a) <text style="Arial"> (b)
 (c) <text=Arial> (d) <font=Arial>
6. If you use _____, by default the items will be displayed in bulleted form.
 (a) and (b) and
 (c) and (d) <th> and </th>
7. Select the INCORRECT match.

(a) Start and end an HTML file	(a) <HTML> ... </HTML>
(b) Make paragraphs	(b) <P>....</P>
(c) Putting a horizontal line	(c) <Line >
(d) Adding an image	(d) <imgsrc="image filename">
8. The SRC attribute of tag is used to _____.
 (a) Specify the location of the image to be included in a webpage
 (b) Specify width of the image
 (c) Specify height of the image
 (d) Specify vertical space around the image
9. Hspace attribute of tag adds _____ side of an image.
 (a) Space to the left and right
 (b) Space to the top and bottom
 (c) Height to all sides
 (d) None of these
10. Which of the following attributes of <bodytag> specifies the background color of the document?
 (a) Background (b) Text
 (c) Bg color (d) Link
11. The <i> tag makes text _____.
 (a) Bold (b) Inline
 (c) Underline (d) Italic

12. Link attribute of <body> tag specifies the color of ____ links in a document.
(a) Visited (b) Active
(c) Unvisited (d) External
13. Which of the following is NOT a valid value for the align attribute of <hr> tag? ;
(a) Left (b) Center
(c) Right (d) Top
14. Which of the following HTML codes is CORRECT in context of tags and their attributes?
(a) <Body a link = "red">Hello
 <para> good IQ ! </para>
 </Body>
(b)

(c) <image source = "Fish.JPG">< image>
(d)
 one
 two

15. Type is an attribute of tag, which specifies the style of bullet point of items in a list. Which of the following values of Type attribute is invalid?
(a) Line (b) Circle
(c) Disc (d) i
16. Noshade is an attribute of __ tag and src is an attribute of __ tag. ^
(a) <hr>, (b) , <hr>
(c) <body>, (d) ,

17. Which of the following statements will let the image placed against the right margin?
(a)
(b)
(c)
(d)
18. Which of the following is an empty element?
(a) <Dt>
(b)
(c) <Dd>
(d) All of these
19. tag will create a/an _____.
(a) Ordered List
(b) Bullet List
(c) Menu List
(d) Descriptive List
20. Which of the following attributes of tag specifies that the items list would appear in descending order?
(a) reverce
(b) rev
(c) reversed
(d) opposite

Achievers Section (HOTS)

21. What is the output of the given code?

```
<body>
<ol>
<li>Smoothies
<li>Fruits
<li>Veggies
</ol>
</body>
```

(a) 4.Smoothies	(b) 1.Smoothies
5.Fruits	2.Fruits
6.Veggies	3.Veggies
(c) Smoothies	(d) Smoothies
Fruits	Fruits
Veggies	Veggies

22. Match the following HTML tags with their functions.

Column – I	Column – II
(i) <I> </I>	(a) To strike a line through the the middle of the text
(ii) <STRIKE> </STRIKE>	(b) To italicize text.
(iii) ^{...}	(c) To make text appear slightly below the normal line of text
(iv) _{...}	(d) To define the start and end of a paragraph
(v) <P> ... </P>	(e) To make text appear slightly above the normal line of text

- (a) (i)-(b), (ii)-(a), (iii)-(e), (iv)-(c), (v)-(d)
 (b) (i)-(b), (ii)-(d), (iii)-(c), (iv)-(a), (v)-(e)
 (c) (i)-(b), (ii)-(a), (iii)-(c), (iv)-(d), (v)-(e)
 (d) (i)-(b), (ii)-(c), (iii)-(a), (iv)-(e), (v)-(d)

23. Which of the given options can give the following output?

$4_a 7_b$

- (a) <html>
 <body>
 4^a7^b
 </body>
 </html>
 (b) <html>
 <body>
 4_a7_b
 </body>
 </html>
 (c) <html>
 <body>
 _{4a7b}
 </body>
 </html>
 (d) <html>
 </body>
 ^{4a7b}
 </body>
 </html>

24. Which of the following HTML statements specifies a background image for an HTML document?

- (a) <body background = "abc.jpg" >
- (b) <body bgcolor = "abc.jpg" >
- (c) <body = abc.jpg >
- (d) <body bk ground = "abc.jpg" >

25. What will be the output of the given HTML code?

```
<html >
<ul >
<li >Green tea</li >
<li >Ginger tea</li >
<li >Turmeric tea</li >
</ul >
</html >
```

(a) a Green tea	(b) 1 Green tea
b Ginger tea	2 Ginger tea
c Turmeric tea	3 Turmeric tea
(c) Green tea	(d) I Green tea
Green tea	II Ginger tea
Turmeric tea	III Turmeric tea

HINTS & EXPLANATION

1. (d)
2. (b) : HTML syntax for STRONG tag: `<strong>Strong text</strong>`
3. (b) : HTML syntax:
``
4. (c)
5. (b)
6. (c)
7. (c) : `<hr>` tag is used to put horizontal line. '
8. (a)
9. (a)
10. (c) : `<html>`
`<body bgcolor="Red">`
`<h1>Helloworld!</h1>`
`</body>`
`</html>`
11. (d)
12. (c)
13. (d)
14. (d)
15. (a)
16. (a)
17. (b)
18. (d) : In HTML, empty element means, that does not require closing tag.
19. (a)
20. (c) : Example:
`<ol reversed>`
`<li>Coffee</li>`
`<li>Tea</li>`
`<li>Milk</li>`
`</ol>`
21. (b)

22. (a)

23. (b): The `<sub>` tag defines subscript text. Subscript text appears half a character below the normal line, and is sometimes rendered in a smaller font.

24. (a)

25. (c)