

Guess Paper Class – XII

Subject – MATHEMATICS

ANSWER SECTION A AND EITHER SECTION B OR C.

TIME 3 HRS

SECTION A (ANSWER Q1. AND ANY FIVE)

[10x3+10x5 = 80 marks]

Question 1

1. a) If $A = \begin{bmatrix} x & 0 \\ 1 & 1 \end{bmatrix}$ & $B = \begin{bmatrix} 1 & 0 \\ 2 & 1 \end{bmatrix}$ and $A^2 = B$, find x. [x=1]
- b) Evaluate : $\int \frac{e^x(1 + \tan x)dx}{\cos x}$ [e^xsecx +C]
- c) Prove that for an element 'a' from Boolean algebra, a.a=a.
- d) If $(\cos x)^y = (\sin y)^x$, find $\frac{dy}{dx}$. [$\frac{\log \sin y + y \tan x}{\log \cos x - x \cot y}$]
- e) Evaluate $\int_0^{\pi/2} \frac{e^{\sin x}}{e^{\sin x} + e^{\cos x}} dx$ [e^x sec x + C]
- f) Find the equation of the tangent to $x^2=12y$ which is perpendicular to the line $3x+y=0$. [3y=x-1]
- g) The probability of a male birth is 0.52. if a woman has three children, what is the probability that at least two are boys? [0.53]
- h) Evaluate $\lim_{x \rightarrow 0^+} (1 + \sin x)^{\cot x}$. [e]
- i) Express $\frac{1 + \cos A + i \sin A}{\sin A + i + i \cos A}$ in A+iB form. [sinA – i cosA]
- j) Solve the differential equation: $xdy - ydx + y^2 dx = 0$. [Cy=x(y-1)]

Question 2

- a) Using the properties prove that, $\begin{vmatrix} 1+a^2-b^2 & 2ab & -2b \\ 2ab & 1-a^2+b^2 & 2a \\ 2b & -2a & 1-a^2-b^2 \end{vmatrix} = (1+a^2+b^2)^3$.
- b) If $f(x) = \begin{bmatrix} \cos x & -\sin x & 0 \\ \sin x & \cos x & 0 \\ 0 & 0 & 1 \end{bmatrix}$ prove that $[f(x)]^{-1} = f(-x)$

Question 3

- a) Solve $\tan^{-1}(x+1) + \tan^{-1}(x-1) = \tan^{-1} \frac{8}{31}$. [1/4]
- b) Draw the circuit: $(abc + abc' + ab'c + a'bc)$. Simplify it by the laws of Boolean. Construct the simplified circuit and show that when any two switches are on the lights are on. [ab+bc+ca]

Question 4

- a) Find the equation of the ellipse whose foci are at $(\pm 2, 0)$ and whose latus rectum is 6. [$3x^2 + 4y^2 = 48$]
- b) Find the points on $y = x^2 - 2x$, where the tangent to the curve is parallel to the chord joining $(1, -1)$ and $(3, 3)$ by the help of LMVT. [(2, 0)]

Question 5

- a) If $\log y = \cos^{-1} x$, prove that $(1 - x^2)y_2 - xy_1 = y$.
- b) A large window has the shape of a rectangle surmounted by an equilateral triangle. If the perimeter of the window is 12 metres find the dimensions of the rectangle that will produce the largest area of the window. [$12/(6-\sqrt{3}), (18-6\sqrt{3})/(6-\sqrt{3})$]

Question 6

- a) There are 3 urns X, Y, Z. which contains 4 red, 3 black and 3 red, 2 black and 2 red, 3 black balls resp. Two balls are drawn from X and one from any one of Y or Z. Find the probability that at least one black ball is drawn. [6/7]
- b) In a town of 6000 people, 1200 are over 50 yrs old and 2000 are female. It is known that 30% of the female are over 50 years. What is the probability that an individual from the town is either female or over 50 yrs? [13/30]

Question 7

- a) Calculate Karl Pearson's coefficient of correlation between Accounts and Mathematics marks:

Accounts	18	40	23	32	27	19	38	40
Mathematics	22	0	17	8	13	21	2	0

[-1, high]

- b) In the estimation of regression equation of X and Y the following results were obtained:

$$\bar{X} = 90, \bar{Y} = 70, N = 10, \sum (X - \bar{X})^2 = 6360, \sum (Y - \bar{Y})^2 = 2860, \sum (X - \bar{X})(Y - \bar{Y}) = 3900.$$

Calculate the value of Y when $X=10$ by using the suitable regression equation.

[21]

Question 8

- a) Evaluate $\int \frac{dx}{1-2\sin x}$ $\left[\frac{1}{2\sqrt{2}} \log \left| \frac{\tan \frac{x}{2} - 2 - \sqrt{3}}{\tan \frac{x}{2} - 2 + \sqrt{3}} \right| + C \right]$
- b) Calculate the area bounded by the curve $y = x - 3\sqrt{x}$ and the x axis. [13.5]

Question 9

- a) If n be a positive integer, prove that $(1+i)^n + (1-i)^n = 2^{\frac{n+2}{2}} \cos \frac{n\pi}{4}$
- b) Solve: $\frac{dy}{dx} + y \tan x = 2x + x^2 \tan x$. $[y \sec x = x^2 \sec x + C]$.

SECTION B (ANY TWO)

[2x10 =20 marks]

Question 10

- a) Find the cartesian and vector equations of a line which passes through the point (1,2,3) and is parallel to the line $\frac{-x-2}{1} = \frac{y+3}{7} = \frac{2z-6}{3}$. $\left[\frac{x-1}{-2} = \frac{y-2}{14} = \frac{z-3}{3}, \hat{i} + 2\hat{j} + 3\hat{k} + \lambda(-2\hat{i} + 14\hat{j} + 3\hat{k}) \right]$
- b) Find the plane that meets the coordinate axes in points A, B and C and centroid of ΔABC is (α, β, γ) . $[x/\alpha + y/\beta + z/\gamma = 3]$

Question 11

- a) Find the area of the triangle whose vertices are given by $\vec{a} = 3\hat{i} - \hat{j} + 2\hat{k}$, $\vec{b} = \hat{i} - \hat{j} - 3\hat{k}$ and $\vec{c} = 4\hat{i} - 3\hat{j} + \hat{k}$. [41.25]
- b) Using vectors prove that $\sin(A+B) = \sin A \cos B + \sin B \cos A$.

Question 12

- a) The probability that, on joining a professional college, a student will successfully complete the course of studies is $3/5$. Determine the probability that out of five students joining (i) none and (ii) at least two will successfully complete the course. [32/3125, 2853/3125]
- b) A company has two plants to manufacture bicycles. The first and second plants manufacture 60% and 40% bicycles respectively. 80% and 90% of bicycles are rated as standard quality at first and second plants

respectively. A bicycle of standard quality was found. Find the probability that it come from second plant.
[0.36]

SECTION C (ANY TWO)

[2x10 =20 marks]

Question 13

- A bill for Rs 7650 was drawn on 8 March, 2003 at 7 months. It was discounted on 18 May, 2003 and the holder of the bill received Rs 7497. What rate of interest did the banker charge? [5%]
- Solve the following linear programming problem graphically: Minimize $Z=x-5y+20$, subject to the constraints $x - y \geq 0$, $-x + 2y \geq 2$, $x \geq 3$, $y \leq 4$, $x, y \geq 0$. [4,4,4]

Question 14

- A company set aside a certain sum for a reserve fund on quarterly basis to enable it to pay off a debenture issue of Rs 239000 at the end of 10 years at 8% p.a. [3956.95]
- The manufacturing cost of an item consists of Rs 900 as overheads, the material cost is Rs 3 per item and the labour cost Rs $x^2/100$ for x items produced. How many items must be produced to have minimum average cost? [300]

Question 15

- Calculate the price index number:

Commodity	% increase in price	% of consumption
A	81	4
B	16	12
C	10	3
D	52	7

[135]

- Assuming a five yearly cycle, calculate the trend by the method of moving averages from the following data of industrial failures in a city: Display the actual and trend values on the same graph paper.

Year	No of failures	Year	No of failures
1982	23	1990	9
1983	26	1991	13
1984	28	1992	11
1985	32	1993	14
1986	20	1994	12
1987	12	1995	9
1988	12	1996	3
1989	10	1997	1