# Human Reproduction


Male and Female Reproductive Systems

• Reproductive events in humans –

Gametogenesis  $\rightarrow$  Insemination  $\rightarrow$  Fertilisation  $\rightarrow$  Implantation  $\rightarrow$  Gestation  $\rightarrow$  Parturition

### • Male reproductive system: It includes


- 1. A pair of testes
- 2. Accessory glands and ducts
- 3. External genitalia
- Testes are located outside the abdominal cavity, within the scrotum.
- Scrotum acts as temperature regulator.
- Testes contain seminiferous tubules that contain two types of cells.
- 1. Spermatogonia (male sperm cell)
- 2. Sertoli cells, which provide nutrition to spermatids (sperm)
- Outside seminiferous tubules, there are Leydig cells. Leydig cells are also known as interstitial cells. They secrete the male hormone, testosterone.
- Male sex accessory ducts are
- 1. Rete testis
- 2. Vasa efferentia
- 3. Epididymis
- 4. Vas deferens
- Male external genitalia include the penis. It facilitates insemination.
- Male accessory glands are
- 1. Seminal vesicles
- 2. Prostate gland
- 3. Bulbourethral gland
- Female reproductive system: It consists of
- 1. A pair of ovaries
- 2. A pair of oviducts (fallopian tube)
- 3. Uterus
- 4. Vagina
- 5. External genitalia
- 6. A pair of mammary glands
- Female accessory ducts are oviduct, uterus and vagina.
- The fallopian tube is divided into isthmus, amphulla and infundibulum.



#### **Structure and Function of Female Reproductive System**


Female reproductive system: Consists of

- 1. A pair of ovaries
- 2. A pair of oviducts (fallopian tube)
- 3. Uterus
- 4. Vagina
- 5. External genitalia
- 6. A pair of mammary glands
- Female accessory ducts are oviduct, uterus and vagina.
- The fallopian tube is divided into isthmus, ampulla and infundibulum.
- Ovaries are the primary female sex organ. The ovarian stroma is made up of peripheral cortex and inner medulla.




#### Gametogenesis

- It involves the formation of the male and female gametes in the male and female genital organs respectively. It involves two processes: spermatogenesis and oogenesis.
  - Spermatogenesis
    - It is the process of formation of the haploid sperm from the diploid spermatogonia.




- **Spermiogenesis:** It is the process of transformation of the spermatids into the matured spermatozoa or sperm cell.
- **Spermiation:** It is the process of release of the matured spermatozoa into the lumen of the seminiferous tubules.
- Hormones involved in spermatogenesis are : -



- Sperm is made up of three parts
  - **Head:** Anterior portion is covered by the acrosome (cap-like structure), which helps in the fertilisation of the ovum.
  - Middle piece: Contains the mitochondria and provides energy
  - Tail: Helps in the movement of the sperm

### • Oogenesis

• It is the process of formation of the haploid ovum from the diploid oogonium.



- Various stages of primary oocyte –
  Primary follicle → Secondary follicle → Tertiary follicle → Matured Graafian follicle
- **Ovulation:** Process of release of the ovum from the ovary

## **Menstrual cycle**

- Menarche: First occurrence of menstruation at puberty
- Menopause: End of the menstrual cycle, at around 50 years of age
- Events during the menstrual cycle
  - **Menstruation phase:** It involves the process of menstruation. If the egg does not get fertilised, the endometrium breaks down and is released out from the vagina in the form of blood.
  - Follicular/proliferative phase: It involves increase in levels of FSH and LH hormones.
    - Release of the FSH hormone stimulates the primary follicle to change into the matured Graafian follicle.
    - Release of the LH hormone induces release of the ovum.

- **Ovulatory phase:** It is characterised by ovulation or release of the ovum from the Graafian follicle due to high level of LH hormone.
- Luteal phase: It is characterised by the rupture of the Graafian follicle in the corpus luteum.
- In the absence of fertilisation, the corpus luteum degenerates.
- The corpus luteum secretes progesterone.
- Progesterone is important during pregnancy as it prepares the endometrial wall of the uterus for implantation.

## Fertilisation and implantation

- Fertilisation takes place in the ampullary–isthmic junction.
- Binding of the sperm with the zona pellucida layer of the ovum changes the membrane permeability and blocks the entry of any other sperm.
- Sex of the baby is determined by the type of the male gamete (X or Y) that fuses with the female gamete (X).
- A diploid zygote undergoes several mitotic divisions to form the blastocyst.

# **Zygote** $\rightarrow$ **Blastula** $\rightarrow$ **Morula** (8 to 16 cell stages) $\rightarrow$ **Blastocyst**

- The blastocyst is implanted in the endometrium of the uterus.
- Pregnancy
- After implantation, the trophoblast forms finger-like projections called chorionic villi, surrounded by the uterine tissue and maternal blood.
- The chorionic villi and the uterine tissue get integrated to form the placenta.
- **Placenta:** It is the structural and functional unit between the embryo and the maternal body. It is connected to the embryo through the umbilical cord.**Placenta** acts as a permeable membrane and allows diffusion of substances through it. Moreover it does not allow the germs to pass through.
- Substances that passes through placenta:
- From Mother to Foetus
  - Oxygen
  - Nutrients(gucose, amino acids, vitamins, mineral ions)
- From Foetus to Mother
  - $\circ CO_2$
  - Urea and other wastes
- Functions of the placenta:
  - Umbilical cord helps in transportation of substances between the mother and the foetus.
  - Provides nutrients to the embryo

- Removes waste products produced by the foetus
- It releases several hormones that are essential for pregnancy
- Human chorionic gonadotropin (hCG).
- Human placental lactogen (hPL)
- Oestrogens
- Progestogens
- Relaxin is secreted by the ovary.
- Relaxin, hCG and hPL are released only during pregnancy.
- After nine months of pregnancy, the foetus is ready for delivery.
- **Parturition:** It is the process of expulsion of the full term foetus out of the uterus. It is induced by the hormone oxytocin.
- Lactation: It the process of producing milk after the birth of the baby. The hormone involved in lactation is prolactin.