Class - X

Mathematics-Basic (241)

Sample Question Paper 2019-20

Max. Marks: 80

Duration: 3 hrs.

General Instructions:

- a) All questions are compulsory
- b) The question paper consists of 40 questions divided into four sections A, B, C & D.
- c) Section A comprises of 20 questions of 1 mark each. Section B comprises of 6 questions of 2 marks each. Section C comprises of 8 questions of 3 marks each. Section D comprises 6 questions of 4 marks each.
- d) There is no overall choice. However internal choices have been provided in two questions of 1 mark each, two questions of 2 marks each, three questions of 3 marks each and three questions of 4 marks each. You have to attempt only one of the alternatives in all such questions.
- e) Use of calculators is not permitted.

SECTION - A

Q 1- 10 are multiple choice questions. Select the most appropriate answer from the given options.

1.	HCF of 1	HCF of 168 and 126 is				1	
	(a) 21		(b) 42	(c) 14	(d)	18	l
2.	Empirical	relationship	between the	e three measures of	central tendency	is	1

3.	 (a) 2 Mean = 3 Median Median - Mean (c) Mode = 2 Mean - 3 Mode + Mean In the given figure, if TP a	Median	(b) 2 Mode = (d) 3 Medi	an = 2
	that $\angle POQ = 110^\circ$, then \angle		XT	
			P a	
	(a) 110°	(b) 90°		
	(c) 80°	(d) 70°	\smile	
4.	325 can be expressed as a	a product of its prin	nes as	1
	() -2 -	(1) <u>-</u> 2 · -		
		(b) $5^2 \times 13$ (d) $2 \times 3^2 \times 5^2$		
	(c) 5×13^2	(d) 2×3 ×5		
5.	One card is drawn from a	well shuffled deck	of 52 cards. The proba	bility 1
	that it is black queen is			
	(a) $\frac{1}{26}$	(b) $\frac{1}{13}$	(c) $\frac{1}{52}$	(d) $\frac{2}{13}$
	\$ 7 26	\$ 7 13	52	. , 13
		2		
6.	The sum of the zeroes of	the polynomial 2x ² -8	8x +6 is	1
	(a) - 3	(b) 3	(c) - 4	
	(d) 4			
			<u> </u>	
7.	Which of the following is the	ne decimal expansio	on of an irrational numb	ber 1
	(a) 4.561 (b) 0.12	(c) 5.010	010001 (d)	6.03

Г

8.	The following figure shows the graph of $y = p(x)$, where $p(x)$ is a	1
	polynomial in variable x. The number of zeroes of the polynomial p(x) is	
	(a) 1 (b) 2 (c)3 (d) 4	
	У	
	x	
9.	The distance of the point P (3, - 4) from the origin is	1
	(a) 7 units (b) 5 units (c)4 units	
	(d) 3 units	
10.	The mid point of the line segment joining the points (- 5, 7) and (- 1, 3) is	1
10.		•
	(a) (-3, 7) (b) (-3, 5) (c) (-1, 5)	
	(d) (5, -3)	
(11	15) Fill in the blanks.	
(11 -	15) Fill in the blanks:	
11.	The point which divides the line segment joining the points A (0, 5) and	1
	B (5, 0) internally in the ratio 2:3 is	
10	The pair of lines represented by the emetions (), (), (), (), (), (), (), (), (), (),	1
12.	The pair of lines represented by the equations $2x+y+3 = 0$ and $4x+ky+6 = 0$ will be parallel if value of k is	1
	OR	
	If the quadratic equation $x^2 - 2x + k = 0$ has equal roots, then value of k	

	is	
13.	The value of sin 60° cos 30° + sin 30° cos 60° is	1
14.	Value of cos 0°. Cos 30° .cos 45° . cos 60° . cos 90° is	1
15.	The sides of two similar triangles are in the ratio 2:3, then the areas of	
	these triangles are in the ratio	
(16 -	20) Answer the following :	
16.	\triangle PQR is right angled isosceles triangle, right angled at R. Find value of	1
	sin P.	
	OR	
	If 15 cot A = 8, then find value of cosec A.	
17.	If area of quadrant of a circle is 38.5 cm ² then find its diameter (use $\pi = \frac{22}{7}$)	1
18.	A dice is thrown once. Find the probability of getting a prime number.	1
19.	In the given fig. If DE BC Find EC.	1
	1.5 cm $1.5 cm$ $1 cm$ $E c$ $B c$	

20.	Find the common difference of the A.P whose first term i	s 12 and fifth	1
	term is 0.		
	SECTION - B		
21.	If two coins are tossed simultaneously. Find the probabilit	y of getting 2	2
	heads.		
22.	A lot of 25 bulbs contain 5 defective ones. One bulb is c		2
	from the lot. What is the probability that the bulb is good		
	OR		
	Two dice are thrown simultaneously at random. Find the	probability of	
	getting a sum of eight.	p	
23.	Prove that the tangents drawn at the ends of a diameter	of a circle are	2
	parallel.		
	Show that $\tan 48^{\circ} \tan 23^{\circ} \tan 42^{\circ} \tan 67^{\circ} = 1.$		•
24.	Show that $\tan 48^\circ \tan 23^\circ \tan 42^\circ \tan 67^\circ = 1$.		2
	OR		
	Evaluate cos 48º cos 42º – sin 48º sin 42º		
25.	Find the area of circle whose circumference is 22cm.		2
26	Read the following passage and answer the questions that		2
	A teacher told 10 students to write a polynomial on the b	black board.	
	Students wrote		
		x - 3	
		$x^4 + x^2 + 1$	
		$x^{2} + 2x + 1$	
	4. $x^3 + 2x^2 + 1$ 9.	$2x^3 - x^2$	

	5. $x^2 - 2x + 1$ 10. $x^4 - 1$	
	(i) Llour monu studente urete subie nelunemiel	
	(i) How many students wrote cubic polynomial (ii) Divide the polynomial $(x^2 + 2x + 1)$ by $(x + 1)$.	
	SECTION C	
27.	Find the zeroes of the quadratic polynomial $x^2 - 3x - 10$ and verify the	3
	relationship between the zeroes and coefficient.	
28.	Draw a circle of radius 4 cm. From the point 7 cm away from its centre,	3
	construct the pair of tangents to the circle.	
	OR	
	Draw a line segment of length 8 cm and divide it in the ratio 2:3	
29.	Following figure depicts a park where two opposite sides are parallel and	3
	left and right ends are semi-circular in shape. It has a 7m wide track for walking	
	The second secon	
	Ţom	
	1-120 m	
	Two friends Seema and Meena went to the park. Meena said that area of	
	the track is 4066m ² . Is she right? Explain.	
30.	Prove that $\frac{\cot A - \cos A}{\cot A + \cos A} = \frac{\csc A - 1}{\csc A + 1}$	3
	cotA+cosA cosecA+1	
	OR	
	Prove that: $\frac{\tan A + \sin A}{\tan A - \sin A} = \frac{\sec A + 1}{\sec A - 1}$	

31.	Prove that 5 - $\sqrt{3}$ is irrational, given that $\sqrt{3}$ is irrational.	3		
	OR An army contingent of 616 members is to march behind an army band of 32 members in a parade. The two groups are to march in the same number of columns. What is the maximum number of columns in which they can march ?			
32.	Prove that the lengths of tangents drawn from an external point to a circle are equal.	3		
33.	Read the following passage and answer the questions that follows: In a class room, four students Sita, Gita, Rita and Anita are sitting at A(3,4), B(6,7), C(9,4), D(6,1) respectively. Then a new student Anjali joins the class	3		
	 (i) Teacher tells Anjali to sit in the middle of the four students. Find the coordinates of the position where she can sit. 	1		
	(ii) Calculate the distance between Sita and Anita.	1		
	(iii) Which two students are equidistant from Gita.	1		

34.	Solve $2x + 3y = 11$ and $x - 2y = -12$ algebraically and hence find the value of 'm' for which $y = mx + 3$.	3
	SECTION D	
35.	Find two consecutive positive integers sum of whose squares is 365.	4
36.	If the sum of first 14 terms of an A.P. is 1050 and its first term is 10, find the 20 th term.	4
	OR The first term of an A.P. is 5, the last term is 45 and sum is 400. Find the number of terms and the common difference.	
37.	As observed from the top of a 75m high light house above the sea level, the angles of depression of two ships are 30° and 45° respectively If one ship is exactly behind the other on the same side of the light house and in the same straight line, find the distance between the two ships. (use $\sqrt{3}$ = 1.732)	4
38.	If a line is drawn parallel to one side of a triangle to intersect the other two sides in distinct points, then prove that the other two sides are divided in the same ratio.	4
	OR	
	State and prove the Pythagoras theorem.	
39.	A copper rod of diameter 1 cm and length 8 cm is drawn in to a wire of length 18 m of uniform thickness. Find the thickness of wire.	4
	Or	

A	metallic sphere of rac	dius 4.2 c	m is melte	d and reca	st into the	shape of
а	cylinder of radius 6 c	m. Find t	he heiaht o	f the cylin	der.	·
			ine neight e	i the ejint		
-	The following distribution	on gives t	the daily ind	come of 50) workers	of a
	actory	0	5			
	Deille in come	400	400 440	440 4/0	4/0 400	400 500
	Daily income	400-	420-440	440-460	460-480	480-500
	Daily income	400- 420	420-440	440-460	460-480	480-500
	Daily income Number of		420-440	440-460 8	460-480 6	480-500 10
		420				
	Number of	420				
	Number of workers	420 12	14	8	6	10
С	Number of	420 12	14	8	6	10

Class - X

Mathematics-Basic (241)

Marking Scheme-SQP 2019-20

Max. Marks: 80

Duration: 3 hrs.

1.	(b) 42	(1)
2.	(a)2 Mean = 3 Median - Mode	(1)
3.	(d)70°	(1)
4.	(b) 5 ² ×13	(1)
5.	$(a)^{\frac{1}{26}}$	(1)
6.	(d) 4	(1)
7.	(c) 5.010010001	(1)
8.	(c) 3	(1)
9.	(b) 5 units	(1)
10.	(b) (- 3, 5)	(1)
11.	(2, 3)	(1)
12.	2 OR 1	(1)
13.	1	(1)
14.	0	(1)
15.	4:9	(1)
16.	Sin P = $1/\sqrt{2}$	(1)

	05	
	OR	
	cosec A = 17/15	
17.	Area of guadrant $\frac{1}{22}$, r^2 20 5 (upp - $\frac{22}{2}$)	$(\frac{1}{2})$
17.	Area of quadrant = $\frac{1}{4} \times \frac{22}{7} \times r^2$ = 38.5 (use $\pi = \frac{22}{7}$)	²
	\Rightarrow r = 7cm	.1.
	∴ diameter = 14 cm	$(\frac{1}{2})$
	1	
18.	$\frac{1}{2}$	1
19.	$\frac{AD}{BD} = \frac{AE}{EC}$ (By B.P.T.)	(<u>1</u>)
17.	BD EC	$(\frac{1}{2})$
	$\frac{1.5}{3} = \frac{1}{EC}$	
	$\therefore EC = 2 cm$	$(\frac{1}{2})$
20	$A_5 = a_1 + 4d = 0$	(¹)
20.	$1^{2} + 4d = 0$	$(\frac{1}{2})$
	d = - 3	$(\frac{1}{2})$
	SECTION - B	
21.	P (Two Head) = $\frac{1}{4}$	(1)
	· · 4	(1)
22.	Good bulbs = 25 - 5 = 20	(1)
	P (good bulb) = $\frac{20}{25} = \frac{4}{5}$	(1)
	OR	
	Of all those outcomes, the ones for which $a + b = 8$ are:	(1)
	2+6, 3+5, 4+4, 5+3, 6+2 or 5 outcomes.	
	P = 5/36	(1)

23.	A L B	
	C M D	(1)
	$\angle OLA = 90^{\circ}$	
	$\angle OMD = 90^{\circ}$	
	$\angle OLA = \angle OMD$ Which are alternate angles, hence AB CD	
		(1)
24.	LHS = tan 48° tan 23°tan 42°tan 67°	(1)
	=Cot (90°-48°) cot (90°-23°) tan 42° tan 67°	
	=Cot 42° cot 67° tan 42° tan 67°	(1)
	=1	
	OR	
	=Cos 48°cos 42° - Sin 48° Sin 42°	(1)
	=Sin (90° - 48°) sin (90°-42°) - Sin 48° Sin 42°	
	=Sin 42° Sin 48° - Sin 48° Sin 42° = 0	(1)
25.	$r = \frac{7}{2}$	(1)
	E E	
	Area of Circle= $\frac{\pi r^2}{4} = \frac{77}{2} \text{cm}^2$	
		(1)
26.	(i) 3 Students	
20.		
	(ii) $\frac{x^2 + 2x + 1}{x^2 + 2x + 1}$	(1)
	(ii) $\frac{x + 2x + 1}{x + 1}$	
		(1)
	$= \frac{(x+1)^2}{x+1} = x+1$	
	SECTION - C	I
L		

27.	$x^2 - 3x - 10 = 0$	(3)		
	$x^2-5x+2x-10 = 0$			
	x(x-5) + 2(x-5)=0			
	(x-5) $(x+2)=0$			
	X = 5, -2			
	Sum of the roots = $\frac{-b}{a} = \frac{3}{1}$			
	which is same as $5 - 2 = 3$			
	product of the roots = $\frac{c}{a}$ = -10			
	which is same as $5x(-2) = -10$			
	Hence verified			
28.	Correct construction of given circle	(1)		
	Correct construction of two tangents	(2)		
	OR	(1)		
	Line of given length	(2)		
	Correct position of point which divides the line segment in the given			
	ratio			
29.	Area of track = $120 \times 70 + \square (35)^2 - [120 \times 56 + \square (28)^2]$	(1)		
27.	$= 120 \times 14 + \frac{22}{7} [(35)^2 - (28)^2]$	(1)		
	$= 120 \times 14 + \frac{7}{7} [(33) - (20)]$ $= 1680 + \frac{22}{7} \times 7 \times 63$			
	= 1680 + 1386			
	$= 3066 \text{m}^2$	$\left(1\frac{1}{2}\right)$		
	Yes, Meena is wrong.	$(\frac{1}{2})$		
30.	L.H.S. = $\frac{\cot A - \cos A}{\cot A + \cos A} = \frac{\frac{\cos A}{\sin A} - \cos A}{\frac{\cos A}{\sin A} + \cos A}$	(1)		
	$= \frac{\cos A \left(\frac{1}{\sin A} - 1\right)}{\cos A \left(\frac{1}{\sin A} + 1\right)} = \frac{\left(\frac{1}{\sin A} - 1\right)}{\frac{1}{\sin A} + 1}$			
	$= \frac{\operatorname{cosec} A - 1}{\operatorname{cosec} A + 1} = R.H.S$	(1)		

	OR	
	L.H.S. = $\frac{\tan A + \sin A}{\tan A - \sin A}$	(1)
	$= \frac{\frac{Sin A}{\cos A} + Sin A}{\frac{Sin A}{\cos A} - \cos A} = \frac{Sin A}{Sin A} \frac{[Sec A+1]}{[Sec A-1]}$ $= R.H.S$	$(\frac{1}{2})$ $(\frac{1}{2})$ (1)
		(1)
31.	Let us assume that 5 - $\sqrt{3}$ is a rational We can find co prime a & b (b≠ 0)such that 5 - $\sqrt{3} = \frac{a}{b}$	$(\frac{1}{2})$
	Therefore 5 $-\frac{a}{b} = \sqrt{3}$ So we get $\frac{5b-a}{b} = \sqrt{3}$ Since a & b are integers, we get $\frac{5b-a}{b}$ is rational, and so $\sqrt{3}$ is rational. But $\sqrt{3}$ is an irrational number	(1) $(\frac{1}{2})$
	Which contradicts our statement $\therefore 5 - \sqrt{3}$ is irrational OR	(1)
	$616 = 32 \times 19 + 8$ $\Rightarrow r = 8 \neq 0$ $32 = 8 \times 4 + 0$ $\Rightarrow r = 0$	(2)
	The HCF of 32 and 616 is 8.	(1)
		(1)
32.		(1)


		(1) (1)	
	In $\triangle OPA \ and \triangle OPB$ $\angle PAO = \angle PBO \ (each 90^{\circ})$ OP = OP(common) $OA = OB(radii \ of \ same \ circle \)$ $\triangle OPA \cong \triangle OPB \ (by \ RHS \ congruency \ axiom$ Hence PA = PB (CPCT)		
33.	(i) (6,4)	(1)	
	(ii) $\sqrt{(6-3)^2 + (1-4)^2} = 3\sqrt{2}$ units	(1)	
	(iii) Sita and Rita	(1)	
34.	2x + 3y = 11(1)	(1)	
	x-2y = -12(2)		
	(2) $\Rightarrow x = 2y - 12$ (3)		
	Substitute value of x from (3) in (1), we get		
	2(2y-12) + 3y = 11		
	$\Rightarrow 4y - 24 + 3y = 11$ $\Rightarrow 7y = 35$		
	\Rightarrow y = 5		
	Substituting value of $y = 5$ in equation (3), we get		
		(1)	
	x = 2(5) - 12 = 10 - 12 = -2		
	Hence $x = -2$, $y=5$ is the required solution		
	Now $5 = -2m + 3$ $\Rightarrow 2m = 3-5$		
	$\Rightarrow 2m = -2$		
	m = -1		
		(1)	
		(1)	
	SECTION D		
35.	SECTION - D Let two consecutive positive integers be x and $x + 1$	(¹)	
55.	Let two consecutive positive integers be λ and $\lambda + 1$	$(\frac{1}{2})$	

$$\begin{array}{c|c} & \therefore x^{2} + (x+1)^{2} = 365 & (1\frac{1}{c^{2}}) \\ \Rightarrow x^{2} + x - 182 = 0 & (1) \\ & (x+14)(x-13) = 0 \\ & \therefore x = 13 & (1) & (1) \\ \end{array}$$
Hence two consecutive positive integers are 13 and 14 & (1)

36. Let common difference be d
$$\begin{array}{c} \Rightarrow \frac{14}{2} [2(10) + (n-1)d] = 1050 & (2) \\ \Rightarrow d = 10 & (2) \\ \Rightarrow d = 10 & (2) \\ = 10 + 19 & (10) = 200 & (2) \\ \end{array}$$

$$\begin{array}{c} OR & & \\ a=5 \\ a_{n} = 45 & \\ a_{n} = 45 & \\ S_{n} = 400 & \\ \end{array}$$

$$\begin{array}{c} = \frac{\pi}{2} (5+45) = 400 \\ 50n = 800 & \\ n = 16 & (2) \\ also a_{n} = 45 & \\ 5+15d = 45 & \\ 15d-40 & \\ d=8/3 & (2) \end{array}$$



					$(1\frac{1}{2})$
	For correct proof				
39.	A.T. Q.				(2)
	$\pi r^2 \times 1800 = \pi \times \frac{1}{2} \times \frac{1}{2} \times 8$				
	$\Rightarrow r^{2} = \frac{1}{900}$ $\Rightarrow r = \frac{1}{30}$				$(1\frac{1}{2})$
	$\Rightarrow 1 = \frac{1}{30}$ $\therefore \text{ Thickness of wire} = \frac{1}{15}cm$				$(1\frac{1}{2})$ $(\frac{1}{2})$
	OR				
	$\frac{4}{3}\pi r^{3} = \pi R^{2} h$ $\frac{4}{3}(4.2)^{3} = (6)^{2} h$				
	$\frac{1}{3}(4.2)^3 = (6)^2 h$ $\Rightarrow h = \frac{2744}{100}$				(2)
					$(1\frac{1}{2})$
	$\therefore h = 2 \cdot 744 \ cm$				$(\frac{1}{2})$
40.					
101	Daily	Number of workers	Cumulative		
	Income		Frequency		
	400-420	12	12		
	420-440	14	26		
	440-460	8	34		

	460-480	6	40		
	480-500	10	50		
					(2)
Correct Table					
Drawing an ogive with co-ordinates				(2)	
(420,12), (440,26), (460, 34), (480,40), (500, 50)					