


COAL & PETROLEUM

FUELS

A combustible substance which on burning produces a large amount of heat and light is called a fuel. Coal, LPG, Petrol, Kerosene, wood etc.

Classification of Fuels

Fuels are classified on the basis of physical states in which they occur. So fuels are classified as solid, liquid and gaseous fuels.



- ◆ **Solid fuels** : Combustible substances which are solid at room temperature are called solid fuels. Solid fuels contain mainly carbon both as free and combined carbon. In rural areas, Firewood, Agricultural wastes, Animal-dung cakes are the major source of energy.

Examples : Some solid fuels are :

- | | |
|-----------------------|----------------------------------|
| (a) Coal | (b) Coke |
| (c) Wood | (d) Charcoal |
| (e) Animal-dung cakes | (f) Bagasse, Agricultural wastes |

- ◆ **Liquid fuels** : Volatile liquids which produce combustible vapour are called liquid fuels. Kerosene is the most commonly used liquid fuel.

Examples : Some common liquid fuels are :

- | | | | |
|------------|------------|--------------|-------------|
| (a) Petrol | (b) Diesel | (c) Kerosene | (d) Alcohol |
|------------|------------|--------------|-------------|

Petrol, diesel and kerosene are mixtures of hydrocarbons.

- ◆ **Gaseous fuels** : Combustible gases or mixtures of combustible gases are called gaseous fuels.

Examples : Some commonly used gaseous fuels are :

- | | |
|---------------------------|-----------------------------------|
| (a) Natural gas | (b) Liquefied petroleum gas (LPG) |
| (c) Biogas (or Gobar gas) | (d) Coal gas |
| (e) Water gas | (f) Producer gas |
| (g) Hydrogen gas | (h) Compressed Natural Gas (CNG) |

Petroleum gas is obtained as a by-product during the fractional distillation of petroleum.

◆ Characteristics of an ideal fuel

An ideal fuel should have the following characteristics :

- ◆ It should be fairly cheap and easily available.
- ◆ It should burn at moderate rate.
- ◆ It should not produce any poisonous and irritating fumes during burning.
- ◆ It should leave no residue (ash) after burning.
- ◆ It should produce large amount of heat per unit mass i.e., it should have high calorific value.
- ◆ It should be safe and convenient from the storage and transportation point of views.

- ◆ Its ignition temperature should be above room temperature. So that it is safe to use such a fuel.

◆ Uses of Fuels

- ◆ **Cooking and Heating :** The most common use of fuels is for cooking and heating. The commonly used domestic fuels are wood, dry cattle dung, coal, charcoal, kerosene (in rural areas) and coal, kerosene, LPG (in urban areas).
- ◆ **For Transportation :** Fuels such as petrol, diesel and CNG are used for running cars, scooters, buses, trucks and trains. These automobiles are used for transportation from one place to another. The fuel used in aeroplanes is called **aviation fuel**.
- ◆ **For Generating Electricity :** Fuels such as coal and natural gas are used for generating electricity on a commercial scale, in Thermal power stations. Petrol, diesel and kerosene are also used for generating electricity in smaller generators commonly used at homes and shops, etc.
- ◆ **In Industry :** Fuels such as coal, natural gas, diesel and furnace oil are used in the industry for generating steam in boilers. Steam is required in industry for heating purposes and also for generating electricity for their own use in factory. Industry in the rural areas also uses biomass such as bagasse—the cellulose material left after extracting juice from the sugarcane for running boilers.
- ◆ **For Launching Space Vehicles :** Space vehicles are launched with the help of rockets. Rockets use special fuels called **propellants**. A propellant is a combination of a **fuel** and an oxidizer.

Coal

◆ Introduction :

Coal is a mineral of dark brown or black colour formed from the remains of plants buried in the earth's crust millions of years ago.

◆ Composition :

Coal is a very impure form of carbon. It mainly consists of atoms of carbon, hydrogen and oxygen. A small amount of sulphur is also present in it.

◆ Mining

Coal is mined using two methods—opencast mining and underground mining. Opencast mining is used when the deposits of coal are near the surface of the earth. Underground mining is used when coal deposits lie deep inside the earth's crust.

◆ Formation

Coal is formed from vegetable matter buried under the earth. About 300 million years ago, the earth was covered with dense forests, marshlands and rivers. The forests grew and died and fell into the waters of the surrounding swamps. These plants were covered with tons of earth over a period of millions of years. Due to the huge pressure and temperature inside the earth, this vegetable matter got converted into coal. For this reason, coal is known as fossil fuel. It is also a non-renewable source of energy.


◆ Types of Coal

Coal comes in four main varieties. The percentage of carbon in air-dried samples are as follows.

- ◆ **Peat :** This is a material in the first stage of coal formation. It contains only 27% carbon and is considered to be the lowest grade of coal.
- ◆ **Lignite :** This variety of coal contains 28-30% carbon. It has poor heating power. It is brown in colour but lustrous when dry.

◆ Ammoniacal Liquor :

The ammonia produced as a result of destructive distillation of coal is absorbed in water. The aqueous solution of ammonia, i.e., ammonium hydroxide solution, is called ammoniacal liquor. It is used in the preparation of fertilizers such as ammonium sulphate and ammonium superphosphate.



Coal Gas : Coal gas is a mixture of hydrogen, methane and carbon monoxide. The gases present in coal gas are combustible, and hence it is an excellent fuel. It has a high calorific value. It was used for lighting houses, factories and streets in Mumbai until 1950. It was also used for cooking until recently.

Petroleum

Petroleum is a naturally occurring oil that consists chiefly of hydrocarbons with some other elements, such as sulphur, oxygen and nitrogen. It is now known that petroleum contains hydrocarbons of the paraffin series, with upto 100 or more carbon atoms in the chain. The unrefined form of petroleum is called crude oil or rock oil (petra = rock; oleum = oil).

◆ Origin of Petroleum :

Petroleum was formed from organisms living in the sea. The remains of these organisms were deposited in shallow depressions in the sea bed long, long ago. These were covered by layers of sand and clay which compressed these remains. Over a period of millions of years, the organic matter present in the dead organisms underwent a series of processes before being finally transformed into petroleum. The petroleum migrated from the source rock to be entrapped in large underground reservoirs beneath impermeable rocks. It often floats over a layer of water and is held in this position under pressure beneath a layer of natural gas.

◆ Oil Wells in India :


In India, oil was first struck at Makum in Assam in 1867. The oil fields of Assam were the only source of petroleum in our country until about 40 years ago. Some other places in our country where oil wells have been dug are

- ◆ Ankleshwar and Kalol in Gujarat,
- ◆ Offshore areas west of Mumbai, and
- ◆ Offshore deltas of the Godavari and Kaveri rivers.

There are some government agencies engaged in exploring and producing crude oil-Oil and Natural Gas Commission (ONGC) and Oil India Limited (Oil). There are many refineries in India. The larger refineries are at Jamnagar, Mathura, Bharuch, Digboi, Haldia and Barauni.

Refining

The process of separating the various components of petroleum from one another is known as the refining of petroleum. This is done by a process called fractional distillation which is based on the fact that the different components of petroleum have distinctly different boiling points.



◆ Products of Petroleum Refining

- ◆ **Asphalt** : Asphalt is a black and sticky substance. It is used for making the surface of roads. It does not burn readily.
- ◆ **Paraffin Wax** : It boils at above 673 K. It is obtained by the fractionation of residual oil. It is used for making candles, vaseline, grease, polishes, etc.
- ◆ **Lubricating Oil** : It boils at well above 673 K. It is obtained by the fractionation of residual oil. It is used for lubricating machinery.
- ◆ **Fuel Oil** : The boiling range of fuel oil is 623 K to 673 K. It is used in industries to heat boilers and furnaces. It is a better fuel than coal because it burns completely leaving behind no ash, whereas coal burns producing a large amount of ash which has to be removed regularly.
- ◆ **Diesel Oil** : Its boiling range is 573 K to 623 K. It contains straight-chain alkanes with the number of carbon atoms varying from 20 to 25. It is used in cars, trucks, buses, and locomotives.
- ◆ **Kerosene** : Its boiling range is 443 K to 523 K. It contains straight-chain alkanes with 10-16 carbon atoms. It is used for domestic purposes, for lighting petromax, lanterns, lamps, stoves, etc.
- ◆ **Petrol** : Its boiling range is 313 K to 443 K. It is also called gasoline. It contains paraffins from pentane to dodecane. It is used as a fuel in two-wheelers, three-wheelers and cars.

- ◆ **Residual Oil :** The residual oil obtained from the primary distillation of petroleum is known as reduced crude. Reduced crude is distilled in vacuum to yield bitumen as residue. Bitumen is largely used in making road surfaces, and also for coating cables to provide electrical insulation.

◆ Uses

- ◆ Petroleum gas is used as a fuel. It is also used in the form of liquefied petroleum gas (LPG) for domestic purposes.
- ◆ Gasoline or petrol is used as a fuel in cars, scooters, etc.
- ◆ Kerosene is used as a household fuel.
- ◆ Diesel oil is used as a furnace fuel and fuel for diesel engines.
- ◆ Lubricating oil is used for lubrication of machinery, etc.
- ◆ Vaseline is used for softening skin.
- ◆ Paraffin wax is used for making candles
- ◆ Most industrial chemicals are produced from petroleum and natural gas. These chemicals are called petrochemicals. Petroleum is the major source of medicines, insecticides, rubbers, plastics, perfumes, explosives, motor fuels, etc.
- ◆ **Petroleum Gas :** It is a mixture of ethane, propane and butane. Its main constituent is butane which burns giving off a lot of heat. Butane is easily liquefied under high pressure. In the liquid form it is supplied in cylinders and is commonly known as Liquefied Petroleum Gas (LPG).

◆ **Liquefied Petroleum Gas (LPG) :**

Liquefied petroleum gas is petroleum gas in liquid state. It is a mixture of ethane, propane and butane, but the major component is butane.

LPG is a colourless, odourless (when pure) gas. The commercially supplied LPG contains a strong smelling compound called **ethyl mercaption (C_2H_5SH)** to permit its detection in the case of any leakage.



EXERCISE - 1

VERY SHORT ANSWER TYPE QUESTIONS.

- Q.1 Name any two products of petroleum refining.
- Q.2 Name the petroleum product used for surfacing of roads.
- Q.3 How is coke obtained
- Q.4 Name the purest form of carbon.
- Q.5 How is coal tar formed ?
- Q.6 Give the main use of coal gas.
- Q.7 How is petroleum formed ?
- Q.8 Why is petroleum called a fossil fuel ?
- Q.9 What is meant by refining of petroleum ?
- Q.10 Where is petroleum found in India ?
- Q.11 Name the fraction of petroleum used for making ointments and candles.
- Q.12 Expand CNG.
- Q.13 Name two fuels which are used for running automobiles.
- Q.14 Why is food regarded as a fuel for our body?
- Q.15 Name a liquid fuel which is used in homes?
- Q.16 Write the full forms of (a) CNG (b) LPG

Short answer type questions.

- Q.17 Why are coal and petroleum known as fossil fuels ?
- Q.18 Give two characteristics of coal.
- Q.19 Give two use of coke.
- Q.20 Why should the fossil fuels be used with care ?
- Q.21 (a) Name two places in India where oil wells are found ?
(b) When and where in India where oil wells first found ?
- Q.22 (a) Name the products obtained when coal is heated in the absence of air.
(b) Write any two uses of its products.
- Q.23 How is 'petrol' related to 'petroleum' ? Name four most important products obtained from petroleum.
- Q.24 Name three products of distillation of petroleum of petroleum and give their uses.

Q.25 Give reasons –

- (i) LPG is a better domestic fuel than wood.
- (ii) Water is not used to control fires involving electrical equipment.

Long answer type questions.

Q.26 (a) What is CNG ? Give its one use.

(b) From which natural substance are liquid fuels formed ?

(c) Which gas is the main constituent of LPG ?

(d) How was petroleum formed in nature ?

(e) Why do green leaves not catch fire easily?

Q.27 How is coal formed ?

EXERCISE - 2

SINGLE CORRECT ANSWER TYPE QUESTIONS

- Q.1** The natural solid fuel is
(A) coal (B) coke
(C) LPG (D) charcoal
- Q.2** Which of the following is not the attribute of a good fuel ?
(A) Low calorific value
(B) Moderate rate of combustion
(C) Fairly cheap and easily available
(D) Safe to handle, store, and transport
- Q.3** The oldest oil refinery in India is located at
(A) Mathura (B) Digboi
(C) Haldia (D) Kanpur
- Q.4** Process of separating useful fractions from petroleum is called
(A) Refining
(B) Distillation
(C) Destructive distillation
(D) Cooling
- Q.5** Coal gas is a mixture of
(A) $\text{CO} + \text{H}_2$
(B) $\text{CO} + \text{N}_2$
(C) $\text{CH}_4 + \text{CO} + \text{H}_2$
(D) $\text{CH}_4 + \text{C}_2\text{H}_6$
- Q.6** Which one is a household variety of coal ?
(A) Peat
(B) Bituminous
(C) Lignite
(D) Anthracite
- Q.7** Which one is an ideal fuel
(A) Natural gas (B) Coal
(C) Kerosene (D) Wood
- Q.8** The fuel considered as clean fuel is
(A) Biogas (B) CNG
(C) LPG (D) All of the above

Q.9 The nuclear fuel used in nuclear power plants is

- (A) Coal
- (B) Radium
- (C) Uranium
- (D) Gold

Q.10 The petroleum product used in the manufacture of carbon black is –

- (A) Gasoline
- (B) Diesel
- (C) Gaseous petroleum
- (D) Lubricating oil

ANSWER KEY

EXERCISE-1

VERY SHORT ANSWER TYPE QUESTIONS.

Sol.1 Kerosene and Petrol

Sol.2 Bitumen

Sol.3 Coke is obtained by heating coal in the absence of air.

Sol.4 Coke.

Sol.5 When destructive distillation of coal is done, the vapours which condense in the water form coal tar.

Sol.6 Coal gas is mainly used as a fuel in the coal processing plants.

Sol.7 Petroleum is formed by the decomposition of dead aquatic plants and animals.

Sol.8 Petroleum is called a fossil fuel as it is obtained from the bodies of dead organisms.

Sol.9 The separation of different fractions of petroleum on the basis of their different boiling points is known as refining of petroleum.

Sol.10 In India, petroleum is found in Assam, Gujarat, Bombay High and in the river basins of Godavari and Cauverui.

Sol.11 Paraffin wax.

Sol.12 CNG is Compressed Natural Gas.

Sol.13 Petrol and Compressed Natural Gas (CNG)

Sol.14 Food reacts with oxygen in our body and is broken down into simpler food with the production of heat. Hence it is regarded as a fuel for our body.

Sol.15 Kerosene

Sol.16 (a) CNG – Compressed Natural Gas

(b) LPG – Liquefied Petroleum Gas

Short answer type questions.

Sol.17 Coal and petroleum are formed from the dead remains of living organisms that is why they are called fossils fuels.

Sol.18 Coal is hard and is of black in colour.

Sol.19 Coke is used in the extraction of metals and in the manufacture of steel.

Sol.20 If we use fossil fuels carefully, it will result in better environment, less risk of global warming and they will be available for longer period.

Sol.21 (a) Oil wells are found in Assam and Bombay high.

(b) The first oil wells were found at Makum in Assam in 1867.

Sol.22 (a) Coke is formed when coal is heated in absence of air.

(b) Coke is used :

– as a fuel.

– as a reducing agent in the extraction of metals.

Sol.23 Petrol is one of the fractions obtained during fractional distillation of petroleum. Petrol, diesel, kerosene and lubricating oil are four most important products obtained from petroleum.

Sol.24

A	B
(i) Petrol	Scooter
(ii) Liquefied Petroleum Gas	Cooking
(iii) Coal	Thermal Power Station

Sol.25 (i) 1. LPG (55000 kJ/kg) has higher calorific value than wood (17000-22000 kJ/kg).

2. LPG does not give smoke and any harmful gases but wood gives smoke and harmful gases like CO on burning.

So LPG is a better domestic fuel than wood.

(ii) Water is not used to control fires involving electrical equipment because water may conduct electricity and harm those trying to extinguish the fire.

Sol.26 (a) CNG – Compressed Natural Gas. It is used as a fuel.

(b) All liquid fuels are formed from petroleum.

(c) Butane is the main constituent of LPG.

(d) Petroleum is formed by the sedimentation of dead remains of microscopic marine plants and animals, which were buried under the surface of the earth, millions of years ago.

(e) Green leaves do not catch fire easily because they contain moisture.

Sol.27 Coal is formed by the slow decay of dead trees buried under the earth. As the trees died, they were covered by mud and sand. This process continued for millions of years. Sometimes earthquakes and volcanoes buried entire forests deep inside the earth. The high temperature and pressure inside the earth slowly converted the buried vegetation into coal.