

### Exercise No. 10.1

---

#### Multiple Choice Questions:

Choose the correct answer from the given four options:

**1. To divide a line segment AB in the ratio 5:7, first a ray AX is drawn so that  $\angle BAX$  is an acute angle and then at equal distances points are marked on the ray AX such that the minimum number of these points is**

- (A) 8
- (B) 10
- (C) 11
- (D) 12

**Solution:**

(D) 12

As given in the question,

A line segment AB in the ratio 5:7

So,

$A:B = 5:7$

We draw a ray AX making an acute angle  $\angle BAX$ ,

And mark A+B points at equal distance.

$A=5$  and  $B=7$

Therefore,

Minimum number of these points =  $A+B$

$$= 5+7 = 12$$

**2. To divide a line segment AB in the ratio 4:7, a ray AX is drawn first such that  $\angle BAX$  is an acute angle and then points  $A_1, A_2, A_3, \dots$  are located at equal distances on the ray AX and the point B is joined to**

- (A)  $A_{12}$
- (B)  $A_{11}$
- (C)  $A_{10}$
- (D)  $A_9$

**Solution:**

(B)  $A_{11}$

As given in the question,

A line segment AB in the ratio 4:7

So,

$$A:B = 4:7$$

Now,

Draw a ray AX making an acute angle BAX

Minimum number of points located at equal distances on the ray,

$$AX = A+B$$

$$= 4+7$$

$$= 11$$

$A_1, A_2, A_3, \dots$  are located at equal distances on the ray AX.

Point B is joined to the last point is  $A_{11}$ .

**3. To divide a line segment AB in the ratio 5 : 6, draw a ray AX such that  $\angle BAX$  is an acute angle, then draw a ray BY parallel to AX and the points  $A_1, A_2, A_3, \dots$  and  $B_1, B_2, B_3, \dots$  are located at equal distances on ray AX and BY, respectively. Then the points joined are**

**(A)  $A_5$  and  $B_6$**

**(B)  $A_6$  and  $B_5$**

**(C)  $A_4$  and  $B_5$**

**(D)  $A_5$  and  $B_4$**

**Solution:**

(A)

$A_5$  and  $B_6$

As given in the question,

A line segment AB in the ratio 5:7

So,

$$A:B = 5:7$$

Steps of construction:

1. Draw a ray AX, an acute angle BAX.


2. Draw a ray BY  $\parallel$  AX, angle ABY = angle BAX.

3. Now, locate the points  $A_1, A_2, A_3, A_4$  and  $A_5$  on AX and  $B_1, B_2, B_3, B_4, B_5$  and  $B_6$  (Because  $A : B = 5:7$ )

4. Join  $A_5B_6$ .

$A_5B_6$  intersect AB at a point C.

$$AC: BC = 5:6$$



**4. To construct a triangle similar to a given  $\triangle ABC$  with its sides  $\frac{3}{7}$  of the corresponding sides of  $\triangle ABC$ , first draw a ray  $BX$  such that  $\angle CBX$  is an acute angle and  $X$  lies on the opposite side of  $A$  with respect to  $BC$ . Then locate points  $B_1, B_2, B_3, \dots$  on  $BX$  at equal distances and next step is to join**

- (A)  $B_{10}$  to  $C$
- (B)  $B_3$  to  $C$
- (C)  $B_7$  to  $C$
- (D)  $B_4$  to  $C$

**Solution:**

(C)

In this, we locate points  $B_1, B_2, B_3, B_4, B_5, B_6$  and  $B_7$  on  $BX$  at equal distance and in next step join the last point  $B_7$  to  $C$ .

**5. To construct a triangle similar to a given  $\triangle ABC$  with its sides  $\frac{8}{5}$  of the corresponding sides of  $\triangle ABC$  draw a ray  $BX$  such that  $\angle CBX$  is an acute angle and  $X$  is on the opposite side of  $A$  with respect to  $BC$ . The minimum number of points to be located at equal distances on ray  $BX$  is**

- (A) 5
- (B) 8
- (C) 13
- (D) 3

**Solution:**

(B)

To construct a triangle similar to a given triangle, with its sides  $\frac{m}{n}$  of the  $n$  corresponding sides of given triangle the minimum number of points to be located at equal distance is equal to the greater of  $m$  and  $n$  in  $\frac{m}{n}$ . Here,  $\frac{m}{n} = \frac{8}{5}$ . So, the minimum number of point to be located at equal distance on ray BX is 8.

**6. To draw a pair of tangents to a circle which are inclined to each other at an angle of  $60^\circ$ , it is required to draw tangents at end points of those two radii of the circle, the angle between them should be**

(A)  $135^\circ$

(B)  $90^\circ$


(C)  $60^\circ$

(D)  $120^\circ$

**Solution:**

(D)

The angle between them should be  $120^\circ$  because in that case the figure formed by the intersection point of pair of tangent, the two end points of those two radii (at which tangents are drawn) and the centre of the circle is a quadrilateral.



From figure POQR is a quadrilateral,

$$\angle POQ + \angle PRQ = 180^\circ$$

[as, sum of opposite angles are  $180^\circ$ ]

$$60^\circ + \theta = 180^\circ$$

$$\theta = 120^\circ$$

Therefore, the required angle between them is 120.

## Exercise No. 10.2

---

### Short Answer Questions with Reasoning:

Write 'True' or 'False' and justify your answer in each of the following:

1. By geometrical construction, it is possible to divide a line segment in the ratio  $\sqrt{3} : \frac{1}{\sqrt{3}}$ .

**Solution:**

True

Explanation:

As given in the question,

$$\text{Ratio} = \sqrt{3} : \frac{1}{\sqrt{3}}$$

On solving,

$$\sqrt{3} : \frac{1}{\sqrt{3}} = 3:1$$

Required ratio = 3:1

Therefore, geometrical construction is possible to divide a line segment in the ratio 3:1.

2. To construct a triangle similar to a given  $\triangle ABC$  with its sides  $\frac{7}{3}$  of the corresponding sides of  $\triangle ABC$ , draw a ray BX making acute angle with BC and X lies on the opposite side of A with respect to BC. The points  $B_1, B_2, \dots, B_7$  are located at equal distances on BX,  $B_3$  is joined to C and then a line segment  $B_6C'$  is drawn parallel to  $B_3C$  where  $C'$  lies on BC produced. Finally, line segment  $A'C'$  is drawn parallel to AC.


**Solution:**

False

Steps of construction:

1. Draw a line segment BC with suitable length.
2. Taking B and C as centers draw two arcs of suitable radii intersecting each other at A.
3. Join BA and CA.  $\triangle ABC$  is the required triangle.
4. From B draw any ray BX downwards making an acute angle CBX.

5. Locate seven points  $B_1, B_2, B_3, \dots, B_7$  on  $BX$  such that  $BB_1 = B_1B_2 = B_1B_3 = B_3B_4 = B_4B_5 = B_5B_6 = B_6B_7$ .
6. Join  $B_3C$  and from  $B_7$  draw a line  $B_7C' \parallel B_3C$  intersecting the extended line segment  $BC$  at  $C'$ .
7. From point  $C'$  draw  $C'A' \parallel CA$  intersecting the extended line segment  $BA$  at  $A'$ .



Then

$\triangle A'BC'$  is the required triangle whose sides are  $\frac{7}{3}$  of the corresponding sides of  $\triangle ABC$ .

Given,

Segment  $B_6C'$  is drawn parallel to  $B_3C$ .

But from our construction is never possible that segment  $B_6C'$  is parallel to  $B_3C$  because the similar triangle  $A'BC'$  has its sides  $\frac{7}{3}$  of the corresponding sides of triangle  $ABC$ .

Therefore,  $B_7C'$  is parallel to  $B_3C$ .

**3. A pair of tangents can be constructed from a point  $P$  to a circle of radius 3.5 cm situated at a distance of 3 cm from the centre.**

**Solution:**

False

As, the radius of the circle is 3.5 cm

$r = 3.5$  cm and a point  $P$  situated at a distance of 3 cm from the centre

So,

$d = 3$  cm.

We can see that  $r > d$

Therefore, a point  $P$  lies inside the circle.

And, no tangent can be drawn to a circle from a point lying inside it.

**4. A pair of tangents can be constructed to a circle inclined at an angle of  $170^\circ$ .**

**Solution:**

True

As, the angle between the pair of tangents is always greater than  $0$  but less than  $180^\circ$ .  
Therefore, we can draw a pair of tangents to a circle inclined at an angle at  $170^\circ$ .

## Exercise No. 10.3

### Short Answer Questions:


#### Question:

1. Draw a line segment of length 7 cm. Find a point P on it which divides it in the ratio 3:5.

#### Solution:

Steps of construction:

1. Draw a line segment  $AB = 7$  cm.
  2. Draw a ray  $AX$ , making an acute  $\angle BAX$ .
  3. Along  $AX$ , mark  $3 + 5 = 8$  points  
 $A_1, A_2, A_3, A_4, A_5, A_6, A_7, A_8$   
Such that  $AA_1 = A_1A_2 = A_2A_3 = A_3A_4 = A_4A_5 = A_5A_6 = A_6A_7 = A_7A_8$
  4. Join  $A_8B$ .
  5. From  $A_3$ , draw  $A_3P \parallel A_8B$  meeting  $AB$  at  $P$ .  
[by making an angle equal to  $\angle BA_8A$  at  $A_3$ ]
- So,  $P$  is the point on  $AB$  which divides it in the ratio 3 : 5.



Explanation:

Let

$$AA_1 = A_1A_2 = A_2A_3 = A_3A_4 = \dots\dots\dots = A_7A_8 = x$$

In  $\triangle ABA_8$ , we have

$$A_3P \parallel A_8B$$


$$\frac{AP}{PB} = \frac{AA_3}{A_3A_8} = \frac{3x}{5x}$$

Therefore,  $AP: PB = 3 : 5$



**2. Draw a right triangle ABC in which BC = 12 cm, AB = 5 cm and  $\angle B = 90^\circ$ . Construct a triangle similar to it and of scale factor  $\frac{2}{3}$ . Is the new triangle also a right triangle?**

**Solution:**



Steps of construction:


1. Draw a line segment BC = 12 cm.
2. From B draw a line AB = 5 cm which makes right angle at B.
3. Join AC,  $\triangle ABC$  is the given right triangle.
4. From B draw an acute  $\angle CBX$  downwards.
5. On ray BX, mark three points  $B_1$ ,  $B_2$  and  $B_3$ , such that  $BB_1 = B_1B_2 = B_2B_3$ .
6. Join  $B_3C$ .
7. From point  $B_2$  draw  $B_2N \parallel B_3C$  intersect BC at N.
8. From point N draw  $NM \parallel CA$  intersect BA at M.  $\triangle MBN$  is the required triangle.  $\triangle MBN$  is also a right angled triangle at B.

**3. Draw a triangle ABC in which BC = 6 cm, CA = 5 cm and AB = 4 cm. Construct a triangle similar to it and of scale factor  $\frac{5}{3}$ .**

**Solution:**

Steps of construction:

1. Draw a line segment BC = 6 cm.
2. Taking B and C as centers, draw two arcs of radii 4 cm and 5 cm intersecting each other at A.
3. Join BA and CA.  $\triangle ABC$  is the required triangle.
4. From B, draw any ray BX downwards making an acute angle  $\angle CBX$
5. Mark five points  $B_1$ ,  $B_2$ ,  $B_3$ ,  $B_4$  and  $B_5$  on BX, such that  $BB_1 = B_1B_2 = B_2B_3 = B_3B_4 = B_4B_5$ .




6. Join  $B_3C$  and from  $B_5$  draw  $B_5M \parallel B_3C$  intersecting the extended line segment  $BC$  at  $M$ .
7. From point  $M$  draw  $MN \parallel CA$  intersecting the extended line segment  $BA$  at  $N$ .

Therefore,  $\triangle NBM$  is the required triangle whose sides are equal to  $\frac{5}{3}$  of the corresponding sides of the  $\triangle ABC$ .

**4. Construct a tangent to a circle of radius 4 cm from a point which is at a distance of 6 cm from its center.**

**Solution:**



We have, a point  $M'$  is at a distance of 6 cm from the centre of a circle of radius 4 cm.

Steps of construction:

1. Draw a circle of radius 4 cm. Let the centre of this circle be  $O$ .
2. Join  $OM'$  and bisect it. Let  $M$  be mid-point of  $OM'$ .
3. Taking  $M$  as centre and  $MO$  as radius draw a circle to intersect circle  $(O, 4)$  at two points,  $P$  and  $Q$ .
4. Join  $PM'$  and  $QM'$ .  $PM'$  and  $QM'$  are the required tangents from  $M'$  to circle  $C(O, 4)$ .

## Exercise No. 10.4

### Long Answer Questions:


#### Question:

1. Two line segments AB and AC include an angle of  $60^\circ$  where AB = 5 cm and AC = 7 cm. Locate points P and Q on AB and AC, respectively such that  $AP = \frac{3}{4}AB$  and  $AQ = \frac{1}{4}AC$ . Join P and Q and measure the length PQ.

#### Solution:

Steps of construction:

1. Draw a line segment AB = 5 cm.
2. Also, make  $\angle BAZ = 60^\circ$ .
3. With center A and radius 7 cm, draw an arc cutting the line AZ at C.
4. Draw a ray AX, making an acute  $\angle BAX$ .
5. Divide AX into four equal parts, namely  $AA_1 = A_1A_2 = A_2A_3 = A_3A_4$ .
6. Join  $A_4B$ .
7. Draw  $A_3P \parallel A_4B$  meeting AB at P.
8. Therefore, P is the point on AB such that  $AP = \frac{3}{4}AB$ .
9. Now, draw a ray AY, such that it makes an acute  $\angle CAY$ .
10. Divide AY into four parts, namely  $AB_1 = B_1B_2 = B_2B_3 = B_3B_4$ .
11. Join  $B_4C$ .
12. Draw  $B_1Q \parallel B_4C$  meeting AC at Q. We get, Q is the point on AC such that  $AQ = \frac{1}{4}AC$ .
13. Join PQ and measure it.
14.  $PQ = 3.25$  cm.




**2. Draw a parallelogram ABCD in which BC = 5 cm, AB = 3 cm and angle  $\angle ABC = 60^\circ$ , divide it into triangles BCD and ABD by the diagonal BD. Construct the triangle BD'C' similar to triangle BDC with scale factor  $\frac{4}{3}$ . Draw the line segment D'A' parallel to DA where A' lies on extended side BA. Is A'BC'D' a parallelogram?**

### **Solution:**

Steps of constructions:

1. Draw a line AB=3 cm.
2. Now draw a ray BY making an acute  $\angle ABY=60^\circ$ .
3. With centre B and radius 5 cm, draw an arc cutting the point C on BY.
4. Draw a ray AZ making an acute  $\angle ZAX'=60^\circ$   
(BY||AZ, as,  $\angle YBX'=\angle ZAX'=60^\circ$ )
5. With centre A and radius 5 cm, draw an arc cutting the point D on AZ.
6. Join CD
7. We obtain a parallelogram ABCD.
8. Join BD, the diagonal of parallelogram ABCD.
9. Draw a ray BX downwards making an acute  $\angle CBX$ .
10. Locate 4 points B<sub>1</sub>, B<sub>2</sub>, B<sub>3</sub>, B<sub>4</sub> on BX, such that BB<sub>1</sub>=B<sub>1</sub>B<sub>2</sub>=B<sub>2</sub>B<sub>3</sub>=B<sub>3</sub>B<sub>4</sub>.
11. Join B<sub>4</sub>C and from B<sub>3</sub>C draw a line B<sub>4</sub>C' || B<sub>3</sub>C intersecting the extended line segment BC at C'.
12. Draw C'D' || CD intersecting the extended line segment BD at D'. Then,  $\triangle D'BC'$  is the required triangle whose sides are  $\frac{4}{3}$  of the corresponding sides of  $\triangle DBC$ .
13. Now we draw a line segment D'A' || DA, where A' lies on the extended side BA.
14. We observe that A'BC'D' is a parallelogram in which A'D'=6.5 cm A'B = 4 cm and  $\angle A'BD' = 60^\circ$  divide it into triangles BC'D' and A'BD' by the diagonal BD'.




**3. Draw two concentric circles of radii 3 cm and 5 cm. Taking a point on outer circle construct the pair of tangents to the other. Measure the length of a tangent and verify it by actual calculation.**

**Solution:**

We have, two concentric circles of radii 3 cm and 5 cm with centre O.  
We draw pair of tangents from point P on outer circle to the other.

1. Draw two concentric circles with centre O and radii 3 cm and 5 cm.
2. Taking any point P on outer circle. Join OP.
3. Bisect OP, let M' be the mid-point of OP taking M' as centre and OM' as radius draw a circle dotted which cuts the inner circle at M and P'.
4. Join PM and PP'. Thus, PM and PP' are the required tangents.
5. On measuring PM and PP', we find that  $PM = PP' = 4$  cm.



Now actual calculation:

In right angle  $\triangle OMP$ ,

$\angle PMO = 90^\circ$

$$PM^2 = OP^2 - OM^2$$

$$PM^2 = (5)^2 - (3)^2$$

$$25 - 9 = 16$$

$$PM = 4 \text{ cm}$$

[by Pythagoras theorem]

Therefore, the length of both tangents is 4 cm.


**4. Draw an isosceles triangle ABC in which  $AB = AC = 6$  cm and  $BC = 5$  cm. Construct a triangle PQR similar to triangle ABC in which  $PQ = 8$  cm. Also justify the construction.**

**Solution:**

Let  $\Delta PQR$  and  $\Delta ABC$  are similar triangles, then its scale factor between the corresponding sides is  $\frac{PQ}{AB} = \frac{8}{6} = \frac{4}{3}$

Steps of construction:

1. Draw a line segment  $BC = 5$  cm.
2. Construct  $OQ$  the perpendicular bisector of line segment  $BC$  meeting  $BC$  at  $P'$ .
3. Taking  $B$  and  $C$  as centre we draw two arcs of equal radius 6 cm intersecting each other at  $A$ .
4. Join  $BA$  and  $CA$ . So,  $\Delta ABC$  is the required isosceles triangle.



5. From  $B$ , we draw any ray  $BX$  making an acute  $\angle CBX$ .
6. Locate four points  $B_1, B_2, B_3$  and  $B_4$  on  $BX$  such that  $BB_1 = B_1B_2 = B_2B_3 = B_3B_4$ .
7. Now join  $B_3C$  and from  $B_4$  draw a line  $B_4R \parallel B_3C$  intersecting the extended line segment  $BC$  at  $R$ .
8. From point  $R$ , draw  $RP \parallel CA$  meeting  $BA$  produced at  $P$ .

Then,  $\Delta PBR$  is the required triangle.

Explanation,

As, we have,

$B_4R \parallel B_3C$

(by construction)

$$\frac{BC}{CR} = \frac{3}{1}$$

or,

$$\frac{CR}{BC} = \frac{1}{3}$$

Now,

$$\begin{aligned}\frac{BR}{BC} &= \frac{BC + CR}{BC} \\ &= 1 + \frac{CR}{BC} \\ &= 1 + \frac{1}{3} \\ &= \frac{4}{3}\end{aligned}$$

And,

$$RP \parallel CA$$

$$\text{So, } \triangle ABC \sim \triangle PBR$$

Hence,


$$\frac{PB}{AB} = \frac{RP}{CA} = \frac{BR}{BC} = \frac{4}{3}$$

**5. Draw a triangle ABC in which AB = 5 cm, BC = 6 cm and  $\angle B = 60^\circ$ . Construct a triangle similar to ABC with scale factor  $\frac{5}{7}$ . Justify the construction.**

**Solution:**

Steps of construction:

1. Draw a line segment AB = 5 cm.
2. From point B, draw  $\angle ABY = 60^\circ$  on which take BC = 6 cm.
3. Join AC,  $\triangle ABC$  is the required triangle.
4. From A, draw any ray AX downwards making an acute angle  $\angle BAX$
5. Mark 7 points B<sub>1</sub>, B<sub>2</sub>, B<sub>3</sub>, B<sub>4</sub>, B<sub>5</sub>, B<sub>6</sub> and B<sub>7</sub> on AX, such that AB<sub>1</sub> = B<sub>1</sub>B<sub>2</sub> = B<sub>2</sub>B<sub>3</sub> = B<sub>3</sub>B<sub>4</sub> = B<sub>4</sub>B<sub>5</sub> = B<sub>5</sub>B<sub>6</sub> = B<sub>6</sub>B<sub>7</sub>.
6. Join B<sub>7</sub>B and from B<sub>5</sub> draw B<sub>5</sub>M  $\parallel$  B<sub>7</sub>B intersecting AB at M.
7. From point M draw MN  $\parallel$  BC intersecting AC at N. Then,  $\triangle AMN$  is the required triangle whose sides are equal to  $\frac{5}{7}$  of the corresponding sides of the  $\triangle ABC$ .



Explanation:

Here,

$B_5M \parallel B_7B$

(by construction)

$$\frac{AM}{BM} = \frac{5}{2}$$

or,

$$\frac{BM}{AM} = \frac{2}{5}$$

$$\frac{AB}{AM} = \frac{AM + BM}{AM}$$

$$= 1 + \frac{BM}{AM}$$

$$= 1 + \frac{2}{5}$$

$$= \frac{7}{5}$$

Also,  $MN \parallel BC$

So,  $\triangle AMN \sim \triangle ABC$

$$\frac{AM}{AB} = \frac{AN}{AC} = \frac{NM}{BC} = \frac{5}{7}$$



**6. Draw a circle of radius 4 cm. Construct a pair of tangents to it, the angle between which is  $60^\circ$ . Also justify the construction. Measure the distance between the centre of the circle and the point of intersection of tangents.**

**Solution:**

Steps of construction:

1. Take a point O on the plane of the paper and draw a circle of radius  $OA = 4$  cm.
2. Produce OA to B such that  $OA = AB = 4$  cm.
3. Taking A as the centre draw a circle of radius  $AO = AB = 4$  cm.  
Suppose it cuts the circle drawn in step 1 at P and Q.
4. Join BP and BQ to get desired tangents.

Explanation:

In  $\triangle OAP$ , we have

$$OA = OP = 4 \text{ cm}$$

(Radius)

Also,


$$AP = 4 \text{ cm}$$

(As, Radius of circle with centre A)

$\triangle OAP$  is equilateral triangle.

$$\angle PAO = 60^\circ$$

$$\angle BAP = 120^\circ$$



Therefore in  $\triangle BAP$ ,

$$BA = AP$$

$$\text{and } \angle BAP = 120^\circ$$

So,

$$\angle ABP = \angle APB$$

$$= 30^\circ$$


$$\angle PBQ = 60^\circ$$

**7. Draw a triangle ABC in which AB = 4 cm, BC = 6 cm and AC = 9 cm. Construct a triangle similar to  $\triangle ABC$  with scale factor  $\frac{3}{2}$ . Justify the construction. Are the two triangles congruent? Note that all the three angles and two sides of the two triangles are equal.**

**Solution:**

Steps of construction:

1. Firstly draw a line segment BC = 6 cm.
2. Taking B and C as centre, draw two arcs of radii 4 cm and 9 cm intersecting each other at A.
3. Join BA and CA.  $\triangle ABC$  is the required triangle.
4. From B, draw any ray BX downwards making an acute angle  $\angle CBX$
5. Mark three points  $B_1, B_2, B_3$ , on BX, such that  $BB_1 = B_1B_2 = B_2B_3$ .



6. Join  $B_2C$  and from  $B_3$  draw  $B_3M \parallel B_2C$  intersecting BC at M.
7. From point M, draw  $MN \parallel CA$  intersecting the extended line segment BA to N.

Then  $\triangle NBM$  is the required triangle whose sides are equal to  $\frac{3}{2}$  of the  $\triangle ABC$ .

Explanation:

$$B_3M \parallel B_2C$$

$$\frac{BC}{CM} = \frac{2}{1}$$

Now,

$$\begin{aligned} \frac{BM}{BC} &= \frac{BC+CM}{BC} \\ &= 1 + \frac{CM}{BC} \end{aligned}$$

$$=1+\frac{1}{2}$$

$$=\frac{3}{2}$$

Also,

$MN \parallel CA$

$\triangle ABC : \triangle NBM$

So,

$$\frac{NB}{AB} = \frac{NM}{AC} = \frac{BM}{BC} = \frac{3}{2}$$

The two triangles are not congruent because, if two triangles are congruent, then they have same shape and same size.

Therefore, all the three angles are same but three sides are not same that is one side is different.