# II PUC Second Mock Paper Jan- 2020 Subject: Statistics (31)

Durat	ion: 3.15 minutes	Max.Marks:100
Note:	<ol> <li>Graph sheets and statistical tables will be supplied on request.</li> <li>Scientific calculators are allowed.</li> <li>All working steps should be clearly shown.</li> </ol>	
	Section– A	
I.	Answer any TEN of the following questions:	$10 \times 1 = 10$
1.	Define fecundity.	
2.	If the quantity index number for current year is 80, then what would you conclude	?
3.	State the condition required to satisfy circular test.	
4.	Mention a use of time series.	
5.	If variance of chi-square variate is 16, what is its mean?	
6.	Write the mean of t-distribution.	
7.	Write the formula of SE(p).	
8.	What is level of significance?	
9.	Define type II error.	
10.	Which type of cause of variation is detected by SQC?	
11.	Define rectangular game.	
12.	Mention a need for replacement of equipment.	
	Section–B	

## **II.** Answer any TEN of the following:

- 13. Mention two methods of obtaining vital statistics.
- 14. The sum of price relatives of 5 different commodities is 200. Find a suitable unweighted price index number.
- 15. Why Fishers index number is called as an ideal index number?
- 16. Define secular trend. Give an example.
- 17. Differentiate between interpolation and extrapolation.
- 18. In a Poisson distribution the first probability term is 0.3679. Find the next probability term.
- 19. Under what conditions hyper geometric distribution tends to binomial distribution?
- 20. Define size of a test and power of a test.
- 21. Mention two applications of  $\chi^2$ -test.
- 22. Write down the control limits for d-chart when standards are not given.
- 23. Mention two methods of obtaining initial basic feasible solution for a T.P.
- 24. Given, R=3600 units/year, C<sub>3</sub>=Rs.50/cycle and C<sub>1</sub>=Rs.4/unit/year, find  $Q^0$ .

 $10 \times 2 = 20$ 

Section – C

## III. Answer any EIGHT of the following:

 $8 \times 5 = 40$ 

25. Find GRR from the following data. Obtain the average number of female children born to woman of child bearing age

0.0		
Age (in years)	Female Population	Female births
15-19	10000	200
20-24	9000	540
25-29	8000	400
30-34	7000	280
35-39	6000	180
40-44	5000	100
45-49	4000	40

26. Compute suitable price index number for the following data. Comment on the result

	Pri	ce (Rs.)	
Item	2010	2012	Quantity of Consumption
А	10	12	20
В	16	18	15
С	9	10	10
D	11	14	25

27. For the following data calculate the consumer price index number by family budget method.

	Price (in		
Group	2005	2010	Weight
Food	3000	3600	10
Housing	4000	5000	12
Clothing	2000	1600	5
Fuel	1000	1400	15
Miscellaneous	1200	1500	5

28. Obtain trend values by four yearly moving averages for the following data.

1	<b>X</b> 7	2000	0001	2002	2002	2004	2005	2006	2007	2000	2000
	Year	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
	Sales ('000)	75	60	55	60	65	70	70	75	85	70

29. Following is data regarding annual net life insurance premium. Using binomial expansion method estimate the premium at the age 30 and 45.

Age (in years)	20	25	30	35	40	45
Premium (in Rs.)	1426	1581	-	1996	2256	-

30. Mention five features of binomial distribution.

31. There are 14 fruits in a basket, out of which 8 are mangoes and rests are arranges. A girl picks 5 fruits at random from the basket. Find the probability that she gets 3 mangoes. Also find the mean of mangoes.

32. From a random sample of 100 students of  $P \bigcup C$ , 13 students were found wearing spectacles, can we conclude that proportion of students wearing spectacles is more than 0.1? use  $\alpha = 0.05$ .

33. The following data represents the blood pressure of 5 persons before and after performing dhyana.

Person	А	В	С	D	Е
B.P. Before dhyana	90	90	100	88	99
B.P. After dhyana	88	90	95	90	96

Can we conclude at 5% level of significance that Dhyana reduces blood pressure? 34 For the following data, find control limits of  $\bar{x}$  - Chart, (Given, A<sub>2</sub> = 0.729).

+	$\frac{1}{x}$ . For the following data, find control limits of $x$ - Chart, (G									
	Subgroup	1	2	3	4	5	6			
	Mean	52	49	53	48	51	47			
	Range	4	6	5	7	3	5			

35. Solve the following L.P.P. graphically.

Max Z=10x+15y

Subject to,  $x+y \ge 10$ 

 $3x+2y \le 60$ 

and  $x, y \ge 0$ 

36. Determine an initial basic feasible solution to the following transportation problem by NWCR. Compute the transportation cost.

То

		D1	D2	D3	Supply
	O <sub>1</sub>	8	4	12	500
From	O <sub>2</sub>	10	5	6	200
	O <sub>3</sub>	7	5	3	100
	Demand	400	200	200	

### Section – D

 $2 \times 10 = 20$ 

IV. Answer any TWO of the following:37. From the following data, compute standardized death rates and comment.

Age - group	Standard	Locality A		Locality B						
(in years)	Population Population Deaths		Deaths	Population	Deaths					
0-20	20,000	8,000	128	6,000	72					
20-50	30,000	12,000	60	9,000	54					
50-70	35,000	10,000	140	7,000	98					
70 & above	15,000	4,000	252	3,000	129					

38. Compute Marshall – Edgeworth and Dorbish – Bowleys' price index numbers. Also verify whether Marshall – Edgeworth's index number satisfy TRT using the following data.

Items	Base '	Year	Current Year		
	Price (Rs.)	Quantity	Quantity Price (Rs.)		
А	2	40	6	50	
В	4	50	8	40	
С	6	20	9	30	
D	8	10	6	20	
Е	10	10	6	20	

#### 39. Below are given the figures of production (in Thousand Tons) of a Sugar factory.

0		0	<b>F</b>	- (			8	
Year	2001	2002	2003	2004	2005	2006	2007	
Production	80	90	92	83	94	99	92	

(i) Fit a straight line by the method of least squares and obtain the trend values.

(ii) Also estimate the production for the year 2008.

40. Fit a binomial distribution to the following data and test for goodness of fit. Use  $\alpha = 5\%$ .

Number of defective balloons	0	1	2	3	4
Number of packets	6	12	22	24	16

## Section – E

# V. Answer any TWO of the following:

- 41. The weights of 500 persons are normally distributed with mean 60 kg and S.D. 5 kg. Find the number of persons with weight between 62 kg and 70 kg.
- 42. A machine is designed to fill 500 ml of milk to polythene bags. A randomly selected 100 milk bags filled by the machine are inspected. The mean milk is found to be 499 ml and S.D. is 5 ml. Is machine functioning properly at 5% level of significance?
- 43. From the following data, test whether 'education' and 'employment' are independent at 1% level of significance.

	Employment			
Education	Employed	Unemployed		
Educated	20	25		
Uneducated	15	40		

44. Solve the following game by dominance principle.

	Player B			
		<i>B</i> 1	<i>B</i> 2	<i>B</i> 3
	A1	6	12	7 ]
Player A	A2	7	9	8
	A3	5	8	9
	A4	_3	6	10

\*\*\*\*\*\*\*

 $2 \times 5 = 10$