


Chapter 6
Lines and Angles

Exercise No. 6.1

Multiple Choice Questions:

Write the correct answer in each of the following:

1. In Fig., if $AB \parallel CD \parallel EF$, $PQ \parallel RS$, $\angle RQD = 25^\circ$ and $\angle CQP = 60^\circ$, then $\angle QRS$ is equal to



- (A) 85°
- (B) 135°
- (C) 145°
- (D) 110°

Solution:

As $\angle ARQ = \angle RQD = 25^\circ$ [alt. \angle s]

Also, $\angle RQC = 180^\circ - 60^\circ = 120^\circ$ (linear pair)

And, $\angle SRA = 120^\circ$ (Corresponding angle)

Now,

$$\angle SRQ = 120^\circ + 25^\circ$$

$$\angle SRQ = 145^\circ$$

Hence, the correct option is (C).

2. If one angle of a triangle is equal to the sum of the other two angles, then the triangle is

- (A) an isosceles triangle
- (B) an obtuse triangle
- (C) an equilateral triangle
- (D) a right triangle

Solution:

Given

Let angle of triangle ABC be $\angle A, \angle B$ and $\angle C$

Given that:

$$\angle A = \angle B + \angle C \quad \dots (I)$$

We know that in any triangle $\angle A + \angle B + \angle C = 180^\circ \quad \dots (II)$

From equation (I) and (II), get:

$$\angle A + \angle A = 180^\circ$$

$$2\angle A = 180^\circ$$

$$\angle A = \frac{180^\circ}{2}$$

$$\angle A = 90^\circ$$

Hence, the triangle is a right triangle.

Therefore, the correct option is (D).

3. An exterior angle of a triangle is 105° and its two interior opposite angles are equal. Each of these equal angles is

(A) $37\frac{1}{2}^\circ$

(B) $52\frac{1}{2}^\circ$

(C) $72\frac{1}{2}^\circ$

(D) 75°

Solution:

Given: An exterior angle of triangle is 150° .

Let each of the two interior opposite angle be x .

The sum of two interior opposite angle is equal to exterior angle of a triangle. So,

$$105^\circ = x + x$$

$$2x = 105^\circ$$

$$x = 52\frac{1}{2}^\circ$$

Hence, the correct option is (B).

4. The angles of a triangle are in the ratio 5 : 3 : 7. The triangle is

(A) an acute angled triangle

(B) an obtuse angled triangle

(C) a right triangle

(D) an isosceles triangle

Solution:

Let the angle of the triangle are $5x$, $3x$ and $7x$. As we know that sum of all angle of triangle is 180° . Now,

$$5x + 3x + 7x = 180^\circ$$

$$15x = 180^\circ$$

$$x = \frac{180^\circ}{15}$$

$$x = 12^\circ$$

Hence, the angle of the triangle are:

$$5 \times 12^\circ = 60^\circ$$

$$3 \times 12^\circ = 36^\circ$$

$$7 \times 12^\circ = 84^\circ$$

All the angle of this triangle is less than 90° degree.

Hence,, the triangle is an acute angled triangle.

5. If one of the angles of a triangle is 130° , then the angle between the bisectors of the other two angles can be

(A) 50°

(B) 65°

(C) 145°

(D) 155°

Solution:

In triangle ABC, Let $\angle A = 130^\circ$.

The bisector of the angle B and C are OB and OC.

Let $\angle OBC = \angle OBA = x$ and $\angle OCB = \angle OCA = y$

In triangle ABC,

$$\angle A + \angle B + \angle C = 180^\circ$$

$$130^\circ + 2x + 2y = 180^\circ$$

$$2x + 2y = 180^\circ - 130^\circ$$

$$2x + 2y = 50^\circ$$

$$x + y = 25^\circ$$

That is $\angle OBC + \angle OCA = 25^\circ$

Now, in triangle BOC:


$$\angle BOC = 180^\circ - (\angle OBC + \angle OCB)$$

$$= 180^\circ - 25^\circ$$

$$= 155^\circ$$

Hence, the correct option is (D).

6. In Fig., POQ is a line. The value of x is



- (A) 20°
- (B) 25°
- (C) 30°
- (D) 35°

Solution:

See the given figure in the question:

$$40^\circ + 4x + 3x = 180^\circ \text{ (Angles on the straight line)}$$

$$4x + 3x = 180^\circ - 40^\circ$$


$$7x = 140^\circ$$

$$x = \frac{140^\circ}{7}$$

$$x = 20^\circ$$

Hence, the correct option is (A).

7. In Fig., if $OP \parallel RS$, $\angle OPQ = 110^\circ$ and $\angle QRS = 130^\circ$, then $\angle PQR$ is equal to




- (A) 40°
- (B) 50°
- (C) 60°
- (D) 70°

Solution:

See the given figure, producing OP, to intersect RQ at X.

Given: $OP \parallel RS$ and RX is a transversal.

So, $\angle RXP = \angle XRS$ (alternative angle)



$$\angle RXP = 130^\circ \text{ [Given: } \angle QRS = 130^\circ \text{]}$$

RQ is a line segment.

$$\text{So, } \angle PXQ + \angle RXV = 180^\circ \text{ [linear pair axiom]}$$

$$\angle PXQ = 180^\circ - \angle RXP = 180^\circ - 130^\circ$$

$$\angle PXQ = 50^\circ$$

In triangle PQX, $\angle OPQ$ is an exterior angle,

Therefore, $\angle OPQ = \angle PXQ + \angle PQX$ [exterior angle = sum of two opposite interior angles]

$$110^\circ = 50^\circ + \angle PQX$$

$$\angle PQX = 110^\circ - 50^\circ$$

$$\angle PQR = 60^\circ$$

Hence, the correct option is (

8. Angles of a triangle are in the ratio 2 : 4 : 3. The smallest angle of the triangle is

(A) 60°

(B) 40°

(C) 80°

(D) 20°

Solution:

Given, the ratio of angles of a triangle is 2 : 4 : 3.

Let the angles of a triangle be $\angle A$, $\angle B$ and $\angle C$.

$$\angle A = 2x, \angle B = 4x, \angle C = 3x,$$

$$\angle A + \angle B + \angle C = 180^\circ \text{ [sum of all the angles of a triangle is } 180^\circ \text{]}$$

$$2x + 4x + 3x = 180^\circ$$

$$9x = 180^\circ$$

$$x = 180^\circ / 9$$

$$= 20^\circ$$

$$\angle A = 2x = 2 \times 20^\circ = 40^\circ$$

$$\angle B = 4x = 4 \times 20^\circ = 80^\circ$$

$$\angle C = 3x = 3 \times 20^\circ = 60^\circ$$


So, the smallest angle of a triangle is 40° .

Hence, the correct option is (B).

Exercise No. 6.2

Short Answer Questions with Reasoning:

1. For what value of $x + y$ in Fig. will ABC be a line? Justify your answer.



Solution:

See the figure, x and y are two adjacent angles.

For ABC to be a straight line, the sum of two adjacent angle must be 180° .

2. Can a triangle have all angles less than 60° ? Give reason for your answer.

Solution:

We know that in a triangle, sum of all the angles is always 180° . So, a triangle can't have all angles less than 60° .

3. Can a triangle have two obtuse angles? Give reason for your answer.

Solution:

If an angle whose measure is more than 90° but less than 180° is called an obtuse angle.

We know that a triangle can't have two obtuse angle because the sum of all the angles of it can't be more than 180° . It is always equal to 180° .

4. How many triangles can be drawn having its angles as 45° , 64° and 72° ? Give reason for your answer.

Solution:

We know that sum of all the angles in a triangle is 180° .

The sum of all the angles is $45^\circ + 64^\circ + 72^\circ = 181^\circ$. So, we can't draw any triangle having sum of all the angle 181° .


5. How many triangles can be drawn having its angles as 53° , 64° and 63° ? Give reason for your answer.

Solution:

We know that sum of all the angles in a triangle is 180° .

Sum of these angles = $53^\circ + 64^\circ + 63^\circ = 180^\circ$. So, we can draw infinitely many triangles having its angles as 53° , 64° and 63° .

6. In Fig., find the value of x for which the lines l and m are parallel.



Solution:

See the given figure, $l \parallel m$ and if a transversal intersects two parallel lines, then sum of interior angles on the same side of a transversal is supplementary.

$$x + 44^\circ = 180^\circ$$

$$x = 180^\circ - 44^\circ$$

$$x = 136^\circ$$

7. Two adjacent angles are equal. Is it necessary that each of these angles will be a right angle? Justify your answer.

Solution:


No, because if it will be a right angle only when they form a linear pair.

8. If one of the angles formed by two intersecting lines is a right angle, what can you say about the other three angles? Give reason for your answer.

Solution:

If two intersecting line are formed right then by using linear pair axiom aniom, other three angles will be a right angle.

9. In Fig., which of the two lines are parallel and why?



Solution:

In the first figure, sum of two interior angle is:

$$132^\circ + 48^\circ = 180^\circ \text{ [Equal to } 180^\circ]$$

Hence, we know that, if sum of two interior angle are equal on the same side of n is 180° , then they are the parallel lines.

In the second figure, sum of two interior angle is:

$$73^\circ + 106^\circ = 179^\circ \neq 180^\circ.$$

Hence, we know that, if sum of two interior angle are equal on the same side of r is not equal to 180° , then they are not the parallel lines.

10. Two lines l and m are perpendicular to the same line n . Are l and m perpendicular to each other? Give reason for your answer.

Solution:


If two lines l and m are perpendicular to the same line n , then each of the two corresponding angles formed by these lines l and m with the line n are equal to 90° .

Hence the line l and m are not perpendicular but parallel.

Exercise No. 6.3

Short Answer Questions:

1. In Fig., OD is the bisector of $\angle AOC$, OE is the bisector of $\angle BOC$ and $OD \perp OE$. Show that the points A, O and B are collinear.



Solution:

Given:

OD is the bisector of $\angle AOC$, OE is the bisector of $\angle BOC$ and $OD \perp OE$

To prove that point A, O and B are collinear that is AOB are straight line.

$$\angle AOC = 2\angle DOC \quad \dots (I)$$

$$\angle COB = 2\angle COE \quad \dots (II)$$

Now, adding equations (I) and (II), get:

$$\angle AOC + \angle COB = 2\angle DOC + \angle COE$$

$$\angle AOC + \angle COB = 2(\angle DOC + \angle COE)$$

$$\angle AOC + \angle COB = 2\angle DOE$$

$$\angle AOC + \angle COB = 2 \times 90^\circ$$


$$\angle AOC + \angle COB = 180^\circ$$

$$\angle AOB = 180^\circ$$

So, $\angle AOC + \angle COB$ are forming linear pair or we can say that AOB is a straight line.

Hence, point A, O and B are collinear.

2. In Fig., $\angle 1 = 60^\circ$ and $\angle 6 = 120^\circ$. Show that the lines m and n are parallel.



Solution:

See the given figure,

$$\angle 5 + \angle 6 = 180^\circ \text{ (Linear pair angle)}$$

$$\angle 5 + 120^\circ = 180^\circ$$

$$\angle 5 = 180^\circ - 120^\circ$$


$$\angle 5 = 60^\circ$$

Then, $\angle 1 = \angle 5$ [Each = 60°]

Since, these are corresponding angles.

Hence, the line m and n are parallel.

3. AP and BQ are the bisectors of the two alternate interior angles formed by the intersection of a transversal t with parallel lines l and m . Show that $AP \parallel BQ$.

**Solution:**

According to the question,

Line $l \parallel m$ and t is the transversal.

$$\angle MAB = \angle SBA \text{ [Alt. } \angle_s \text{]}$$


$$\frac{1}{2} \angle MAB = \frac{1}{2} \angle SBA$$

$$\angle PAB = \angle QBA$$

But, $\angle PAB$ and $\angle QBA$ are alternate angles.

Hence, $AP \parallel BQ$.

4. If in Fig., bisectors AP and BQ of the alternate interior angles are parallel, then show that $l \parallel m$.



Solution:

See the given figure, $AP \parallel BQ$, AP and BQ are the bisectors of alternate interior angles $\angle CAB$ and $\angle ABF$.


To show that $l \parallel m$.

Now, prove that $AP \parallel BQ$ are t is transversal, therefore:

$$\angle PAB = \angle ABQ \text{ [Alternate interior angle]}$$

... (I)

$$2\angle PAB = 2\angle ABQ \text{ [Multiplying both sides by 2 in equation (I)]}$$




Since, alternate interior angle are equal.

So, if two alternate interior angle are equal then lines are parallel.

Hence, $l \parallel m$.

5. In Fig., $BA \parallel ED$ and $BC \parallel EF$. Show that $\angle ABC = \angle DEF$.

[Hint: Produce DE to intersect BC at P (say)].




Solution:

According to the question:

Given:

Producing DE to intersect BC at P.

EF || BC and DP is the transversal,



$$\angle DEF = \angle DPC \quad \dots \text{(I) [Corresponding } \angle s \text{]}$$

See the above figure, AB || DP and BC is the transversal,


$$\angle DPC = \angle ABC \quad \dots \text{(II) [Corresponding } \angle s \text{]}$$

Now, from equation (I) and (II), get:

$$\angle ABC = \angle DEF$$

Hence, proved.

6. In Fig., BA || ED and BC || EF. Show that $\angle ABC + \angle DEF = 180^\circ$.




Solution:

See in the figure, $BA \parallel ED$ and $BC \parallel EF$.

Show that $\angle ABC + \angle DEF = 180^\circ$.

Produce a ray PE opposite to ray EF .



Prove: $BC \parallel EF$

Now, $\angle EPB + \angle PBC = 180^\circ$ [sum of co interior is 180°] ... (I)

Now, $AB \parallel ED$ and PE is transversal line,

$\angle EPB = \angle DEF$ [Corresponding angles] ... (II)


Now, from equation (I) and (II),

$$\angle DEF + \angle PBC = 180^\circ$$

$$\angle ABC + \angle DEF = 180^\circ \text{ [Because } \angle PBC = \angle ABC \text{]}$$

Hence, proved.

7. In Fig., $DE \parallel QR$ and AP and BP are bisectors of $\angle EAB$ and $\angle RBA$, respectively. Find $\angle APB$.

**Solution:**

See in the given figure, $DE \parallel QR$ and the line n is the transversal line.

$\angle EAB + \angle RBA = 180^\circ$... (I) [The interior angles on the same side of transversal are supplementary.]

Now, $\angle PAB + \angle PBA = 90^\circ$

Then, from triangle APB , given:

$$\angle APB = 180^\circ - (\angle PAB + \angle PBA)$$

$$\text{So, } \angle APB = 180^\circ - 90^\circ = 90^\circ$$

8. The angles of a triangle are in the ratio 2 : 3 : 4. Find the angles of the triangle.

Solution:

Given in the question, ratio of angles is: 2 : 3 : 4.

Let the angles of the triangle be $2x$, $3x$ and $4x$.

So,

$$2x + 3x + 4x = 180^\circ \text{ [sum of angles of triangle is } 180^\circ \text{]}$$

$$9x = 180^\circ$$

$$x = \frac{180^\circ}{9}$$

$$x = 20^\circ$$

$$\text{Therefore, } 2x = 2 \times 20^\circ = 40^\circ$$


$$3x = 3 \times 20^\circ = 60^\circ$$

$$\text{And, } 4x = 4 \times 20^\circ = 80^\circ$$

Hence, the angles of the triangles are 40° , 60° and 80° .

9. A triangle ABC is right angled at A. L is a point on BC such that $AL \perp BC$. Prove that $\angle BAL = \angle ACB$.

Solution:



Given:

In triangle ABC,

$$\angle A = 90^\circ \text{ and } AL \perp BC$$

To prove: $\angle BAL = \angle ACB$

Proof: Let $\angle ABC = x$

$$\angle BAL = 90^\circ - x$$

As, $\angle A = 90^\circ$

$$\angle CAL = 90^\circ - x$$

$$\angle ABC = \angle CAL$$


$$\angle ABC = \angle ACB$$

Hence, proved.

10. Two lines are respectively perpendicular to two parallel lines. Show that they are parallel to each other.

Solution:

According to the question:



Two line p and n are respectively perpendicular to two parallel line l and m, that is $P \perp l$ and $n \perp m$.

To prove that p is parallel to n.

Given: $n \perp m$

So, $\angle 1 = 90^\circ$... (I)

Now, $P \perp l$

So, $\angle 2 = 90^\circ$

Since, l is parallel to m. So,

$\angle 2 = \angle 3$ [Corresponding \angle s]

So,

$\angle 2 = 90^\circ$... (II)

From equation (I) and (II), get:

$\angle 1 = \angle 3$ [each 90°]

But these are corresponding angles.


Hence, $p \parallel n$.

Exercise No. 6.4

Long Answer Questions:

1. If two lines intersect, prove that the vertically opposite angles are equal.

Solution:



Two lines AB and CD intersect at point O.

To prove: (i) $\angle AOC = \angle BOD$

(ii) $\angle AOD = \angle BOC$

Proof: (i)

Ray OA stands on line CD. So,

$\angle AOC + \angle AOD = 180^\circ$... (I) [linear pair axiom]

Similarly, ray OD stands on line AB. So,

$\angle AOD + \angle BOD = 180^\circ$... (II)

Now, from equation (I) and (II), get:

$\angle AOC + \angle AOD = \angle AOD + \angle BOD$

$$\angle AOC = \angle BOD$$

Hence, proved.

(ii) Ray OD stands on line AB.

$\angle AOD + \angle BOD = 180^\circ$

... (III) [Linear pair axiom]

Similarly, ray OB stands on line CD. So,

$\angle DOB + \angle BOC = 180^\circ$

... (IV)

From equations (III) and (IV), get:

$\angle AOD + \angle BOD = \angle DOB + \angle BOC$

$$\angle AOD = \angle BOC$$

Hence, proved.


2. Bisectors of interior $\angle B$ and exterior $\angle ACD$ of a ΔABC intersect at the point T. Prove that

$$\angle BTC = \frac{1}{2} \angle BAC$$

Solution:

Given: in triangle ABC, produce BC to D and the bisectors of $\angle ABC$ and $\angle ACD$ meet at point T.

To prove that $\angle BTC = \frac{1}{2} \angle BAC$



Proof: In triangle ABC, $\angle ACD$ is an exterior angle.

$\angle ACD = \angle ABC + \angle CAB$ [We know that exterior angle of a triangle is equal to the sum of two opposite angles]

$$\frac{1}{2} \angle ACD = \frac{1}{2} \angle CAB + \frac{1}{2} \angle ABC \text{ [Dividing both sides by 2 in the above equation]}$$

$$\angle TCD = \frac{1}{2} \angle CAB + \frac{1}{2} \angle ABC \quad \dots(I) \quad \text{[Since, CT is the bisector of}$$

$$\angle ACD \text{ that is } \frac{1}{2} \angle ACD = \angle TCD]$$

Now, in triangle BTC,

$\angle TCD = \angle BTC + \angle CBT$ [We know that exterior angle of the triangle is equal to the sum of two opposite angles]

$$\angle TCD = \angle BTC + \frac{1}{2} \angle ABC \quad \dots(II) \text{ [Since, BT is the bisector of triangle}$$

$$\angle CBT = \frac{1}{2} \angle ABC]$$

Now, from equation (I) and (II), get:

$$\frac{1}{2} \angle CAB + \frac{1}{2} \angle ABC = \angle BTC + \frac{1}{2} \angle ABC$$

$$\frac{1}{2} \angle CAB = \angle BTC$$


$$\frac{1}{2} \angle BAC = \angle BTC$$

Hence, proved.

3. A transversal intersects two parallel lines. Prove that the bisectors of any pair of corresponding angles so formed are parallel.

Solution:

Given: Lines $DE \parallel QR$ and the line DE intersected by transversal at A and the line QR intersected by transversal at B . Also, BP and AF are the bisector of angle $\angle ABR$ and $\angle CAE$ respectively.



To prove: $BP \parallel FA$

Proof: $DE \parallel QR$

$\angle CAE = \angle ABR$ [Corresponding angles]

$\frac{1}{2} \angle CAE = \frac{1}{2} \angle ABR$ [Dividing both side by 2 in the above equation]

$\angle CAF = \angle ABP$ [Since, bisector of angle $\angle ABR$ and $\angle CAE$ are BP and AF respectively]

Because these are the corresponding angles on transversal line n and are equal.

Hence, $BP \parallel FA$.

4. Prove that through a given point, we can draw only one perpendicular to a given line.


[Hint: Use proof by contradiction].

Solution:

Drawn a perpendicular line from the point p as $PM \perp AB$. So,
 $\angle PMB = 90^\circ$

Let if possible, drawn another perpendicular line $PN \perp AB$. So,
 $\angle PMB = 90^\circ$

Since, $\angle PMB = \angle PNB$ it will be possible when PM and PN coincide with each other.



Therefore, at a given point we can draw only one perpendicular to a given line.

5. Prove that two lines that are respectively perpendicular to two intersecting lines intersect each other.

[Hint: Use proof by contradiction].

Solution:

Given:

Let lines l and m are two intersecting lines. Again, let $n \perp p$ to the intersecting lines meet at point D.

To prove that two lines n and p intersecting at a point.

Proof:

Let consider that line n and p are intersecting each other it means lines n and p are parallel to each other.

$$n \parallel p \quad \dots(I)$$

Therefore, lines n and p are perpendicular to m and l respectively.

Now, by using equation (I), $n \parallel p$, it means that l and m . it is a contradiction.

Since, our assumption is wrong.

Hence, line n and p are intersect at a point.

6. Prove that a triangle must have at least two acute angles.

Solution:


If triangle is an acute triangle then all the angle will be acute angle and sum of the all angle will be 180° .

If a triangle is a right angle triangle then one angle will be equal to 90° and remaining two angle will be acute angles and sum of all the angles will be 180° .

Hence, a triangle must have at least two acute angles.

7. In Fig., $\angle Q > \angle R$, PA is the bisector of $\angle QPR$ and $PM \perp QR$. Prove that

$$\angle APM = \frac{1}{2}(\angle Q - \angle R)$$



Solution:

Given in triangle PQR, $\angle Q > \angle R$, PA is the bisector of $\angle QPR$ and $PM \perp QR$.

To prove that $\angle APM = \frac{1}{2}(\angle Q - \angle R)$

Proof: PA is the bisector of $\angle QPR$. So,

$$\angle QPA = \angle APR$$

In angle PQM, $\angle Q + \angle PMQ + \angle QPM = 180^\circ \dots$ (I) [Angle sum property of a triangle]

$$\angle Q + 90^\circ + \angle QPM = 180^\circ \quad [\angle PMQ = 90^\circ]$$

$$\angle Q = 90^\circ - \angle QPM \dots$$
 (II)

In triangle PMR, $\angle PMR + \angle R + \angle RPM = 180^\circ$ [Angle sum property of a triangle]

$$90^\circ + \angle R + \angle RPM = 180^\circ \quad [\angle PMR = 90^\circ]$$

$$\angle R = 180^\circ - 90^\circ - \angle RPM$$

$$\angle R = 180^\circ - 90^\circ - \angle RPM$$

$$\angle R = 90^\circ - \angle RPM \dots$$
 (III)

Subtracting equation (III) from equation (II), get:

$$\angle Q - \angle R = (90^\circ - \angle APM) - (90^\circ - \angle RPM)$$

$$\angle Q - \angle R = \angle RPM - \angle QPM$$

$$\angle Q - \angle R = (\angle RPA + \angle APM) - (\angle QPA - \angle APM) \dots$$
 (IV)

$$\angle Q - \angle R = \angle QPA + \angle APM - \angle QPA + \angle APM \quad [\text{As, } \angle RPA = \angle QPA]$$

$$\angle Q - \angle R = 2\angle APM$$

$$\angle APM = \frac{1}{2}(\angle Q - \angle R)$$

Hence, proved.