

BLUEPRINTFORMODELQUESTIONPAPER

SUBJECT:MATHEMAMATICS(35)

CLASS : IIPUC 2023-2024

SL. NO	CHAPTER/CONTENT/DOMAIN/UNIT/THEME	NO OF PAPER I QDS	MARKS	REMEMBER						UNDERSTAND						APPLY						HOTS								MARKS
				PART-A		PART-B	PART-C	PART-D	PART-E	PART-A		PART-B	PART-C	PART-D	PART-E	PART-A		PART-B	PART-C	PART-D	PART-E	PART-A		PART-B	PART-C	PART-D	PART-E			
				1 MARK MCQ	1 MARK FB	2 MARK SA	3 MARK SA	5 MARK LA	4 MARK LA	1 MARK MCQ	1 MARK FB	2 MARK SA	3 MARK SA	5 MARK LA	4 MARK LA	1 MARK MCQ	1 MARK FB	2 MARK SA	3 MARK SA	5 MARK LA	4 MARK LA	1 MARK MCQ	1 MARK FB	2 MARK SA	3 MARK SA	5 MARK LA	6 MARK LA	4 MARK LA		
1	RELATIONS AND FUNCTIONS	9	10	1						1			1								1								10	
2	INVERSE TRIGONOMETRIC FUNCTIONS	6	7	1		1	1				1																	7		
3	MATRICES	9	9	1			1							1														9		
4	DETERMINANTS	12	13		1							1		1		1					1							13		
5	CONTINUITY AND DIFFERENTIABILITY	20	19				1	1				1				1			1		1	1						19		
6	APPLICATION OF DERIVATIVES	10	8			1						1										1			1			8		
7	INTEGRALS	22	20	1				1				2				1			1								1	20		
8	APPLICATION OF INTEGRATION	5	5											1														5		
9	DIFFERENTIAL EQUATIONS	10	9		1									1					1									9		
10	VECTOR ALGEBRA	11	10			1	1			1			1									1						10		
11	THREE DIMENSIONAL GEOMETRY	8	9	1		1		1			1																	9		
12	LINEAR PROGRAMMING	7	7	1																						1		7		
13	PROBABILITY	11	9	1		1					1	1													1			9		
TOTAL		140	135	7	2	5	4	3		2	3	6	2	4		3			3	1	2	3			2		2		135	

SUBJECT: MATHEMATICS (35)

QUESTION TYPE BASED ON MARKS	NO OF QUESTIONS	MARKS
1 MARK	20 (15 MCQ + 5 FB)	20 X 1 = 20 (20 X 1 = 20)
2 MARKS	11 (ANSWER ANY SIX)	11 X 2 = 22 (6 X 2 = 12)
3 MARKS	11 (ANSWER ANY SIX)	11 X 3 = 33 (6 X 3 = 18)
5 MARKS	8 (ANSWER ANY FOUR)	8 X 5 = 40 (4 X 5 = 20)
6 MARKS	1 (1 INTERNAL CHOICE)	2 X 6 = 12 (1 X 6 = 6)
4 MARKS	1 (1 INTERNAL CHOICE)	2 X 4 = 8 (1 X 4 = 4)
TOTAL	52 (2 INTERNAL CHOICE)	135 MARKS (80 MARKS)

SECOND PUC MODEL QUESTION PAPER 2023-2024**SUBJECT : MATHEMATICS (35)****TIME : 3 Hours 15 Minutes [Total questions : 52]****Max. Marks : 80**

Instructions : 1. The question paper has five parts namely A, B, C, D and E.
Answer all the Parts.

2. Part A has 15 multiple choice questions, 5 fill in the blank questions.

3. Use the graph sheet for question on linear programming problem in Part E.

PART -A

I. Answer all the multiple choice questions : 15 x 1 = 15

1. The relation R in the set { 1,2,3 } given by { (1,2) ,(2,1) } is
 - a) reflexive
 - b) symmetric
 - c) transitive
 - d) equivalence relation
2. If $f : \mathbb{R} \rightarrow \mathbb{R}$ be defined as $f(x) = x^4$, then the function f is
 - a) one-one and onto
 - b) many-one and onto
 - c) one-one but not onto
 - d) neither one-one nor onto
3. The principal value branch of $\cot^{-1} x$ is
 - a) $\left[-\frac{\pi}{2}, \frac{\pi}{2}\right]$
 - b) $\left(-\frac{\pi}{2}, \frac{\pi}{2}\right)$
 - c) $[0, \pi]$
 - d) $(0, \pi)$
4. The number of all possible matrices of order 3 x 3 with each entry 0 or 1 is
 - a) 27
 - b) 18
 - c) 81
 - d) 512
5. Let A be a nonsingular matrix of order 3 x 3 and $|\text{adj } A| = 25$, then a possible value of $|A|$ is
 - a) 625
 - b) 25
 - c) 5
 - d) 125
6. Which of the following x belongs to domain of the greatest integer function $f(x) = [x]$, $0 < x < 3$ is not differentiable
 - a) 2 and 3
 - b) 1 and 2
 - c) 0 and 2
 - d) 1 and 3
7. If $y = \log_7 2x$, then $\frac{dy}{dx}$ is
 - 1) $\frac{1}{x \log 7}$
 - b) $\frac{1}{7 \log x}$
 - c) $\frac{\log x}{7}$
 - d) $\frac{7}{\log x}$
8. The point of inflection of the function $y = x^3$ is
 - a) (2, 8)
 - b) (1, 1)
 - c) (0, 0)
 - d) (-3, -27)
9. $\int \sin 2x \, dx$ is
 - a) $-\frac{\sin 2x}{2} + c$
 - b) $-\frac{\cos 2x}{2} + c$
 - c) $\frac{\cos 2x}{2} + c$
 - d) $\frac{\sin 2x}{2} + c$
10. $\int e^x \left(\frac{1}{x} - \frac{1}{x^2} \right) dx$ is
 - a) $e^{-x} \left(\frac{1}{x} \right) + c$
 - b) $e^{-x} \left(\frac{1}{x^2} \right) + c$
 - c) $e^x \left(\frac{1}{x} \right) + c$
 - d) $e^x \left(\frac{1}{x^2} \right) + c$

11. If θ is the angle between any two vectors \vec{a} and \vec{b} , then $\vec{a} \cdot \vec{b} = |\vec{a} \times \vec{b}|$, when $\tan\theta$ is equal to,
 a) 1 b) $\frac{1}{\sqrt{3}}$ c) $\sqrt{3}$ d) 0
12. Unit vector in the direction of $\vec{a} = 2\hat{i} + 3\hat{j} + \hat{k}$ is
 a) $\frac{2\hat{i} + 3\hat{j} + \hat{k}}{14}$ b) $\frac{2\hat{i} - 3\hat{j} + \hat{k}}{\sqrt{14}}$
 c) $\frac{2\hat{i} + 3\hat{j} + \hat{k}}{\sqrt{14}}$ d) $\frac{2\hat{i} + 3\hat{j} - \hat{k}}{14}$
13. If the direction cosines l, m, n of a line are $0, \frac{1}{2}, \frac{\sqrt{3}}{2}$ then the angle made by the line with the positive direction of y – axis is
 a) 60° b) 30° c) 90° d) 45°
14. In a Linear programming problem, the objective function is always
 a) a cubic function b) a quadratic function
 c) a linear function d) a constant function
15. If A and B are two non empty events such that $P(A/B) = P(B/A)$ and $P(A \cap B) \neq \emptyset$ then
 a) $A \subset B$ but $A \neq B$ b) $A = B$
 c) $B \subset A$ but $A \neq B$ d) $P(A) = P(B)$

II. Fill in the blanks by choosing the appropriate answer from those given in the bracket **5 x 1 = 5**

$$\left(0, 1, 4, \frac{1}{36}, 7, \frac{1}{6}\right)$$

16. The value of $\sin\left[\frac{\pi}{3} - \sin^{-1}\left(-\frac{1}{2}\right)\right]$ is _____
17. A square matrix A is a singular matrix if $|A|$ is _____
18. The order of the differential equation $\frac{d^4y}{dx^4} + \sin(y''') = 0$ is _____
19. The lines $\frac{x-5}{k} = \frac{y+2}{-5} = \frac{z}{1}$ and $\frac{x}{1} = \frac{y}{2} = \frac{z}{3}$ are perpendicular, then k is _____
20. The probability of obtaining an even prime number on each die, when a pair of dice is rolled is _____

PART – B

Answer any six questions

6 x 2 = 12

21. Prove that $2 \sin^{-1} \frac{3}{5} = \tan^{-1} \frac{24}{7}$
22. Find the equation of line joining (1, 2), (3, 6) using determinant method
23. Find $\frac{dy}{dx}$, if $y + \sin y = \cos x$
24. Find the rate of change of the area of a circle with respect to its radius r when $r = 3$ cm
25. Find the local minimum value of the function f given by $f(x) = 3 + |x|$, $x \in \mathbb{R}$
26. Find $\int \frac{dx}{(x+1)(x+2)}$
27. Evaluate $\int_0^{\frac{\pi}{2}} \left(\sin^2 \frac{x}{2} - \cos^2 \frac{x}{2} \right) dx$
28. Find the projection of the vector $\vec{a} = 2\hat{i} + 3\hat{j} + 2\hat{k}$ on the vector $\vec{b} = \hat{i} + 2\hat{j} + \hat{k}$

29. Find the angle between the pair of lines given by
 $\vec{r} = 3\hat{i} + 2\hat{j} - 4\hat{k} + (\hat{i} + 2\hat{j} + 2\hat{k})$ and $\vec{r} = 5\hat{i} - 2\hat{j} + \mu(3\hat{i} + 2\hat{j} + 6\hat{k})$
30. A fair die is rolled. Consider events $E = \{1, 3, 5\}$, $F = \{2, 3\}$, find $P(E/F)$
31. If A and B two events such that $P(A) = \frac{1}{4}$, $P(B) = \frac{1}{2}$ and $P(A \cap B) = \frac{1}{8}$,
 find $P(\text{not A and not B})$

PART – C

Answer any six questions

6 x 3 = 18

32. Show that the relation R in the set $A = \{1, 2, 3, 4, 5\}$ given by
 $R = \{(a, b) : |a - b| \text{ is even} \}$ is an equivalence relation
33. Write in the simplest form $\tan^{-1}\left(\frac{\sqrt{1+x^2}-1}{x}\right)$, $x \neq 0$
34. Express $A = \begin{bmatrix} 3 & 5 \\ 1 & -1 \end{bmatrix}$ as the sum of a symmetric and a skew symmetric matrix.
35. Differentiate $\sin^2 x$ with respect to $e^{\cos x}$
36. Differentiate $x^{\sin x}$, $x > 0$ with respect to x
37. Find the interval in which the function $f(x) = 10 - 6x - 2x^2$ is strictly increasing
38. Find $\int x \sin^{-1} x \, dx$
39. Find the equation of curve passing through the point $(-2, 3)$, given that the slope of the tangent to the curve at any point (x, y) is $\frac{2x}{y^2}$
40. Show that the position vector of the point P, which divides the line joining the points A and B having position vectors \vec{a} and \vec{b} internally in the ratio $m : n$ is $\frac{m\vec{b} + n\vec{a}}{m + n}$
41. Find a unit vector perpendicular to each of the vectors $(\vec{a} + \vec{b})$ and $(\vec{a} - \vec{b})$, where $\vec{a} = 3\hat{i} + 2\hat{j} + 2\hat{k}$ and $\vec{b} = \hat{i} + 2\hat{j} - 2\hat{k}$
42. A bag contains 4 red and 4 black balls, another bag contains 2 red and 6 black balls. One of the two bags is selected at random and a ball is drawn at random from the bag and it is found to be red. Find the probability that the ball is drawn from first bag?

PART – D

Answer any four questions

4 x 5 = 20

43. Let $f : N \rightarrow Y$ be a function defined as $f(x) = 4x + 3$, where $Y = \{y \in N : y = 4x + 3 \text{ for some } x \in N\}$. Show that f is invertible. Find the inverse of f .
44. If $A = \begin{bmatrix} 0 & 6 & 7 \\ -6 & 0 & 8 \\ 7 & -8 & 0 \end{bmatrix}$, $B = \begin{bmatrix} 0 & 1 & 1 \\ 1 & 0 & 2 \\ 1 & 2 & 0 \end{bmatrix}$ and $C = \begin{bmatrix} 2 \\ -2 \\ 3 \end{bmatrix}$ then calculate AC , BC and $(A + B)C$. Also verify $(A + B)C = AC + BC$
45. Solve the system of linear equations by matrix method
 $2x - 3y + 5z = 11$, $3x + 2y - 4z = -5$, $x + y - 2z = -3$
46. If $y = 3 \cos(\log x) + 4 \sin(\log x)$, show that $x^2 y_2 + xy_1 + y = 0$
47. Find the integral of $\frac{1}{x^2 - a^2}$ with respect to x and hence evaluate $\int \frac{dx}{x^2 - 16}$
48. Find the area of the region bounded by the ellipse $\frac{x^2}{16} + \frac{y^2}{9} = 1$ using integration.

- 49.** Find the general solution of the differential equation
 $x \frac{dy}{dx} + 2y = x^2 \log x, (x \neq 0)$
- 50.** Derive the equation of a line in space through a given point and parallel to a vector both in the vector and Cartesian form

PART – E

Answer the following questions

- 51.** P.T. $\int_{-a}^a f(x)dx = \begin{cases} 2 \int_0^a f(x)dx, & \text{if } f(x) \text{ is an even function} \\ 0 & \text{if } f(x) \text{ is an odd function} \end{cases}$

and hence evaluate $\int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \sin^7 x dx$

6

OR

Solve the following linear programming problem graphically

Minimise $Z = 200x + 500y$,

subject to the constraints : $x + 2y \geq 10, 3x + 4y \leq 24, x \geq 0, y \geq 0$

- 52.** Show that the matrix $A = \begin{bmatrix} 2 & 3 \\ 1 & 2 \end{bmatrix}$ satisfies the equation $A^2 - 4A + I = O$,

where I is 2×2 identity matrix and O is 2×2 zero matrix.

Using this equation, find A^{-1} .

4

OR

Find the value of k so that the function $f(x) = \begin{cases} \frac{k \cos x}{\pi - 2x} & \text{if } x \neq \frac{\pi}{2} \\ 3 & \text{if } x = \frac{\pi}{2} \end{cases}$

is continuous at $x = \frac{\pi}{2}$

*****@*****