25. Graphs

Exercise 25A


1. Question

On a graph paper draw the coordinate axes X'OX and YOY', and plot each of the following points:

- (i) A(4,3) (ii) B(2,6)
- (iii) C(-3,5) (iv) D(-5,2)
- (v) E(-2,-3) (vi) F(-5,-3)
- (vii) G(5,-4) (viii) H(3,-3)

Answer

Let X'OX and YOY' be the coordinate axes.



- (i) On the x-axis, take 4 units to the right of the y axis; and then on the y-axis, take 3 units above the x-axis. Thus, we obtain the point A(4,3)
- (ii) On the x-axis, take 2 units to the right of the y-axis; and then on the y-axis, take 6 units above the x-axis. Thus, we obtain the point B(2,6)
- (iii) On the x-axis, take 3 units to the left of the y-axis; and then on the y-axis, take 5 units above the x-axis. Thus, we obtain the point C(-3,5)
- (iv) On the x-axis, take 5 units to the left of the y-axis; and then on the y-axis, take 2 units above the x-axis. Thus, we obtain the point D(-5,2)
- (v) On the x-axis, take 2 units to the left of the y-axis; and then on the y-axis, take 3 units below the x-axis. Thus, we obtain the point E(-2,-3)
- (vi) On the x-axis, take 5 units to the left of the y-axis; and then on the y-axis, take 3 units below the x-axis. Thus, we obtain the point F(-5,-3)
- (vii) On the x-axis, take 5 units to the right of the y-axis; and then on the y-axis, take 4 units below the x-axis. Thus, we obtain the point G(5,-4)
- (viii) On the x-axis, take 3 units to the right of the y-axis; and then on the y-axis, take 3 units below the x-axis. Thus, we obtain the point H(3,-3)

Exercise 25B

1 A. Question


Draw the graph of the function y = 3x.

Answer

The given function is y=3x. For some different values of x, the corresponding values of y are given below:

х	0	1	2
у	0	3	6

Now, let us plot the points O(0,0), A(1,3) and B(2,6).



∴ Now, we obtain our required graph.

1 B. Question

From the graph, find the value of y, when

(i)
$$x = 3$$
 (ii) $x = 5$ (iii) $x = 6$

Answer

(i) Our point C to be plotted lies on function y = 3x.

Here, first plotting y = 3x.

Here, x = 3.

 \therefore Now for abscissa equal to 3, we plot the point on y = 3x, ie y = 3 × 3 = 9

Hence, the value of y is 9

(ii) Our point to be plotted lies on function y = 3x.

Here, first plotting y = 3x.

Here, x = 5.

 \therefore Now for abscissa equal to 5, we plot the point on y = 3x, ie y = 3 x 5 = 15

Hence, the value of y is 15

(iii) Our point to be plotted lies on function y = 3x.

∴Here, first plotting y = 3x.

Here, x = 6.

 \therefore Now for abscissa equal to 6, we plot the point on y = 3x, ie y = 3 x 6 = 18


Hence, the value of y is 18

2 A. Question


Draw the graph of the function P = 4x.

Answer

The given function is P = 4x. For some different values of x, the corresponding values of P are given below:



Now let us plot the points, O(0,0), A(1,4) and B(2,8)



∴ Now, we obtain our required graph.

2 B. Question

From the graph, find the value of P, when

(i)
$$x = 3$$
 (ii) $x = 4$ (iii) $x = 6$

Answer

(i) Our point C to be plotted lies on function P = 4x.

∴Here, first plotting P = 4x.

Here, x = 3.

 \therefore Now for abscissa equal to 3, we plot the point on P = 4x, ie P = 4 x 3 = 12

Hence, the value of P is 12

(ii) Our point D to be plotted lies on function P = 4x.

∴Here, first plotting P = 4x.

Here, x = 4.

 \therefore Now for abscissa equal to 4, we plot the point on P = 4x, ie P = 4 × 4 = 16

Hence, the value of P is 16

(iii) Our point E to be plotted lies on function P = 4x.

∴Here, first plotting P = 4x.

Here, x = 6.

 \therefore Now for abscissa equal to 6, we plot the point on P = 4x, ie P = 4 \times 6 = 24

Hence, the value of P is 24

3 A. Question

Draw the graph of the function $A = x^2$.


Answer

The given function is $A=x^2$.

For some different values of x, the corresponding values of A are given below:

х	0	1	2
A	0	1	4

Now let us plot the points, O(0,0), S(1,1) and P(2,4).



∴ Now we obtain the required graph.

3 B. Question

From the graph, find the value of A, When

(i)
$$x = 2$$
 (ii) $x = 3$ (iii) $x = 4$

Answer

- (i) Our point B to be plotted lies on function $A = x^2$.
- ∴Here, first plotting $A = x^2$.

Here, x = 2.

- \therefore Now for abscissa equal to 2, we plot the point on A = x^2 ., ie A = 2^2 = 4 Hence, the value of A is 4
- (ii) Our point C to be plotted lies on function $A = x^2$.
- ∴Here, first plotting $A = x^2$.

Here, x = 3.

- \therefore Now for abscissa equal to 3, we plot the point on A = x^2 ., ie A = 3^2 = 9 Hence, the value of A is 9
- (iii) Our point to be plotted lies on function $A = x^2$.
- ∴Here, first plotting $A = x^2$.

Here, $x = 4$.
\therefore Now for abscissa equal to 4, we plot the point on A = x^2 ., ie A = 4^2 = 16
Hence, the value of A is 16
Exercise 25C
1. Question
In which of the following quadrants does the point $P(3,6)$ lie?
A. I
B. II
C. III
D. IV
Answer
Here, given point is P(3,6).
Both the coordinates are positive.
Hence, point P lies in first quadrant.
2. Question
In which of the following quadrants does the point $\left(-7,-1\right)$ lie?
A. I
B. II
C. III
D. IV
Answer

Here, given point is (-7,-1).

Both the coordinates are negative.

Hence, given point lies in third quadrant.

3. Question

In which of the following quadrants does the point A(2,-3) lie?

- A. I
- B. II
- C. III
- D. IV

Answer

Here, given point is A(2,-3).

Here, abscissa of a point is positive and ordinate is negative.

Hence, given point lies in fourth quadrant.

4. Question

In which of the following quadrants does the point $Q(-4,1)$ lie?
A. I
B. II
C. III
D. IV
Answer
Here, given point is $Q(-4,1)$
Here, abscissa of a point is negative and ordinate is positive.
Hence, given point lies in second quadrant.
5. Question
The abscissa of a point is its distance from the
A. origin
B. x-axis
C. y-axis
D. none of these
Answer
We know that the abscissa of a point is its distance from the y-axis.
6. Question
The graph of $y = a$ is
A. the x-axis
B. the y-axis
C. a line parallel to the y-axis
D. a line parallel to the x-axis
Answer
Here, the line $y = a$ is parallel x-axis.
7. Question
The equation representing the y-axis is
A. $X = 0$
B. y = 0
C. $X = a$
D. $y = a$
Answer
We know that the graph $x = a$ is a line parallel to the y-axis.
Hence, for $x = 0$, line represents y axis.