CBSE Sample Paper 01 (unsolved) SUMMATIVE ASSESSMENT –I MATHEMATICS Class – IX

Time allowed: 3 hours


Maximum Marks: 90

General Instructions:

- a) All questions are compulsory.
- b) The question paper comprises of 31 questions divided into four sections A, B, C and D. You are to attempt all the four sections.
- c) Questions 1 to 4 in section A are one mark questions.
- d) Questions 5 to 10 in section B are two marks questions.
- e) Questions 11 to 20 in section C are three marks questions.
- f) Questions 21 to 31 in section D are four marks questions.
- g) There is no overall choice in the question paper. Use of calculators is not permitted.

Section A

- Q1. Find two irrational numbers between 2 and 3.
- Q2. If $P(x) = x^3 1$, then the value of P(1) + P(-1) is
- Q3. An angle is 4 time its complement. Find measure.
- Q4. In which quadrant of the point (-2,4), (3,-1) lie?
- Q5. Insert a rational and an irrational number between 3 and 4.
- Q6. Show that 5 is a zero of the polynomial $2x^3 7x^2 16x + 5$
- Q7. How many planes can be made to pass through three distinct points when
 - a) Three distinct points are collinear.
 - b) Three distinct points are non-collinear.
- Q8. In the following figure, show that $AB \parallel EF$.




- Q9. Prove that if two sides of an angle are perpendicular to two sides of another angle, then the angles are either equal or supplementary.
- Q10. ABC is a triangle and Q is the midpoint of BC. The perpendiculars from Q to AB and AC are equal. Prove that the triangle is isosceles.

- Q11. Prove that $\sqrt{2}$ is not a rational number.
- Q12. Represent $\sqrt{7.3}$ on a number line. Write steps of drawing number line also.
- Q13. If $ax^3 + bx^2 + x 6$ has x + 2 is a factor and leaves a remainder 4 when divided by x 2. Find the value of *a* and *b*.
- Q14. Factorize $x^{3}(y-z)^{3} + y^{3}(z-x)^{3} + z^{3}(x-y)^{3}$
- Q15. If *O* is the mid-point of the line segment *MN*. *P* and *Q* are mid-points of the line segments *MO* and *ON* respectively.



- a) MN = 4MP
- b) MN = 4QN
- Q16. In the following figure, PQ and RS are two mirrors placed parallel to each other. An incident ray AB strikes the mirror PQ at B, the reflected ray moves along the path BC and strikes the mirror RS at C and again reflects back along CD. Prove that $AB \parallel CD$.



- Q17. It is given that $\angle XYZ = 64^{\circ}$ and *XY* is produced to point *P*. Draw a figure from the given information. If ray *YQ* bisects $\angle ZYP$, find $\angle XYQ$ and reflex $\angle QYP$.
- Q18. Prove that the sum of three altitudes of a triangle is less than the sum of the three sides of the triangle.
- Q19. Show that the points (7,10), (-2,5) and (3,-4) are the vertices of an isosceles right triangle.
- Q20. An umbrella is made by stitching 10 triangular piece of cloth of two different colors red and green. Each piece measuring 20cm, 50cm and 50cm. How much cloth of each colors required for the umbrella if both the colors are used equally?

Q21. If
$$x = \frac{\sqrt{5} + \sqrt{2}}{\sqrt{5} - \sqrt{2}}$$
 and $y = \frac{\sqrt{5} - \sqrt{2}}{\sqrt{5} + \sqrt{2}}$, then prove that $3a^2 + 4ab - 3b^2 = 4 + \frac{56}{3}\sqrt{10}$.


Q22. A) Prove that: $\frac{2^{x-1}+2^x}{2^{x+1}-2^x} = \frac{3}{2}$

B) Find the value of x if $\frac{3^{3x} * 3^{2x}}{3^x} = \sqrt[4]{3^{20}}$

- Q23. Find the integral zeroes of the polynomial $x^3 + x^2 + x 3$.
- Q24. Factorise: $x^3 2x^2 x + 2$
- Q25. What must be added to $x^4 + 2x^3 2x^2 + x 1$ so that the result is exactly divisible by $x^2 + 2x 3$?
- Q26. If $\left(x-\frac{1}{2}\right)$ and $\left(x-2\right)$ are factors of px^2+5x+r , prove that p=r.
- Q27. In the following figure, $AB \parallel CD$
 - 1) If $\angle 4 = (x+20)^{\circ}$ and $\angle 5 = (x+8)^{\circ}$, find the measure of $\angle 4$ and $\angle 5$.

2) If
$$\angle 2 = (3x-10)^\circ$$
 and $\angle 8 = (5x-30)^\circ$, find the measure of $\angle 2$ and $\angle 8$.

- Q28. Prove that sum of all angles around a point is 360° .
- Q29. Prove that ∆ABC is isosceles if any one of the following holds:a) Altitude AD bisects BC. b) Median AD is perpendicular to the base BC
- Q30. A point O is taken inside a quadrilateral ABCD, such that BO = OD and AD = AB. Show that AC is a straight line.



Q31. If ABCD is a quadrilateral with sides of length a, b, c and d such that ABCD is both cyclic and has a circle inscribed in it, then use brahmagupta's formula to show that area of the quadrilateral is $A = \sqrt{abcd}$.

