I-3-A	Roll No
Total No. of Questions : 20]	[Total No. of Printed Pages: 7 + Graph
•	SSEPKM16
ime : 3 Hours]	8703-A MATHEMATICS
ote :- (i) All questions are	[Maximum As

Time: 3 Hours]

Note:- (i) All questions are compulsory.

(ii) Diagrams, whenever necessary should be neat and accurate.

(i) L.C.M. of 6 and 20 is:

(a) 40

(b) 60

(c) 120 .

(d) 30

(ii) The common difference of an AP 10, 7, 4, is:

(a)

(c) 2

(d) None of these

(iii) The co-efficient of x^2 of a polynomial $x^2 - 2x - 8$ is :

(a) 4

(b)

(c)

[d) -2

SSEPKM16-8703-A

Turn Over

(iv)	The	right bisector of on a line	e make	es an angle of:	
	(a)	60°	(b)		
	(c)	60° 45°	(d)	90° '	
(v)	The	area of a square whose s	ide is	4 cm :	
	(a)	8 cm ²	(b) ⁷	14 cm ²	
	(c)	16 cm ²	(d)	16 cm	
(vi)		card is drawn from a we		,	
	(a),	$\frac{1}{26}$	(b) /	$\sqrt{\frac{1}{4}}$	
	(c)	$\frac{1}{13}$	(d)	None of these 1×6=6	6
Fir	nd th	ne distance between the po	ints (–	5, 7) and (-1, 5).	2
- 1	4	ent PQ at a point P of a c	ircle o	f radius 5 cm meets a line	
A	tang	h the centre O at a point C), so t	hat OQ = 12 cm. Find the	
1		•		2	!
` 1e	ength	of PQ.		•	

A. Evaluate :

$$\frac{1-\tan^2 45^\circ}{1+\tan^2 45^\circ}$$

- 5. Use Euclids' division algorithm to find the HCF of 867 and 255.
- 61. In an AP where a = 5, d = 3 $a_n = 50$. Find n and $a_n = 4$
- Joseph Solve the linear equation by the substituting method:

$$2x + 3y = 11$$

and
$$2x - 4y = -24$$

- 8. The difference between two numbers is 26 and one number is three times the other. Find them.
- 9. Divide $x^3 3x^2 + 5x 3$ by $x^2 2$.
- 10. One card is drawn from a wall shuffled deck of 52 cards. Calculate the probability that the card will:
 - (i) be an ace
 - (ii) not be an ace

4

4

SSEPKM16—8703-A **I-3-A** Turn Over

11. Find the roots of $2x^2 - 7x + 3 = 0$ by the method of completing the square.

Or.

The diagonal of a rectangular field is 60 metres more than the shorter side. If the longer side is 30 metres more than the shorter side, find the sides.

6

6

6

12. Find the roots of $x^2 + x - 6 = 0$ by the method of factorisation.

Or

Rohan's mother is 26 years older than him. The product of their ages 3 years from now will be 360. Find Rohan's present age.

13. If a line is drawn parallel to one side of a triangle to intersect the other two sides in distinct points the other two sides are divided in the same ratio.

Or

The diagonals of a quadrilateral ABCD intersect each other at a point O, such that $\frac{AO}{BO} = \frac{CO}{DO}$, show that ABCD is trapezium.

SSEPKM16—8703-A **I-3-A** 14. ABD is a triangle right angled at A, C is a point on BD such that $AC \perp BD$. Show that $AC^2 = BC.DC$.

Or

ABC is an isosceles triangle with AC = BC. If $AB^2 = 2AC^2$, prove that ABC is a right triangle.

15. Find the area of a triangle whose vertices are (−5, −1), (3, −5) and (5, 2).

Or

Find the co-ordinates of the points of trisection of the line segment joining (4, -1) and (-2, -3).

16. If 3 cot A = 4, check whether

$$\frac{1-\tan^2 A}{1+\tan^2 A} = \cos^2 A - \sin^2 A \text{ or not.}$$

Or

Prove the identity

$$\frac{\cos A}{1+\sin A} + \frac{1+\sin A}{\cos A} = 2\sec A$$

Turn Over

6

6

6

SSEPKM16--8703-A

17. Prove that the tangents drawn at the ends of a diameter of a circle are parallel.

Or

If TP and TQ are the two tangents to a circle with centre O so that \angle POQ = 110°, find \angle PTQ.

7

7

18. From the top of a 7 m high building, the angle of elevation of the top of a cable tower is 60° and the angle of depression of its foot is 45°. Determine the height of the tower.

Or

Evaluate:

$$\frac{5\cos^2 60^\circ + 4\sec^2 30^\circ - \tan^2 45^\circ}{\sin^2 30^\circ + \cos^2 30^\circ}$$

Construct a triangle of sides 4 cm, 5 cm, and 6 cm and then a triangle similar to it whose sides are $\frac{2}{3}$ of the corresponding sides of the first triangle.

Or

Draw a line segment of 7.6 cm and divide it in the ratio of 5:8.

Measure the two parts. (No steps of construction)

SSEPKM16—8703-A I-3-A 20. A 20 m deep well with diameter 7 m is dug and the earth from digging is evenly spread out to form a platform 22 m by 14 m. Find the height of the platform.

Or

A drinking glass is in the shape of a frustum of a cone of height 14 cm. The diameters of its two circular ends are 4 cm and 2 cm. Find the capacity of the glass.

7

SSEPKM16—8703-A