Integers

EXERCISE 1 (A)

Question 1.

Evaluate:

- 1. 427 x 8 + 2 x 427
- 2. 394 x 12 + 394 x (-2)
- 3. 558 x 27 + 3 x 558

Solution:

- 1. $427 \times 8 + 2 \times 427 = 427 \times (8 + 2)$ (Distributive property) $= 427 \times 10$ = 4270
- 2. 394 x 12 + 394 x (-2) = 394 x (12-2) (Distributive property) $= 394 \times 10$
 - = 3940
- 3. 558 x 27 + 3 x 558 = 558 x (27 + 3) (Distributive property) $= 558 \times 30$ = 16740

Question 2.

Evaluate:

- 1. 673 x 9 + 673
- 2. 1925 x 101 1925

Solution:

- 1. $673 \times 9 + 673 = 673 \times (9 + 1)$ (Distributive property) = $673 \times 10 = 6730$
- 2. 1925 x 101 1925 = 1925 x (101 1) (Distributive property) = 1925 x 100 = 192500

Question 3. Verify:

- 1. $37 \times \{8 + (-3)\} = 37 \times 8 + 37 \times (3)$
- 2. $(-82) \times \{(-4) + 19\} = (-82) \times (-4) + (-82) \times 19$
- 3. $\{7 (-7)\} \times 7 = 7 \times 7 (-7) \times 7$
- 4. $\{(-15) 8\} \times -6 = (-15) \times (-6) 8 \times (-6)$

```
1. 37 \times \{8 + (-3)\} = 37 \times 8 + 37 \times - (3)
    L.H.S. = 37 \times \{8 + (-3)\}
    = 37 \times \{8-3\}
    = 37 \times \{5\}
    = 37 \times 5
    = 185
    R.H.S. = 37 x 8 + 37 - 3
    = 37 \times (8 - 3)
    = 37 \times 5
    = 185
    Hence, L.H.S. = R.H.S.
2. (-82) \times \{(-4) + 19\} = (-82) \times (-4) + (-82) \times 19
    L.H.S. = (-82) \times \{(-4) + 19\}
    = (-82) \times \{-4 + 19\}
    = (-82)x \{15\}
    = -82 x 15
    =-1230
    R.H.S. = (-82) \times (-4) + (-82) \times 19
    = -82 \times (-4 + 19)
    = -82 x 15
    =-1230
    Hence, L.H.S. = R.H.S.
3. \{7 - (-7)\}. x 7 = 7 x 7 - (-1) x 7
    L.H.S. = \{7 - (-7)\} \times 7
    = \{7 + 7\} \times 7
    = \{14\} \times 7
    = 14 \times 7
    = 98
    R.H.S. = 7 \times 7 - (-7) \times 7
    =7 x 7+7 x 7 =
    7 \times (7 + 7)
    = 7 \times (14)
    = 98
    Hence, L.H.S. = R.H.S.
4. \{(-15) - 8\} \times -6 = (-15) \times (-6) - 8 \times (-6)
    L.H.S. = \{(-15)-8\} \times -6
    = \{-15-8\} \times -6
    = \{-23\} \times -6
    = -23 x- 6
    = 138
    R.H.S. = (-15) \times (-6) - 8 \times (-6)
    = -6 \times (-15-8)
    = -6 \times -23
```

```
= 138
Hence, L.H.S. = R.H.S.
```

Question 4. Evaluate:

- 1. 15 x 8
- 2. 15 x (-8)
- 3. (-15) x 8
- 4. **(-15) x -8**

Solution:

- 1. 15 x 8= 120
- 2. 15 x (-8) = -120
- 3. (-15) x 8 = -120
- 4. (-15) x -8 = 120

(Since the number of negative integers in the product is even)

Question 5. Evaluate:

- _valuate.
 - 1. 4 x 6 x 8
 - 2. 4 x 6 x (-8)
 - 3. 4 x (-6) x 8
 - 4. (-4) x 6 x 8
 - 5. 4 x (-6) x (-8)
 - 6. (-4) x (-6) x 8 7. (-4) x 6 x (- 8)
 - 8. (-4) x (-6) x (-8)

- 1. $4 \times 6 \times 8 = 192$
- 2. $4 \times 6 \times (-8) = -192$ (It have one negative factor)
- 3. $4 \times (-6) \times 8 = -192$ (It have one negative factor)
- 4. (-4)x 6 x 8 = -192 (It have one negative factor)
- 5. $4 \times (-6) \times (-8) = 192$ (It have two negative factors)
- 6. (-4) x (-6) x 8 = 192 (It have two negative factors)

- (-4) x 6 x (-8) = 192 (It have two negative factors)
- 8. (-4) x (-6) x (-8) = -192 (It have three negative factors)

Question 6.

Evaluate:

- 1. 2 x 4 x 6 x 8
- 2. 2 x (-4) x 6 x 8
- 3. (-2) x 4 x (-6) x 8
- 4. (-2) x (-4) X 6 x (-8)
- 5. (-2) x (-4) x (-6) x (-8)

Solution:

- 1. $2 \times 4 \times 6 \times 8 = 384$
- 2 x (-4) x 6 x 8 = -384 (Number of negative integer in the product is odd)
- 3. (-2) x 4 x (-6) x 8 = 384 (Number of negative integer in the product is even)
- 4. $(-2) \times (-4) \times 6 \times (-8) = -384$ (Number of negative integer in the product is odd)
- 5. $(-2) \times (-4) \times (-6) \times (-8) = 384$ (Number of negative integer in the product is even)

Question 7.

Determine the integer whose product with '-1' is:

- 1. **-47**
- 2. **63**
- 3. **-1**
- 4. **0**

Solution:

1. -1 x 47 = -47

Hence, integer is 47

2. $-1 \times -63 = 63$

Hence, integer is -63

- 3. -1 x 1 = -1 Hence, integer is 1
- 4. $-1 \times 0 = 0$ Hence, integer is 0

Question 8.

Eighteen integers are multiplied together. What will be the sign of their product, if:

- 1. 15 of them are negative and 3 are positive?
- 2. 12 of them are negative and 6 are positive?
- 3. 9 of them are positive and the remaining are negative?
- 4. all are negative?

Solution:

- 1. Since out of eighteen integers, 15 of them are negative, which is odd number. Hence, sign of product will be negative (-).
- 2. Since out of eighteen integers 12 of them are negative, which is even number. Hence sign of product will be positive (+).
- 3. Since out of eighteen integers 9 of them are negative, which is odd number. Hence, sign of product will be negative (-).
- 4. Since all are negative, which is even number. Hence sign of product will be positive (+).

Question 9.

Find which is greater?

- 1. (8 + 10) x 15 or 8 + 10 x 15
- 2. 12 x (6 8) or 12 x 6 8
- 3. {(-3) 4} x (-5) or (-3) 4 x (-5)

Solution:

- 1. $(8 + 10) \times 15 \text{ or } 8 + 10 \times 15$ $(8 + 10) \times 15 = 18 \times 15 = 270$ $8 + 10 \times 15 = 8 + 150 = 158$ $\therefore (8 + 10) \times 15 > 8 + 10 \times 15$
- 2. $12 \times (6 8)$ or $12 \times 6 8$ $12 \times (6 - 8) = 12 (-2) = -24$ $12 \times 6 - 8 = 72 - 8 = 64$ $\therefore 12 \times 6 - 8 > 12 \times (6-8)$
- 3. {(-3) 4} x (-5) or (-3) 4 x (-5) {(-3) - 4} x (-5) = {-3 - 4} x (-5) = -7 x -5 = 35 (-3) - 4 x (-5) = -7 x (-5) = 35 \therefore {(-3) - 4} x (-5) = (-3) - 4 x (-5)

Question 10.

State, true or false :

- 1. product of two integers can be zero.
- 2. product of 120 negative integers and 121 positive integers is negative.
- 3. **a x (b + c) = a x b + c**
- 4. (b c) x a=b c x a

- 1. False.
- 2. False.

Correct : Since 120 integers are even numbers, hence product will be positive and for 121 integers are positive in numbers, hence product will be positive.

- False.
 Correct :a x (b + c) ≠ a x b + c ab + ac ≠ ab + c
- 4. False. Correct: $(b - c) x a \neq b - c x a$ $ab - ac \neq b - ca$

EXERCISE 1 (B)

Question 1.

Divide: (i) 117 by 9 (ii) (-117) by 9 (iii) 117 by (-9) (iv) (-117) by (-9) (v) 225 by (-15) (vi) (-552) ÷ 24 (vii) (-798) by (-21) (viii) (-910) ÷ - 26

(i) 117 by $9 = \frac{117}{9} = \frac{13 \times 9}{9} = 13$ (*ii*) (-117) by $9 = \frac{-117}{9} = \frac{-13 \times 9}{9} = -13$ (*iii*) 117 by (-9) = $\frac{117}{-9} = \frac{13 \times 9}{-9} = -13$ (*iv*) (-117) by (-9) $=\frac{-117}{-9}=\frac{117}{9}=\frac{13\times9}{9}=13$ (v) 225 by (-15) = $-\frac{225}{15} = -\frac{15 \times 15}{15} = -15$ $(vi) (-552) \div 24 = -\frac{552}{24} = -\frac{23 \times 24}{24} = -23$ (*vii*) (-798) by (-21) $=\frac{-798}{-21}=\frac{798}{21}=\frac{38\times 21}{21}=38$ (*viii*) (-910) \div 26 = $-\frac{910}{26} = -\frac{35 \times 26}{26} = -35$

Question 2. Evaluate: (i) $(-234) \div 13$ (ii) $234 \div (-13)$ (iii) $(-234) \div (-13)$ (iv) $374 \div (-17)$ (v) $(-374) \div 17$ (vi) $(-374) \div (-17)$ (vii) $(-728) \div 14$ (viii) $272 \div (-17)$

$$(i) (-234) \div 13 = \frac{-234}{13} = \frac{-18 \times 13}{13} = -18$$
$$(ii) 234 \div (-13) = \frac{234}{-13} = \frac{18 \times 13}{-13} = -18$$
$$(iii) (-234) \div (-13)$$
$$= \frac{-234}{-13} = \frac{234}{13} = \frac{18 \times 13}{13} = 18$$
$$(iv) 374 \div (-17) = \frac{374}{-17} = \frac{22 \times 17}{-17} = -22$$
$$(v) (-374) \div 17 = -\frac{374}{17} = -\frac{22 \times 17}{17} = -22$$
$$(vi) (-374) \div (-17)$$
$$= \frac{-374}{-17} = \frac{374}{17} = \frac{22 \times 17}{17} = 22$$
$$(vii) (-728) \div 14 = -\frac{728}{14} = -\frac{52 \times 14}{14} = -52$$
$$(viii) 272 \div (-17) = -\frac{16 \times 17}{17} = -16$$

Question 3.

Find the quotient in each of the following divisions: (i) 299 ÷ 23 (ii) 299 ÷ (-23) (iii) (-384) ÷ 16 (iv) (-572) ÷ (-22) (v) 408 ÷ (-17)

$$(iv) (-572) \div (-22) = \frac{-572}{-22}$$
$$= \frac{572}{22} = \frac{26 \times 22}{22} = 26$$
$$(v) 408 \div (-17) = -\frac{408}{17} = -\frac{24 \times 17}{17} = -24$$

(i)
$$299 \div 23 = \frac{299}{23} = \frac{23 \times 13}{23} = 13$$

(ii) $299 \div (-23) = -\frac{299}{23} = -\frac{23 \times 13}{23} = -13$
(iii) $(-384) \div 16 = -\frac{384}{16} = -\frac{24 \times 16}{16} = -24$

Question 4.

Divide: (i) 204 by 17 (ii) 152 by-19 (iii) 0 by 35 (iv) 0 by (-82) (v) 5490 by 10 (vi) 762800 by 100

(*i*) 204 by
$$17 = \frac{204}{17} = \frac{12 \times 17}{17} = 12$$

152 8×19

(*ii*) 152 by
$$-19 = -\frac{152}{19} = -\frac{8 \times 19}{19} = -8$$

(*iii*) 0 by
$$35 = \frac{0}{35} = 0$$

$$(iv)$$
 0 by $(-82) = -\frac{0}{82} = 0$

(v) 5490 by
$$10 = \frac{5490}{10} = \frac{549 \times 10}{10} = 549$$

(*vi*) 762800 by
$$100 = \frac{762800}{100} = 7628$$

Question 5.

State, true or false :

- 1. **0** ÷ 32 = **0**
- 2. 0 ÷ (-9) = 0
- 3. (-37) ÷ 0 = 0
- 4. **0** ÷ **0** = **0**

Solution:

- 1. True.
- 2. True.
- 3. False.
- Correct: It is not meaningful (defined)
- 4. False.

Correct: It is not defined.

Question 6.

Evaluate: (i) $42 \div 7 + 4$ (ii) $12+18 \div 3$ (iii) $19 - 20 \div 4$ (iv) $16 - 5 \times 3+4$ (v) $6 - 8 - (-6) \div 2$ (vi) $13 - 12 \div 4 \times 2$ (vii) $16 + 8 \div 4 - 2 \times 3$ (viii) $16 \div 8 + 4 - 2 \times 3$ (viii) $16 - 8 + 4 \div 2 \times 3$ (x) $(-4) + (-12) \div (-6)$ (xi) $(-18) + 6 \div 3 + 5$ (xii) $(-20) \times (-1) + 14 - 7$

(i)
$$42 \div 7 \pm 4$$

 $= \frac{42}{7} \pm 4 = 6 \pm 4 = 10$
(ii) $12 \pm 18 \div 3$
 $= 12 \pm \frac{18}{3} = 12 \pm 6 = 18$
(iii) $19 - 20 \div 4$
 $= 19 - \frac{20}{4} = 19 - 5 = 14$
(iv) $16 - 5 \times 3 \pm 4$
 $= 16 - 15 \pm 4 = 16 - 19 = -3$
(v) $6 - 8 - (-6) \div 2$
 $= 6 - 8 \pm 3 = 9 - 8 = 1$
(vi) $13 - 12 \div 4 \times 2$
 $= 13 - \frac{12}{4} \times 2 = 13 - 3 \times 2$
 $= 13 - 6 = 7$
(vii) $16 \pm 8 \div 4 - 2 \times 3$
 $= 16 \pm \frac{8}{4} - 2 \times 3 = 16 \pm 2 - 2 \times 3$
 $= 16 \pm 2 - 6 = 18 - 6 = 12$
(viii) $16 \div 8 \pm 4 - 2 \times 3$
 $= \frac{16}{8} \pm 4 - 2 \times 3 = 2 \pm 4 - 6$
 $= 6 - 6 = 0$

(ix)
$$16 - 8 + 4 \div 2 \times 3$$

= $16 - 8 + \frac{4}{2} \times 3 = 16 - 8 + 2 \times 3$
= $16 - 8 + 6$
= $16 + 6 - 8 = 22 - 8 = 14$
(x) $(-4) + (-12) \div (-6)$
= $(-4) + \left(\frac{-12}{-6}\right) = (-4) + 2$
= $-4 + 2 = -2$
(xi) $(-18) + 6 \div 3 + 5$
= $(-18) + \frac{6}{3} + 5 = (-18) + 2 + 5$
= $-18 + 7 = -11$
(xii) $(-20) \times (-1) + 14 \div 7$
= $(-20) \times (-1) + \frac{14}{7} = (-20) \times (-1) + \frac{14}{7}$

EXERCISE 1 (C)

2

Question 1. Evaluate: 18-(20- 15 \div 3) Solution: 18-(20- 15 \div 3) = 18 - $(20 - \frac{15}{5})$ = 18 - (20 - 5) = 18 - 20 + 5 = 18 + 5 - 20 = 23 - 20 = 3

Question 2. -15+ 24÷ (15-13) Solution:

 $-15+24 \div (15-13)$ = -15 + 24 ÷ 2 = -15 + 12 = -3

Question 3. 35 - $[15 + \{14 - (13 + 2 - 1 + 3)\}]$ Solution: 35- $[15 + \{14 - (13 + 2 - 1 + 3)\}]$ = 35-[15 + 14 - (13 + 4)]= 35 - [15 + 14 - (13 + 4)]= 35- $\{15 + 14 - 17\}$ = 35- $\{15 + 14 - 17\}$ = 35+17 - 15 - 14= 52 - 29 = 23

Question 4.

27- [13 + \{4-(8 + 4 - \overline{1+3})\}] Solution: 27- [13 + $\{4-(8 + 4 - \overline{1+3})\}$] = 27-[13 + $\{4-(8 + 4 - 4)\}$] = 27-[13 + $\{4-8\}$] = 27 - [13 + $\{4-8\}$] = 27 - [13 + $\{-4\}$] = 21 - [9] = 27-9 = 18

Question 5.

```
32 - [43-{51 - (20 - 18 - 7)}]
Solution:

32 - [43 - {51 - (20 - 18 - 7)}]
= 32-[43 - {51 - (20 - 11)}]
= 32-[43-{51 - 9}]
= 32-[43 - 42]
= 32-1
= 31
```

Question 6.

46-[26-{14-(15-4÷2 x 2)}] Solution: 46 - [26 - {14 - (15 - 4 ÷ 2 x 2)}] = 46-[26- {14-(15-2 x 2)}] = 46-[26- {14-(15 -4)}] = 46-[26- {14- 11}] = 46 - [26 - 3] = 46 - 23 = 23

Question 7.

```
45 - [38 - \{60 \div 3 - (6 - 9 \div 3) \div 3\}]
Solution:
45 - [38 - \{60 \div 3 - (6 - 9 \div 3) \div 3\}]= 45 \cdot [38 \cdot \{60 \div 3 \cdot (6 - 3) \div 3\}]= 45 \cdot [38 \cdot \{20 - 3 \div 3\}]= 45 \cdot [38 \cdot \{20 - 1\}]= 45 \cdot [38 \cdot \{20 - 1\}]= 45 \cdot [38 \cdot 19]= 26
```

Question 8.

17- [17 - (17 - 17 - 17)] **Solution:** 17- [17-(17-(17 - 17 - 17))]= 17-[17-(17-(17 - 0))]= 17 - [17 - (17 - 17)]= 17 - [17 - 0]= 17-17 = 0

Question 9.

 $2550 - [510 - {270 - (90 - <math>\overline{80} + 7)$ }] Solution: $2550 - [510 - {270 - (90 - \overline{80} + 7)}]$ $= 2550 - [510 - {270 - (90 - 87)}]$ $= 2550 - [510 - {270 - 3}]$ = 2550 - [510 - 267]= 2550 - 243= 2307

Question 10.

30+ [{-2 x ($25-\overline{13}-3$)}] **Solution:** 30+ [{-2 x ($25-\overline{13}-3$)}] = 30 + [{-2 x (25-10)}] = 30 + [{-2 x (25-10)}] = 30 + [{-2 x 15}] = 30 + [-30] = 30-30 = 0

```
Question 11.

88-{5-(-48)+ (-16)}

Solution:

88- \{5-(-48)+(-16)\}

= 88 - \{5-(-48)+(-16)\}

= 88 - \{5-3\}

= 88 - 2

= 86
```

Question 12.

9 x $(8-\overline{3}+2) - 2(2+\overline{3}+3)$ Solution: 9 x $(8-\overline{3}+2) - 2(2+\overline{3}+3)$ = 9 x $(8-\overline{3}+2) - 2(2+\overline{3}+3)$ = 9 x (8-5) - 2(2+6)= 9 x 3 - 2 x 8 = 27-16 = 11

Question 13.

```
2 - [3 - \{6 - (5 - \overline{4 - 3})\}]
Solution:
2 - [3 - \{6 - (5 - \overline{4 - 3})\}]\Rightarrow 2 - [3 - \{6 - (5 - 1)\}]\Rightarrow 2 - [3 - \{6 - 4\}]\Rightarrow 2 - (3 - 2)\Rightarrow 2 - 1 = 1
```

EXERCISE 1 (D)

Question 1. The sum of two integers is -15. If one of them is 9, find the other. Solution: Sum of two integers = -15 One integer = 9 \therefore Second integer = -15 - 9 = -(15 + 9) = -24

Question 2.

The difference between an integer and -6 is -5. Find the values of x.

The difference between an integer = x-(-6) = -5 \therefore Value of \Rightarrow x - (-6) = -5 \Rightarrow x + 6 = -5 x = -5 - 6 x = -11

Question 3.

The sum of two integers is 28. If one integer is -45, find the other. Solution: Sum of two integers = 28 One integer = -45 \therefore Second integer = 28 - (-45)

= 28 + 45 = 73

Question 4.

The sum of two integers is -56. If one integer is -42, find the other. Solution: Sum of two integers = -56

```
One integer = -42

\thereforeSecond integer = -56 - (-42)

= -56 + 42

= -14
```

Question 5.

The difference between an integer x and (-9) is 6. Find all possible values of x. Solution:

The difference between an integer x - (-9) = 6 or -9 - x = 6 \therefore Value of x $\Rightarrow x - (-9) = 6$ or $\Rightarrow -9 - x = 6$ $\Rightarrow x + 9 = 6$ or Answer-x = 6 + 9 $\Rightarrow x = 6 - 9$ or $\Rightarrow -x = 15$ $\Rightarrow x = -3$ or $\Rightarrow x = -15$ Hence, possible values of x are -3 and -15.

Question 6.

Evaluate:

- 1. (-1) x (-1) x (-1) x60 times.
- 2. (-1) x (-1) x (-1) x (-1) x 75 times.

- 1. 1 (because (-1) is multiplied even times.)
- 2. -1 (because (-1) is multiplied odd times.)

Question 7.

Evaluate:

- 1. (-2) x (-3) x (-4) x (-5) X (-6)
- 2. (-3) x (-6) x (-9) x (-12)
- 3. (-11) x (-15) + (-11) x (-25)
- 4. 10 x (-12) + 5 x (-12)

Solution:

- 1. $(-2) \times (-3) \times (-4) \times (-5) \times (-6)$ $\Rightarrow 6 \times 20 \times (-6) = 120 \times (-6)$ = -720
- 2. $(-3) \times (-6) \times (-9) \times (-12)$ $\Rightarrow 18 \times 108$ = 19443. $(-11) \times (-15) + (-11) \times (-25)$

3.
$$(-11) \times (-15) + (-11) \times (-25)$$

 $\Rightarrow 165 + 275$
 $= 440$
4. $10 \times (-12) + 5 \times (-12)$
 $\Rightarrow -120-60$
 $= -180$

Question 8.

- 1. If x x (-1) = -36, is x positive or negative?
- 2. If $x \times (-1) = 36$, is x positive or negative?

1.
$$x \ge (-1) = -36$$

 $-1x = -36$
 $x = \frac{-36}{-1}$
 $x = 36$
 $\therefore x = 36$
 $\therefore x = 36$
 $\therefore x = 36$
 $\therefore x \le (-1) = 36$
 $-1x = 36$

 $x = \frac{36}{-1}$ x = -36 ∴x = -36 ∴It is a negative integer.

Question 9.

Write all the integers between -15 and 15, which are divisible by 2 and 3. Solution:

The integers between -15 and 15 are : -12, -6, 0, 6 and 12 That are divisible by 2 and 3.

Question 10.

Write all the integers between -5 and 5, which are divisible by 2 or 3. Solution:

The integers between -5 and 5 are : -4, -3, -2, 0, 0, 2, 3 and 4 That are divisible by 2 or 3.

Question 11.

Evaluate:

- 1. (-20) + (-8) ÷ (-2) x 3
- 2. (-5) (-48) ÷ (-16) + (-2) x 6
- 3. 16 + 8 ÷ 4- 2 x 3
- 4. 16÷8x4–2x3
- 5. 27 [5 + {28 (29 7)}]
- 6. $48 [18 \{16 (5 \overline{4 + 1})\}]$
- 7. $-8 \{-6 (9 11) + 18 = -3\}$
- 8. $(24 \div \overline{12} 9 12) (3 \times 8 \div 4 + 1)$

Solution:

We know that, if these type of expressions that has more than one fundamental operations, we use the rule of DMAS i.e., First of all we perform D (division), then M (multiplication), then A (addition) and in the last S (subtraction).

$$\begin{array}{l} \Rightarrow -8 - 12 \\ = -20 \\ 3. \quad 16 + 8 \div 4 - 2 \times 3 \\ \Rightarrow 16 + 2 - 2 \times 3 \\ \Rightarrow 16 + 2 - 6 \\ \Rightarrow 18 - 6 \\ = 12 \\ 4. \quad 16 \div 8 \times 4 - 2 \times 3 \\ \Rightarrow 2 \times 4 - 2 \times 3 \\ \Rightarrow 8 - 6 \\ = 2 \\ 5. \quad 27 - [5 + \{28 - (29 - 7)\}] \\ \Rightarrow 27 - [5 + \{28 - 22\}] \\ \Rightarrow 27 - [5 + 6] \\ \Rightarrow 27 - 11 \\ = 16 \\ 6. \quad 48 - [18 - \{16 - (5 - \overline{4} + 1)\}] \\ \Rightarrow 48 - [18 - \{16 - (5 - 5)\}] \\ \Rightarrow 48 - [18 - \{16 - (5 - 5)\}] \\ \Rightarrow 48 - [18 - 16] \\ \Rightarrow 48 - 2 \\ = 46 \\ 7. \quad -8 - \{-6 (9 - 11) + 18 \div -3\} \\ \Rightarrow -8 - \{-6 (9 - 11) + 18 \div -3\} \\ \Rightarrow -8 - \{-6 (-2) - 6\} \\ \Rightarrow -8 - \{6\} \\ \Rightarrow -8 - 6 \\ = -14 \\ 8. \quad (24 \div \overline{12 - 9} - 12) - (3 \times 8 = 4 + 1) \\ \Rightarrow (24 \div 3 - 12) - (3 \times 2 + 1) \\ \Rightarrow (8 - 12) - (6 + 1) \\ \Rightarrow -4 - 7 \\ = --11 \end{array}$$

Question 12.

Find the result of subtracting the sum of all integers between 20 and 30 from the sum of all integers from 20 to 30.

Solution:

Required number = (Sum of all integers between 20 and 30 – Integers between 20 and 30) (20 + 21 + 22 + 23 + 24 + 25 + 26 + 27 + 28 + 29 + 30) – (21 + 22 + 23 + 24 + 25 + 26 + 27 + 28 + 29) \Rightarrow 20 + 30 = 50 ∴ Required number = 50

Question 13. Add the product of (-13) and (-17) to the quotient of (-187) and 11. Solution: (-13) x (-17)+ (-187- 11)

 $(-13) \times (-17) + (-187 - 11)$ $\Rightarrow (-13) \times (-17) + (-17)$ $\Rightarrow 221 - 17 = 204$

Question 14.

The product of two integers is-180. If one of them is 12, find the other. Solution: The product of two integers = -180 One integer = 12

 \therefore Second integer = -180 - 12 = -15

Question 15.

- 1. A number changes from -20 to 30. What is the increase or decrease in the number?
- 2. A number changes from 40 to -30. What is the increase or decrease in the number?

- 1. \therefore A number changes from = -20 to 30 ⇒ -20 - 30 = -50 ∴-50, it will be increases.
- 2. ∵A number changes from = 40 to -30
 ⇒ 40 (-30)
 40 + 30 = 70
 ∴70, it will be decreases