

ANSWERS**EXERCISE 1.1**

- | | |
|--------------------|---|
| 1. (a) Ten | 2. (a) 73,75,307 |
| (b) Ten | (b) 9,05,00,041 |
| (c) Ten | (c) 7,52,21,302 |
| (d) Ten | (d) 58,423,202 |
| (e) Ten | (e) 23,30,010 |
| 3. (a) 8,75,95,762 | Eight crore seventy-five lakh ninety-five thousand seven hundred sixty two. |
| (b) 85,46,283 | Eighty-five lakh forty-six thousand two hundred eighty-three. |
| (c) 9,99,00,046 | Nine crore ninety-nine lakh forty six. |
| (d) 9,84,32,701 | Nine crore eighty-four lakh, thirty-two thousand seven hundred one. |
| 4. (a) 78,921,092 | Seventy-eight million, nine hundred twenty-one thousand, ninety-two. |
| (b) 7,452,283 | Seven million four hundred fifty-two thousand two hundred eighty-three. |
| (c) 99,985,102 | Ninety-nine million nine hundred eighty-five thousand, one hundred two. |
| (d) 48,049,831 | Forty-eight million forty-nine thousand eight hundred thirty one. |

EXERCISE 1.2

- | | |
|-------------------------|------------------------------------|
| 1. 7,707 | 2. 3,020 |
| 3. 2,28,800 | 4. 6,86,659; second week, 1,14,877 |
| 5. 52,965 | 6. 87,575 |
| 7. 30,592 | 8. 65,124 |
| 9. 18 shirts, 1 m 30 cm | 10. 177 boxes |
| 11. 22 km 500 m | 12. 180 glasses. |

EXERCISE 1.3

- | | |
|--------------|-------------------------|
| 1. (a) 1,700 | 2. (a) 5,000 ; 5,090 |
| (b) 500 | (b) 61,100 ; 61,130 |
| (c) 16,000 | (c) 7,800 ; 7,840 |
| (d) 7,000 | (d) 4,40,900 ; 4,40,980 |

EXERCISE 2.1

1. 11,000 ; 11,001 ; 11,002
2. 10,000 ; 9,999 ; 9,998
3. 0
4. 20
5. (a) 24,40,702
(c) 11,000,00
- (b) 1,00,200
(d) 23,45,671
6. (a) 93
(c) 2,08,089
- (b) 9,999
(d) 76,54,320
7. (a) 503 is on the left of 530 ; $530 > 503$
(b) 307 is on the left of 370 ; $370 > 307$
(c) 56,789 is on the left of 98,765 ; $98,765 > 56,789$
(d) 98,30,415 is on the left of 1,00,23,001 ; $98,30,415 < 1,00,23,001$
8. (a) F (b) F (c) T (d) T (e) T
(f) F (g) F (h) F (i) T (j) F
(k) F (l) T (m) F

EXERCISE 2.2

1. (a) 1,408 (b) 4,600
2. (a) 1,76,800 (b) 16,600 (c) 2,91,000 (d) 27,90,000
(e) 85,500 (f) 10,00,000
3. (a) 5,940 (b) 54,27,900 (c) 81,26,500 (d) 1,92,25,000
4. (a) 76,014 (b) 87,108 (c) 2,60,064 (d) 1,68,840
5. ₹ 3,960 6. ₹ 1,500
7. (i) $\rightarrow$ (d) (ii) $\rightarrow$ (a) (iii) $\rightarrow$ (b)

EXERCISE 2.3

1. (a) 2. Yes
3. Both of them will be '1'
4. (a) 73,528 (b) 54,42,437 (c) 20,600 (d) 5,34,375
(e) 17,640

5. $123456 \times 8 + 6 = 987654$
 $1234567 \times 8 + 7 = 9876543$

EXERCISE 3.1

1. (a) 1, 2, 3, 4, 6, 8, 12, 24 (b) 1, 3, 5, 15
 (c) 1, 3, 7, 21 (d) 1, 3, 9, 27
 (e) 1, 2, 3, 4, 6, 12 (f) 1, 2, 4, 5, 10, 20
 (g) 1, 2, 3, 6, 9, 18 (h) 1, 23
 (i) 1, 2, 3, 4, 6, 9, 12, 18, 36
2. (a) 5, 10, 15, 20, 25 (b) 8, 16, 24, 32, 40 (c) 9, 18, 27, 36, 45
3. (i) $\rightarrow$ (b) (ii) $\rightarrow$ (d) (iii) $\rightarrow$ (a)
 (iv) $\rightarrow$ (f) (v) $\rightarrow$ (e)
4. 9, 18, 27, 36, 45, 54, 63, 72, 81, 90, 99

EXERCISE 3.2

1. (a) even number (b) even number
2. (a) F (b) T (c) T (d) F
 (e) F (f) F (g) F (h) T
 (i) F (j) T
3. 17 and 71, 37 and 73, 79 and 97
4. Prime numbers : 2, 3, 5, 7, 11, 13, 17, 19
 Composite numbers : 4, 6, 8, 9, 10, 12, 14, 15, 16, 18
5. 7
6. (a) $3 + 41$ (b) $5 + 31$ (c) $5 + 19$ (d) $5 + 13$
 (This could be one of the ways. There can be other ways also.)
7. 3, 5; 5, 7; 11, 13
8. (a) and (c) 9. 90, 91, 92, 93, 94, 95, 96
10. (a) $3 + 5 + 13$ (b) $3 + 5 + 23$
 (c) $13 + 17 + 23$ (d) $7 + 13 + 41$

(This could be one of the ways. There can be other ways also.)

11. 2, 3 ; 2, 13; 3, 17; 7, 13; 11, 19

12. (a) prime number (b) composite numbers

(c) prime number, composite number

(d) 2 (e) 4 (f) 2

EXERCISE 3.3

1. Number	Divisible by								
	2	3	4	5	6	8	9	10	11
990	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes
1586	Yes	No	No	No	No	No	No	No	No
275	No	No	No	Yes	No	No	No	No	Yes
6686	Yes	No	No	No	No	No	No	No	No
639210	Yes	Yes	No	Yes	Yes	No	No	Yes	Yes
429714	Yes	Yes	No	No	Yes	No	Yes	No	No
2856	Yes	Yes	Yes	No	Yes	Yes	No	No	No
3060	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	No
406839	No	Yes	No	No	No	No	No	No	No

2. Divisible by 4 : (a), (b), (c), (d), (f), (g), (h), (i)

Divisible by 8 : (b), (d), (f), (h)

3. (a), (f), (g), (i) 4. (a), (b), (d), (e), (f)

5. (a) 2 and 8 (b) 0 and 9 6. (a) 8 (b) 6

EXERCISE 3.4

1. (a) 1, 2, 4 (b) 1, 5 (c) 1, 5 (d) 1, 2, 4, 8

2. (a) 1, 2, 4 (b) 1, 5

3. (a) 24, 48, 72 (b) 36, 72, 108

4. 12, 24, 36, 48, 60, 72, 84, 96


5. (a), (b), (e), (f)

6. 60 7. 1, 2, 3, 4, 6


EXERCISE 3.5

1. (a) F (b) T (c) F (d) T
(e) F (f) F (g) T (h) T
(i) T (j) F

2. (a)



(b)



3. 1 and the number itself
4. 9999, $9999 = 3 \times 3 \times 11 \times 101$
5. 10000, $10000 = 2 \times 2 \times 2 \times 2 \times 5 \times 5 \times 5 \times 5$
6. $1729 = 7 \times 13 \times 19$
The difference of two consecutive prime factors is 6
7. (i) $2 \times 3 \times 4 = 24$ is divisible by 6.
(ii) $5 \times 6 \times 7 = 210$ is divisible by 6.
8. (b), (c)
9. $15470 = 2 \times 5 \times 7 \times 13 \times 17$ 10. Yes
11. No. Number 12 is divisible by both 4 and 6; but 12 is not divisible by 24.
12. $2 \times 3 \times 5 \times 7 = 210$

EXERCISE 3.6

1. (a) 6 (b) 6 (c) 6 (d) 9
(e) 12 (f) 34 (g) 35 (h) 7
(i) 9 (j) 3
2. (a) 1 (b) 2 (c) 1
3. No; 1



EXERCISE 3.7

1. 3 kg 2. 6930 cm 3. 75 cm 4. 120
5. 960 6. 7 minutes 12 seconds past 7 a.m. 7. 31 litres
8. 95 9. 1152
10. (a) 36 (b) 60 (c) 30 (d) 60
11. Here, in each case LCM is a multiple of 3
Yes, in each case LCM = the product of two numbers
LCM of any pair of numbers is not always a multiple of 3
12. (a) 20 (b) 18 (c) 48 (d) 45
The LCM of the given numbers in each case is the larger of the two numbers.

EXERCISE 4.1

1. (a) O, B, C, D, E.
(b) Many answers are possible. Some are: $\overleftrightarrow{DE}, \overleftrightarrow{DO}, \overleftrightarrow{DB}, \overleftrightarrow{EO}$ etc.
(c) Many answers are possible. Some are: $\overleftrightarrow{DB}, \overleftrightarrow{DE}, \overleftrightarrow{OB}, \overleftrightarrow{OE}, \overleftrightarrow{EB}$ etc.
(d) Many answers are possible. Some are: $\overleftrightarrow{DE}, \overleftrightarrow{DO}, \overleftrightarrow{EO}, \overleftrightarrow{OB}, \overleftrightarrow{EB}$ etc.
2. $\overleftrightarrow{AB}, \overleftrightarrow{AC}, \overleftrightarrow{AD}, \overleftrightarrow{BA}, \overleftrightarrow{BC}, \overleftrightarrow{BD}, \overleftrightarrow{CA}, \overleftrightarrow{CB}, \overleftrightarrow{CD}, \overleftrightarrow{DA}, \overleftrightarrow{DB}, \overleftrightarrow{DC}$.
3. (a) Many answers. One answer is $\overleftrightarrow{AE}$ (b) Many answers. One answer is $\overleftrightarrow{AE}$ (c) $\overleftrightarrow{CO}$ or $\overleftrightarrow{OC}$
(d) Many answers are possible. Some are, $\overleftrightarrow{CO}, \overleftrightarrow{AE}$ and $\overleftrightarrow{AE}, \overleftrightarrow{EF}$
4. (a) Countless (b) Only one.
5. (a) T (b) T (c) T (d) F (e) F
(f) F (g) T (h) F (i) F (j) F
(k) T

EXERCISE 4.2

1. Open : (a), (c); Closed : (b), (d), (e). 4. (a) Yes (b) Yes

5. (a)  (b)  (c) Not Possible

EXERCISE 4.3

1. $\angle A$ or $\angle DAB$; $\angle B$ or $\angle ABC$; $\angle C$ or $\angle BCD$; $\angle D$ or $\angle CDA$
2. (a) A (b) A, C, D. (c) E, B, O, F.

EXERCISE 4.4

2. (a) $\triangle ABC$, $\triangle ABD$, $\triangle ADC$.
(b) Angles: $\angle B$, $\angle C$, $\angle BAC$, $\angle BAD$, $\angle CAD$, $\angle ADB$, $\angle ADC$
(c) Line segments: $\overline{AB}$, $\overline{AC}$, $\overline{BC}$, $\overline{AD}$, $\overline{BD}$, $\overline{DC}$
(d) $\triangle ABC$, $\triangle ABD$

EXERCISE 4.5

1. The diagonals will meet in the interior of the quadrilateral.
2. (a) $\overline{KL}$, $\overline{NM}$ and $\overline{KN}$, $\overline{ML}$ (b) $\angle K$, $\angle M$ and $\angle N$, $\angle L$
(c) $\overline{KL}$, $\overline{KN}$ and $\overline{NM}$, $\overline{ML}$ or $\overline{KL}$, $\overline{LM}$ and $\overline{NM}$, $\overline{NK}$
(d) $\angle K$, $\angle L$ and $\angle M$, $\angle N$ or $\angle K$, $\angle L$ and $\angle L$, $\angle M$ etc.

EXERCISE 4.6

1. (a) O (b) $\overline{OA}$, $\overline{OB}$, $\overline{OC}$ (c) $\overline{AC}$ (d) $\overline{ED}$
(e) O, P (f) Q (g) OAB (Shaded portion)
(h) Segment ED (Shaded portion)
2. (a) Yes (b) No
4. (a) True (b) True

EXERCISE 5.1

1. Accurate measurement will be possible.
2. Yes. (because C is 'between' A and B).
3. B lies between A and C.
4. D is the mid point of $\overline{AG}$ (because, $AD = DG = 3$ units).
5. $AB = BC$ and $BC = CD$, therefore, $AB = CD$

EXERCISE 5.2

1. (a) $\frac{1}{2}$ (b) $\frac{1}{4}$ (c) $\frac{1}{4}$ (d) $\frac{3}{4}$
(e) $\frac{3}{4}$ (f) $\frac{3}{4}$

2. (a) 6 (b) 8 (c) 8 (d) 2
3. (a) West (b) West (c) North (d) South
(To answer (d), it is immaterial whether we turn clockwise or anticlockwise, because one full revolution will bring us back to the original position).
4. (a) $\frac{1}{2}$ (b) $\frac{3}{4}$ (c) $\frac{1}{2}$
5. (a) 1 (b) 2 (c) 2 (d) 1
(e) 3 (f) 2
6. (a) 1 (b) 3 (c) 4
(d) 2 (clockwise or anticlockwise).
7. (a) 9 (b) 2 (c) 7 (d) 8
(We should consider only clockwise direction here).

EXERCISE 5.3

1. (i) $\rightarrow$ (c); (ii) $\rightarrow$ (d); (iii) $\rightarrow$ (a); (iv) $\rightarrow$ (e); (v) $\rightarrow$ (b).
2. Acute : (a) and (f); Obtuse : (b); Right: (c); Straight: (e); Reflex : (d).

EXERCISE 5.4

1. (i) 90° ; (ii) 180° .
2. (a) T (b) F (c) T (d) T (e) T
3. (a) Acute: $23^\circ, 89^\circ$; (b) Obtuse: $91^\circ, 179^\circ$.
7. (a) acute (b) obtuse (if the angle is less than 180°)
(c) straight (d) acute (e) a right angle or an obtuse angle.
8. $90^\circ, 30^\circ, 180^\circ$

EXERCISE 5.5

1. (a) and (c) 2. 90°
3. One is a $30^\circ - 60^\circ - 90^\circ$ set square; the other is a $45^\circ - 45^\circ - 90^\circ$ set square.
The angle of measure 90° (i.e. a right angle) is common between them.
4. (a) Yes (b) Yes (c) $\overline{BH}, \overline{DF}$ (d) All are true.

EXERCISE 5.6

- (a) Scalene triangle (b) Scalene triangle (c) Equilateral triangle
(d) Right triangle (e) Isosceles right triangle
(f) Acute-angled triangle
- (i) $\rightarrow$ (e); (ii) $\rightarrow$ (g); (iii) $\rightarrow$ (a); (iv) $\rightarrow$ (f);
(v) $\rightarrow$ (d); (vi) $\rightarrow$ (c); (vii) $\rightarrow$ (b).
- (a) Acute-angled and isosceles. (b) Right-angled and scalene.
(c) Obtuse-angled and isosceles. (d) Right-angled and isosceles.
(e) Equilateral and acute angled. (f) Obtuse-angled and scalene.
- (b) is not possible. (Remember : The sum of the lengths of any two sides of a triangle has to be greater than the third side.)

EXERCISE 5.7

- (a) T (b) T (c) T (d) T
(e) F (f) F
- (a) A rectangle with all sides equal becomes a square.
(b) A parallelogram with each angle a right angle becomes a rectangle.
(c) A rhombus with each angle a right angle becomes a square.
(d) All these are four-sided polygons made of line segments.
(e) The opposite sides of a square are parallel, so it is a parallelogram.
- A square is a 'regular' quadrilateral

EXERCISE 5.8

- (a) is not a closed figure and hence is not a polygon.
(b) is a polygon of six sides.
(c) and (d) are not polygons since they are not made of line segments.
- (a) A Quadrilateral (b) A Triangle (c) A Pentagon (5-sided)
(d) An Octagon

EXERCISE 5.9


- (a) $\rightarrow$ (ii); (b) $\rightarrow$ (iv); (c) $\rightarrow$ (v); (d) $\rightarrow$ (iii); (e) $\rightarrow$ (I).
- (a), (b) and (c) are cuboids; (d) is a cylinder; (e) is a sphere.

EXERCISE 6.1


1. (a) Decrease in weight (b) 30 km south (c) 326 A.D.
(d) Gain of ₹ 700 (e) 100 m below sea level

2. (a) +2000 (b) -800 (c) +200
(d) -700

3. (a) +5



- (b) -10




- (c) +8



- (d) -1




- (e) -6



4. (a) F (b) negative integer
(c) B → +4, E → -10 (d) E (e) D, C, B, A, O, H, G, F, E

5. (a) -10°C, -2°C, +30°C, +20°C, -5°C

- (b)



- (c) Siachin

- (d) Ahmedabad and Delhi

6. (a) 9 (b) -3 (c) 0 (d) 10 (e) 6 (f) 1

7. (a) -6, -5, -4, -3, -2, -1 (b) -3, -2, -1, 0, 1, 2, 3


- (c) -14, -13, -12, -11, -10, -9

- (d) -29, -28, -27, -26, -25, -24


8. (a) $-19, -18, -17, -16$ (b) $-11, -12, -13, -14$
 9. (a) T (b) F; -100 is to the left of -10 on number line
 (c) F; greatest negative integer is -1
 (d) F; -26 is smaller than -25
 10. (a) 2 (b) -4 (c) to the left (d) to the right

EXERCISE 6.2


1. (a) 8 (b) 0 (c) -4 (d) -5
 2. (a) 3




(b) -6




(c) -8




(d) 5



(e) -6



(f) 2



3. (a) 4 (b) 5 (c) 9 (d) -100
(e) -650 (f) -317
4. (a) -217 (b) 0 (c) -81 (d) 50
5. (a) 4 (b) -38

EXERCISE 6.3

1. (a) 15 (b) -18 (c) 3 (d) -33 (e) 35 (f) 8
2. (a) < (b) > (c) > (d) >
3. (a) 8 (b) -13 (c) 0 (d) -8 (e) 5
4. (a) 10 (b) 10 (c) -105 (d) 92

EXERCISE 7.1

1. (I) $\frac{1}{2}$ (ii) $\frac{2}{4}$ (iii) $\frac{8}{9}$ (iv) $\frac{4}{8}$ (v) $\frac{1}{6}$
(vi) $\frac{1}{4}$ (vii) $\frac{3}{7}$ (viii) $\frac{3}{12}$ (ix) No part (x) $\frac{4}{9}$
(xi) $\frac{4}{8}$ (xii) $\frac{1}{2}$
3. Shaded portions do not represent the given fractions.
4. $\frac{8}{24}$ 5. $\frac{40}{60}$
6. (a) Arya will divide each sandwich into three equal parts, and give one part of each sandwich to each one of them.
(b) $\frac{1}{3}$
7. $\frac{2}{3}$ 8. 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12; $\frac{5}{11}$
9. 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113; $\frac{4}{12}$

10. (a) $\frac{5}{8}$

(b) $\frac{3}{8}$


(c) $\frac{4}{8}$

11. $\frac{5}{10}$


12. $\frac{3}{8}$

EXERCISE 7.2


1. (a)



(b)



(c)



2. (a) $6\frac{2}{3}$

(b) $2\frac{1}{5}$

(c) $2\frac{3}{7}$

(d) $5\frac{3}{5}$

(e) $3\frac{1}{6}$

(f) $3\frac{8}{9}$

3. (a) $\frac{31}{4}$

(b) $\frac{41}{7}$

(c) $\frac{17}{6}$

(d) $\frac{53}{5}$

(e) $\frac{66}{7}$

(f) $\frac{76}{9}$

EXERCISE 7.3

1. (a) $\frac{1}{2}, \frac{2}{4}, \frac{3}{4}, \frac{4}{8}$; Yes

(b) $\frac{4}{12}, \frac{3}{9}, \frac{2}{6}, \frac{1}{3}, \frac{6}{15}$; No

2. (a) $\frac{1}{2}$

(b) $\frac{4}{6}$

(c) $\frac{3}{9}$

(d) $\frac{2}{8}$

(e) $\frac{3}{4}$

(i) $\frac{3}{9}$

(ii) $\frac{2}{4}$

(iii) $\frac{6}{8}$

(iv) $\frac{4}{6}$

(v) $\frac{2}{8}$

(a), (ii);

(b), (iv);

(c), (i);


(d), (v);

(e), (iii)

3. (a) 28 (b) 16 (c) 12 (d) 20 (e) 3
4. (a) $\frac{12}{20}$ (b) $\frac{9}{15}$ (c) $\frac{18}{30}$ (d) $\frac{27}{45}$
5. (a) $\frac{9}{12}$ (b) $\frac{3}{4}$
6. (a) equivalent (b) not equivalent (c) not equivalent
7. (a) $\frac{4}{5}$ (b) $\frac{5}{2}$ (c) $\frac{6}{7}$ (d) $\frac{3}{13}$ (e) $\frac{1}{4}$
8. Ramesh $\rightarrow \frac{10}{2} = \frac{1}{2}$, Sheelu $\rightarrow \frac{25}{50} = \frac{1}{2}$, Jamaal $\rightarrow \frac{40}{80} = \frac{1}{2}$. Yes
9. (i) $\rightarrow$ (d) (ii) $\rightarrow$ (e) (iii) $\rightarrow$ (a) (iv) $\rightarrow$ (c) (v) $\rightarrow$ (b)

EXERCISE 7.4

1. (a) $\frac{1}{8} < \frac{3}{8} < \frac{4}{8} < \frac{6}{8}$ (b) $\frac{3}{9} < \frac{4}{9} < \frac{6}{9} < \frac{8}{9}$



$$\frac{5}{6} > \frac{2}{6}, \frac{3}{6} > \frac{0}{6}, \frac{1}{6} > \frac{6}{6}, \frac{8}{6} > \frac{5}{6}$$

2. (a) $\frac{3}{6} < \frac{5}{6}$ (b) $\frac{1}{7} < \frac{1}{4}$ (c) $\frac{4}{5} > \frac{0}{5}$ (d) $\frac{3}{20} < \frac{4}{20}$
4. (a) $\frac{2}{6} (= \frac{1}{3}), \frac{3}{6} (= \frac{1}{2}), \frac{1}{6}, \frac{5}{6}, \frac{4}{6}, \frac{0}{6}, \frac{6}{6}; \frac{0}{6} < \frac{1}{6} < \frac{2}{6} < \frac{3}{6} < \frac{4}{6} < \frac{5}{6} < \frac{6}{6}$
5. (a) $\frac{1}{6} < \frac{1}{3}$ (b) $\frac{3}{4} > \frac{2}{6}$ (c) $\frac{2}{3} > \frac{2}{4}$ (d) $\frac{6}{6} = \frac{3}{3}$
- (e) $\frac{5}{6} < \frac{5}{5}$
6. (a) $\frac{1}{2} > \frac{1}{5}$ (b) $\frac{2}{4} = \frac{3}{6}$ (c) $\frac{3}{5} < \frac{2}{3}$ (d) $\frac{3}{4} > \frac{2}{8}$
- (e) $\frac{3}{5} < \frac{6}{5}$ (f) $\frac{7}{9} > \frac{3}{9}$ (g) $\frac{1}{4} = \frac{2}{8}$ (h) $\frac{6}{10} < \frac{4}{5}$

$$(i) \frac{3}{4} < \frac{7}{8}$$

$$(j) \frac{6}{10} < \frac{4}{5}$$

$$(k) \frac{5}{7} = \frac{15}{21}$$

$$7. (a) \frac{1}{6}$$

$$(b) \frac{1}{5}$$

$$(c) \frac{4}{25}$$

$$(d) \frac{4}{25}$$

$$(e) \frac{1}{6}$$

$$(f) \frac{1}{5}$$

$$(g) \frac{1}{5}$$

$$(h) \frac{1}{6}$$

$$(i) \frac{4}{25}$$

$$(j) \frac{1}{6}$$

$$(k) \frac{1}{6}$$

$$(l) \frac{4}{25}$$

(a), (e), (h), (j), (k), ; (b), (f), (g), (c), (d), (i), (l)

$$8. (a) \text{No}; \frac{5}{9} = \frac{25}{45}, \frac{4}{5} = \frac{36}{45} \text{ and } \frac{25}{45} \neq \frac{36}{45}$$

$$(b) \text{No}; \frac{9}{16} = \frac{81}{144}, \frac{5}{9} = \frac{80}{144} \text{ and } \frac{81}{144} \neq \frac{80}{144}$$

$$(c) \text{Yes}; \frac{4}{5} = \frac{16}{20}$$

$$(d) \text{No}; \frac{1}{15} = \frac{2}{30} \text{ and } \frac{2}{30} \neq \frac{4}{30}$$

9. Ila read less

10. Rohit

11. Same fraction ($\frac{4}{5}$) of students got first class in both the classes.

EXERCISE 7.5

$$1. (a) + \quad (b) - \quad (c) +$$

$$2. (a) \frac{3}{5} + \frac{3}{5} = \frac{6}{5}$$

$$(b) \frac{8}{8} + \frac{8}{8} + \frac{2}{8} = \frac{18}{8} = \frac{9}{4}$$

$$3. (a) \frac{1}{6}$$

$$(b) \frac{11}{15}$$

$$(c) \frac{2}{7}$$

$$(d) 1$$

$$(e) \frac{11}{9}$$

$$(f) \frac{1}{3}$$

$$(g) 1$$

$$(h) \frac{7}{5}$$

$$(i) \frac{1}{3}$$

$$(j) \frac{1}{4}$$

$$(k) \frac{0}{2} (=0)$$

$$(l) \frac{9}{5}$$

$$(m) \frac{2}{3}$$

$$(n) \frac{3}{5}$$

4. The complete wall.

5. 6 kg

6. (a) $\frac{4}{10}$ ($=\frac{2}{5}$) (b) $\frac{8}{21}$

(c) $\frac{6}{6}$ ($=1$) (d) $\frac{7}{27}$

7. $\frac{1}{5}$

8. $\frac{2}{7}$

EXERCISE 7.6

1. (a) $\frac{17}{21}$

(b) $\frac{23}{30}$

(c) $\frac{46}{63}$

(d) $\frac{22}{21}$

(e) $\frac{17}{30}$

(f) $\frac{22}{15}$

(g) $\frac{5}{12}$

(h) $\frac{3}{6}$ ($=\frac{1}{2}$)

(i) $\frac{3}{10}$

(j) $\frac{1}{6}$

(k) $\frac{2}{6}$ ($=\frac{1}{3}$)

(l) $\frac{10}{24}$ ($=\frac{5}{12}$)

(m) $\frac{23}{12}$

(n) $\frac{6}{6}$ ($=1$)

(o) 5

(p) $\frac{95}{12}$

(q) $\frac{9}{5}$

(r) $\frac{5}{6}$

(s) $\frac{2}{3}$

(t) $\frac{6}{3}$ ($=2$)

2. $\frac{23}{20}$ metre

3. $\frac{17}{6}$

4. (a) $\frac{7}{8}$

(b) $\frac{7}{10}$

(c) $\frac{1}{3}$

5. (a)

+ →		
$\frac{2}{3}$	$\frac{4}{3}$	2
$\frac{1}{3}$	$\frac{2}{3}$	1
$\frac{1}{3}$	$\frac{2}{3}$	1

(b)

+ →		
$\frac{1}{2}$	$\frac{1}{3}$	$\frac{5}{6}$
$\frac{1}{3}$	$\frac{1}{4}$	$\frac{7}{12}$
$\frac{1}{6}$	$\frac{1}{12}$	$\frac{1}{4}$

6. Length of the other piece = $\frac{5}{8}$ metre

7. The distance walked by Nandini = $\frac{4}{10}$ ($=\frac{2}{5}$) km

8. Asha's Bookshelf is more full; by $\frac{13}{30}$

9. Rahul takes less time; by $\frac{9}{20}$ minutes

EXERCISE 8.1

1.

	Hundreds (100)	Tens (10)	Ones (1)	Tenths ($\frac{1}{10}$)
(a)	0	3	1	2
(b)	1	1	0	4

2.

	Hundreds (100)	Tens (10)	Ones (1)	Tenths ($\frac{1}{10}$)
(a)	0	1	9	4
(b)	0	0	0	3
(c)	0	1	0	6
(d)	2	0	5	9

3. (a) 0.7 (b) 20.9 (c) 14.6 (d) 102.0 (e) 600.8

4. (a) 0.5 (b) 3.7 (c) 265.1 (d) 3.6 (e) 70.8

(f) 8.8 (g) 4.2 (h) 1.5 (i) 0.4 (j) 2.4

(k) 3.6 (l) 4.5

5. (a) $\frac{6}{10}, \frac{3}{5}$ (b) $\frac{25}{10}, \frac{5}{2}$ (c) 1, 1 (d) $\frac{38}{10}, \frac{19}{5}$ (e) $\frac{137}{10}, \frac{137}{10}$ (f) $\frac{212}{10}, \frac{106}{5}$ (g) $\frac{64}{10}, \frac{32}{5}$

6. (a) 0.2cm (b) 3.0 cm (c) 11.6 cm (d) 4.2 cm

(e) 16.2 cm (f) 8.3 cm

7. (a) 0 and 1; 1 (b) 5 and 6; 5 (c) 2 and 3; 3 (d) 6 and 7; 6

(e) 9.0 itself is a whole number (f) 4 and 5; 5

8.



9. A, 0.8 cm; B, 1.3 cm; C, 2.2 cm; D, 2.9 cm

10. (a) 9.5 cm (b) 6.5 cm

EXERCISE 8.2

1.

	Ones	Tenths	Hundredths	Number
(a)	0	2	6	0.26
(b)	1	3	8	1.38
(c)	1	2	8	1.28

2. (a) 3.25 (b) 102.63 (c) 30.025 (d) 211.902 (e) 12.241

3.

	Hundreds	Tens	Ones	Tenths	Hundredths	Thousandths
(a)	0	0	0	2	9	0
(b)	0	0	2	0	8	0
(c)	0	1	9	6	0	0
(d)	1	4	8	3	2	0
(e)	2	0	0	8	1	2

4. (a) 29.41 (b) 30.483 (c) 137.05 (d) 0.764

(e) 23.206 (f) 725.09

5. (a) Zero point zero three

(b) One point two zero

© Seventeen point three eight

(d) One hundred eight point five six

(e) Ten point zero seven

(f) Two hundred ten point one zero nine

(g) Zero point zero three two

(h) Five point zero zero eight

6. (a) 0 and 0.1 (b) 0.4 and 0.5 (c) 0.1 and 0.2
 (d) 0.6 and 0.7 (e) 0.9 and 1.0 (f) 0.5 and 0.6
 (g) 0.032 (h) 5.008
7. (a) $\frac{3}{5}$ (b) $\frac{1}{20}$ (c) $\frac{3}{4}$ (d) $\frac{9}{50}$
 (e) $\frac{1}{4}$ (f) $\frac{41}{50}$ (g) $\frac{1}{250}$ (h) $\frac{1}{8}$
 (i) $\frac{33}{500}$

EXERCISE 8.3

1. (a) 0.4 (b) 0.07 (c) 3 (d) 0.5
 (e) 0.11 (f) 2.012 (g) 1 (h) 1.23
 (i) 0.19 (j) both are same (k) 1.490 (l) both are same
 (m) 5.64 (n) 1.8000 (o) 2.05

EXERCISE 8.4

1. (a) ₹ 0.05 (b) ₹ 0.75 (c) ₹ 3.60 (d) ₹ 4.50
 (e) ₹ 0.20 (f) ₹ 50.90 (g) ₹ 7.25
2. (a) 0.15 m (b) 0.06 m (c) 1.36 m (d) 2.45 m
 (e) 9.07 m (f) 4.19 m
3. (a) 0.5 cm (b) 6.0 cm (c) 16.4 cm (d) 9.8 cm
 (e) 16.7 cm (f) 9.3 cm
4. (a) 0.008 km (b) 0.088 km (c) 0.888 km (d) 8.888 km
 (e) 70.005 km (f) 29.037 km
5. (a) 0.002 kg (b) 0.1 kg (c) 3.750 kg (d) 2.7 kg
 (e) 5.008 kg (f) 26.05 kg
6. (a) 230 paise (b) 9240 g (c) 35 mm (d) 3050 m
 (e) 881 cm (f) 1305 paise (g) 15038 m (h) 14007 g
 (i) 1106 cm (j) 2 mm

EXERCISE 8.5

1. (a) 38.587 (b) 29.432 (c) 27.63 (d) 38.355
(e) 13.175 (f) 343.89
2. ₹ 68.35 3. ₹ 26.30 4. 5.25 m 5. 3.75 m

EXERCISE 8.6

1. (a) ₹ 2.50 (b) 47.46 m (c) ₹ 3.04 (d) 3.155 km
(e) 1.793 kg
2. (a) 3.476 (b) 5.78 (c) 11.71 (d) 1.753
3. ₹ 14.35 4. ₹ 6.75
5. 15.55 m 6. 9.850 km
7. 4.425 kg 8. 3.042 km
9. 22.775 km 10. 18.270 kg

EXERCISE 9.1

1.

Marks	Tally marks	Number of students
1		2
2		3
3		3
4		7
5		6
6		7
7		5
8		4
9		3

(a) 12

(b) 8

2.	Sweet	Tally marks	Number of students
	Ladoo		11
	Barfi		3
	Jalebi		7
	Rasgulla		9
			30

(b) Ladoo

3. (i) Village D (ii) Village C (iii) 3 (iv) 28
4. (a) 14 (b) Sunday (c) ₹180 (d) ₹ 860
- (e) 10
5. (a) VIII (b) No (c) 12
6. (a) Martin (b) 700 (c) Anwar, Martin, Ranjit Singh

EXERCISE 9.2

⊗ - 10 animals

1.	Village A	⊗ ⊗ ⊗ ⊗ ⊗ ⊗ ⊗ ⊗
	Village B	⊗ ⊗ ⊗ ⊗ ⊗ ⊗ ⊗ ⊗ ⊗ ⊗ ⊗ ⊗
	Village C	⊗ ⊗ ⊗ ⊗ ⊗ ⊗ ⊗ ⊗ ⊗
	Village D	⊗ ⊗ ⊗ ⊗
	Village E	⊗ ⊗ ⊗ ⊗ ⊗ ⊗

- (a) 6 (b) Village B (c) Village C

2.		⋈ - 100 students
	1996	⋈ ⋈ ⋈ ⋈
	1998	⋈ ⋈ ⋈ ⋈ ⋈ ⋈
	2000	⋈ ⋈ ⋈ ⋈ ⋈
	2002	⋈ ⋈ ⋈ ⋈ ⋈ ⋈
	2004	⋈ ⋈ ⋈ ⋈ ⋈ ⋈ ⋈

- A (a) 6 (b) 5 complete and 1 incomplete
B Second

EXERCISE 9.3

- (a) 2002 (b) 1998
- (a) This bar graph shows the number of shirts sold from Monday to Saturday
(b) 1 unit = 5 shirts
(c) Saturday, 60
(d) Tuesday
(e) 35
- (a) This bar graph shows the marks obtained by Aziz in different subjects.
(b) Hindi (c) Social Studies
(d) Hindi – 80, English – 60, Mathematics – 70, Science – 50 and Social Studies – 40.
- (a) Hindi-800, Punjabi-400, Urdu-200, Marathi-300, Tamil-100
(b) Tamil (c) 300 (d) 100, 200, 300, 400, 500, 800

EXERCISE 9.4

1.

Painting

Listening music

Watching T.V.

Reading story books

Playing


□ = 5 students

0 5 10 15 20 25 30 35 40 45

Number of students

Reading story books.


2.



(a) 2002

(b) 1999

3.



(a) 30–44, 45–59

(b) 1 lakh 20 thousand

EXERCISE 10.1

1. (a) 12 cm (b) 133 cm (c) 60 cm (d) 15 cm
(e) 15 cm (f) 52 cm
2. 100 cm or 1 m 3. 7.5 m 4. 106 cm
5. 9.6 km 6. (a) 12 cm (b) 27 cm (c) 22 cm
7. 39 cm 8. 48 m 9. 5 m 10. 20 cm
11. (a) 7.5 cm (b) 10 cm (c) 5 cm
12. 10 cm 13. ₹ 20,000 14. ₹ 7200 15. Bulbul
16. (a) 100 cm (b) 100 cm (c) 100 cm (d) 100 cm

All the figures have same perimeter.

17. a) 6 m (b) 10 m (c) Cross has greater perimeter

EXERCISE 10.2

1. (a) 9 sq units (b) 5 sq units (c) 4 sq units (d) 8 sq units
(e) 10 sq units (f) 4 sq units (g) 6 sq units (h) 5 sq units
(i) 9 sq units (j) 4 sq units (k) 5 sq units (l) 8 sq units
(m) 14 sq units (n) 18 sq units

EXERCISE 10.3

1. (a) 12 sq cm (b) 252 sq cm (c) 6 sq km (d) 7.29 sq m
2. (a) 100 sq cm (b) 196 sq cm (c) 25 sq m
3. (c) largest area (b) smallest area
4. 6 m 5. ₹ 8000 6. 3.375 sq m 7. 15.33 sq m
8. 11 sq m 9. 12.96 sq m
10. (a) 28 sq m (b) 9 sq m
11. (a) 40 sq m (b) 245 sq m (c) 9 sq m
12. (a) 240 (b) 42

EXERCISE 11.1

1. (a) $2n$ (b) $3n$ (c) $3n$ (d) $2n$
(e) $5n$ (f) $5n$ (g) $6n$
2. (a) and (d); The number of matchsticks required in each of them is 2

3. $5n$ 4. $50b$ 5. $5s$
 6. t km 7. $8r, 64, 80$ 8. $(x-4)$ years 9. $l+5$
 10. $2x+10$
 11. (a) $3x+1$, x = number of squares
 (b) $2x+1$, x = number of triangles

EXERCISE 11.2

1. $3l$ 2. $6l$ 3. $12l$ 4. $d=2r$
 5. $(a+b)+c=a+(b+c)$

EXERCISE 11.3

2. (c), (d)
 3. (a) Addition, subtraction, addition, subtraction
 (b) Multiplication, division, multiplication
 (c) Multiplication and addition, multiplication and subtraction
 (d) Multiplication, multiplication and addition, multiplication and subtraction
 4. (a) $p+7$ (b) $p-7$ (c) $7p$ (d) $\frac{p}{7}$
 (e) $-m-7$ (f) $-5p$ (g) $-\frac{p}{5}$ (h) $-5p$
 5. (a) $2m+11$ (b) $2m-11$ (c) $5y+3$ (d) $5y-3$
 (e) $-8y$ (f) $-8y+5$ (g) $16-5y$ (h) $-5y+16$
 6. (a) $t+4, t-4, 4t, \frac{t}{4}, \frac{4}{t}, 4-t, 4+t$
 (b) $2y+7, 2y-7, 7y+2, \dots, \dots,$

EXERCISE 11.4

1. (a) (i) $y+5$ (ii) $y-3$ (iii) $6y$ (iv) $6y-2$
 (v) $3y+5$
 (b) $(3b-4)$ metres (c) length = $5h$ cm,
 breadth = $5h-10$ cm

(d) $s + 8, s - 7, 4s - 10$

(e) $(5v + 20)$ km

2. (a) A book costs three times the cost of a notebook.
 (b) Tony's box contains 8 times the marbles on the table.
 (c) Total number of students in the school is 20 times that of our class.
 (d) Jaggu's uncle is 4 times older than Jaggu and Jaggu's aunt is 3 years younger than his uncle.
 (e) The total number of dots is 5 times the number of rows.

EXERCISE 11.5

1. (a) an equation with variable x
 (d) an equation with variable x
 (e) an equation with variable x
 (g) an equation with variable n
 (h) an equation with variable p
 (k) an equation with variable x
2. (a) No (b) Yes (c) No (d) No (e) No
 (f) Yes (g) No (h) No (i) No (j) No
 (k) Yes (l) No (m) No (n) No (o) No
 (p) No (q) No
3. (a) 12 (b) 8 (c) 10 (d) 14 (e) 4
 (f) -2
4. (a) 6 (b) 7 (c) 121 (d) 10
5. (a) 7 (b) 12 (c) 30 (d) 10
 (e) 25 (f) 50 (g) 9 (h) 160
 (i) 11 (j) 3 (k) 64 (l) 5

EXERCISE 12.1

1. (a) 4:3 (b) 4:7
2. (a) 1:2 (b) 2:5
3. (a) 3:2 (b) 2:7 (c) 2:7
4. 3:4 5. 5, 12, 25, Yes
6. (a) 3:4 (b) 14:9 (c) 3:11 (d) 2:3
7. (a) 1:3 (b) 4:15 (c) 11:20 (d) 1:4
8. (a) 3:1 (b) 1:2
9. 17:550
10. (a) 115:216 (b) 101:115 (c) 101:216
11. (a) 3:1 (b) 16:15 (c) 5:12
12. 15:7 13. 20 ; 100 14. 12 and 8 15. 20 and 16
16. (a) 3:1 (b) 10:3 © 13:6 (d) 15:1

EXERCISE 12.2

1. (a) Yes (b) No (c) No (d) No (e) Yes (f) Yes
2. (a) T (b) T (c) F (d) T
3. (a) T (b) T (c) T (d) T (e) F
4. (a) Yes, Middle Terms – 1 m, ₹40; Extreme Terms – 25 cm, ₹160
 (b) Yes, Middle Terms – 65 litres, 6 bottles; Extreme Terms – 39 litres, 10 bottles
 (c) No.
 (d) Yes, Middle Terms – 2.5 litres, ₹4 ; Extreme Terms – 200 ml, ₹ 50

EXERCISE 12.3

1. ₹ 210 2. ₹ 4500 3. 644 mm
4. (a) ₹ 48.80 (b) 10 kg 5. 5 degrees 6. ₹ 30,000
7. 10 bananas 8. 5 kg 9. 300 litres 10. Manish
11. Anup

EXERCISE 13.1

1. Four examples are the blackboard, the table top, a pair of scissors, the computer disc etc.
2. The line l_2
3. Except (c) all others are symmetric.

EXERCISE 13.2

1. (a) 4 (b) 4 (c) 4 (d) 1
(e) 6 (f) 4 (g) 0 (h) 0 (I) 3
3. Number of lines of symmetry are :
Equilateral triangle – 3; Square – 4; Rectangle – 2; Isosceles triangle – 1; Rhombus – 2; Circle – countless.
4. (a) Yes; an isosceles triangle. (b) No.
(c) Yes; an equilateral triangle. (d) Yes; a scalene triangle.
7. (a) A, H, I, M, O, T, U, V, W, X, Y (b) B, C, D, E, H, I, K, O, X
(c) F, G, J, L, N, P, Q, R, S, Z

EXERCISE 13.3

1. Number of lines of symmetry to be marked :
(a) 4 (b) 1 (c) 2 (d) 2 (e) 1
(f) 2