

SAMPLE QUESTION PAPER (THEORY)
CLASS XII SESSION: 2024-25
INFORMATICS PRACTICES (065)

Time allowed: 3 Hours

Maximum Marks:70

General Instructions:

- Please check this question paper contains 37 questions.
- All questions are compulsory. However, internal choices have been provided in some questions. Attempt only one of the choices in such questions
- The paper is divided into 5 Sections- A, B, C, D and E.
- Section A consists of 21 questions (1 to 21). Each question carries 1 Mark.
- Section B consists of 7 questions (22 to 28). Each question carries 2 Marks.
- Section C consists of 4 questions (29 to 32). Each question carries 3 Marks.
- Section D consists of 2 case study type questions (33 to 34). Each question carries 4 Marks.
- Section E consists of 3 questions (35 to 37). Each question carries 5 Marks.
- All programming questions are to be answered using Python Language only.
- In case of MCQ, text of the correct answer should also be written.

Q No.	Section-A (21 x 1 = 21 Marks)	Marks
1	State whether the following statement is True or False: Slicing can be used to extract a specific portion from a Pandas Series.	1
2	The purpose of WHERE clause in a SQL statement is to: (A) Create a table (B) Filter rows based on a specific condition (C) Specify the columns to be displayed (D) Sort the result based on a column	1
3	Identify the networking device responsible for routing data packets based on their destination addresses. (A) Modem (B) Hub (C) Repeater (D) Router	1

4	<p>Identify the SQL command used to delete a relation (table) from a relational database.</p> <p>(A) DROP TABLE (B) REMOVE TABLE (C) DELETE TABLE (D) ERASE TABLE</p>	1
5	<p>e-waste refers to:</p> <p>(A) Software that has become obsolete (B) Data that has been deleted from a storage device (C) Viruses that infect computers (D) Electronic devices that are no longer in use</p>	1
6	<p>Which of the following Python statements can be used to select a column column_name from a DataFrame df ?</p> <p>(A) df.getcolumn('column_name') (B) df['column_name'] (C) df.select('column_name') (D) df(column_name)</p>	1
7	<p>By default, the plot() function of Matplotlib draws a _____ plot.</p> <p>(A) histogram (B) column (C) bar (D) line</p>	1
8	<p>State whether the following statement is True or False:</p> <p>In SQL, the HAVING clause is used to apply filter on groups formed by the GROUP BY clause.</p>	1
9	<p>Which of the following Python statements is used to import data from a CSV file into a Pandas DataFrame (Note: pd is an alias for pandas)?</p> <p>(A) pd.open_csv('filename.csv') (B) pd.read_csv('filename.csv') (C) pd.load_csv('filename.csv') (D) pd.import_csv('filename.csv')</p>	1
10	<p>What is plagiarism?</p>	1

	<p>(A) Using copyrighted material without giving proper acknowledgement to the source</p> <p>(B) Downloading illegal software.</p> <p>(C) Spreading misinformation online.</p> <p>(D) Hacking into computer systems.</p>	
11	<p>Fill in the Blank</p> <p>The COUNT(*) function provides the total number of _____ within a relation (table) in a relational database.</p> <p>(A) Columns</p> <p>(B) Unique values</p> <p>(C) Not-null values</p> <p>(D) Rows</p>	1
12	<p>In which of the network topologies do all devices connect to a central point, such as a switch or hub?</p> <p>(A) Star</p> <p>(B) Bus</p> <p>(C) Tree</p> <p>(D) Mesh</p>	1
13	<p>In a Pandas DataFrame, if the tail() function is used without specifying the optional argument indicating the number of rows to display, what is the default number of rows displayed, considering the DataFrame has 10 entries?</p> <p>(A) 0</p> <p>(B) 1</p> <p>(C) 4</p> <p>(D) 5</p>	1
14	<p>Identify the type of cybercrime that involves sending fraudulent emails to deceive individuals into revealing sensitive information.</p> <p>(A) Hacking</p> <p>(B) Phishing</p> <p>(C) Cyberbullying</p> <p>(D) Cyberstalking</p>	1
15	<p>While creating a Series using a dictionary, the keys of the dictionary become:</p> <p>(A) Values of the Series</p>	1

	(B) Indices of the Series (C) Data type of the Series (D) Name of the Series																					
16	Match the following SQL functions/clauses with their descriptions: <table><tr><th colspan="2">SQL Function</th><th colspan="2">Description</th></tr><tr><td>P.</td><td>MAX ()</td><td>1.</td><td>Find the position of a substring in a string.</td></tr><tr><td>Q.</td><td>SUBSTRING ()</td><td>2.</td><td>Returns the maximum value in a column.</td></tr><tr><td>R.</td><td>INSTR ()</td><td>3.</td><td>Sorts the data based on a column.</td></tr><tr><td>S.</td><td>ORDER BY</td><td>4.</td><td>Extracts a portion of a string.</td></tr></table> (A) P-2, Q-4, R-3, S-1 (B) P-2, Q-4, R-1, S-3 (C) P-4, Q-3, R-2, S-1 (D) P-4, Q-2, R-1, S-3	SQL Function		Description		P.	MAX ()	1.	Find the position of a substring in a string.	Q.	SUBSTRING ()	2.	Returns the maximum value in a column.	R.	INSTR ()	3.	Sorts the data based on a column.	S.	ORDER BY	4.	Extracts a portion of a string.	1
SQL Function		Description																				
P.	MAX ()	1.	Find the position of a substring in a string.																			
Q.	SUBSTRING ()	2.	Returns the maximum value in a column.																			
R.	INSTR ()	3.	Sorts the data based on a column.																			
S.	ORDER BY	4.	Extracts a portion of a string.																			
17	Fill in the Blank Boolean indexing in Pandas DataFrame can be used for _____. (A) Creating a new DataFrame (B) Sorting data based on index labels (C) Joining data using labels (D) Filtering data based on condition	1																				
18	Which Matplotlib plot is best suited to represent changes in data over time? (A) Bar plot (B) Histogram (C) Line plot (D) Histogram & Bar plot	1																				
19	Which type of network covers a small geographical area like a single office, building, or school campus? (A) PAN (B) MAN (C) LAN (D) WAN	1																				
	Q-20 and Q-21 are Assertion (A) and Reason (R) Type questions. Choose the correct option as:																					

	<p>(A) Both Assertion (A) and Reason (R) are true, and Reason (R) is the correct explanation of Assertion (A)</p> <p>(B) Both Assertion (A) and Reason (R) are true, but Reason (R) is not the correct explanation of Assertion (A)</p> <p>(C) Assertion (A) is True, but Reason (R) is False</p> <p>(D) Assertion (A) is False, but Reason (R) is True</p>		
20	<p>Assertion (A): We can add a new column in an existing DataFrame.</p> <p>Reason (R): DataFrames are size mutable.</p>		1
21	<p>Assertion (A): In SQL, INSERT INTO is a Data Definition Language (DDL) Command.</p> <p>Reason (R): DDL commands are used to create, modify, or remove database structures, such as tables.</p>		1
Q No.	Section-B (7 x 2 = 14 Marks)		Marks
22	<p>(A) What is a Series in Python Pandas? Also, give a suitable example to support your answer.</p> <p style="text-align: center;">OR</p> <p>(B) What does the term 'library' signify in Python? Mention one use for each of the following libraries:</p> <ul style="list-style-type: none"> • Pandas • Matplotlib 		2
23	What are intellectual property rights (IPR), and why are they important in the digital world?		2
24	<p>Consider the string: "Database Management System". Write suitable SQL queries for the following:</p> <p>I. To extract and display "Manage" from the string.</p> <p>II. Display the position of the first occurrence of "base" in the given string.</p>		2
25	<p>(A) What is Internet and how does it differ from World Wide Web (WWW)?</p> <p style="text-align: center;">OR</p> <p>(B) Explain the concept of browser cookies and mention one advantage of using them.</p>		2

26	Define the term Primary Key in a database. Explain how it is different from a Candidate Key.	2
27	Mention two health concerns associated with excessive use of Digital Devices.	2
28	<p>(A) Sneha is writing a Python program to create a DataFrame using a list of dictionaries. However, her code contains some mistakes. Identify the errors, rewrite the correct code, and underline the corrections made.</p> <pre>import Pandas as pd D1 = {'Name': 'Rakshit', 'Age': 25} D2 = {'Name': 'Paul', 'Age': 30} D3 = {'Name': 'Ayesha", 'Age': 28} data = [D1,D2,D3) df = pd.Dataframe(data) print(df)</pre> <p style="text-align: center;">OR</p> <p>(B) Complete the given Python code to get the required output (ignore the dtype attribute) as</p> <p>Output:</p> <pre>Tamil Nadu Chennai Uttar Pradesh Lucknow Manipur Imphal</pre> <p>Code:</p> <pre>import _____ as pd data = ['Chennai', '_____', 'Imphal'] indx = ['Tamil Nadu', 'Uttar Pradesh', 'Manipur'] s = pd.Series(_____, indx) print(_____)</pre>	2
Q No	Section-C (4 x 3 = 12 Marks)	Marks
29	<p>Ayesha's family is replacing their old computer with a new one. They decide to throw the old computer in a nearby empty field/plot.</p> <ol style="list-style-type: none"> Explain any one potential environmental hazard associated with improper e-waste disposal. Suggest one responsible way to Ayesha's family for proper disposal of their old computer. Describe the importance of recycling in e-waste management. 	3

30	<div>(A) Write a Python program to create the following DataFrame using a list of dictionaries.</div> <table><tr><td></td><td>Product</td><td>Price</td></tr><tr><td>0</td><td>Laptop</td><td>60000</td></tr><tr><td>1</td><td>Desktop</td><td>45000</td></tr><tr><td>2</td><td>Monitor</td><td>15000</td></tr><tr><td>3</td><td>Tablet</td><td>30000</td></tr></table> <div>OR</div> <div>(B) Write a Python Program to create a Pandas Series as shown below using a dictionary. Note that the left column indicates the indices and the right column displays the data.</div> <table><tr><td>Russia</td><td>Moscow</td></tr><tr><td>Hungary</td><td>Budapest</td></tr><tr><td>Switzerland</td><td>Bern</td></tr></table>		Product	Price	0	Laptop	60000	1	Desktop	45000	2	Monitor	15000	3	Tablet	30000	Russia	Moscow	Hungary	Budapest	Switzerland	Bern	3
	Product	Price																					
0	Laptop	60000																					
1	Desktop	45000																					
2	Monitor	15000																					
3	Tablet	30000																					
Russia	Moscow																						
Hungary	Budapest																						
Switzerland	Bern																						
31	<div>I. Write an SQL statement to create a table named STUDENTS, with the following specifications:</div> <table><tr><td>Column Name</td><td>Data Type</td><td>Key</td></tr><tr><td>StudentID</td><td>Numeric</td><td>Primary Key</td></tr><tr><td>FirstName</td><td>Varchar(20)</td><td></td></tr><tr><td>LastName</td><td>Varchar(10)</td><td></td></tr><tr><td>DateOfBirth</td><td>Date</td><td></td></tr><tr><td>Percentage</td><td>Float(10,2)</td><td></td></tr></table> <div>II. Write SQL Query to insert the following data in the Students Table 1, Supriya, Singh, 2010-08-18, 75.5</div>	Column Name	Data Type	Key	StudentID	Numeric	Primary Key	FirstName	Varchar(20)		LastName	Varchar(10)		DateOfBirth	Date		Percentage	Float(10,2)		2+1=3			
Column Name	Data Type	Key																					
StudentID	Numeric	Primary Key																					
FirstName	Varchar(20)																						
LastName	Varchar(10)																						
DateOfBirth	Date																						
Percentage	Float(10,2)																						
32	<div>(A) Consider the following tables:</div> <div>Table 1:</div> <div>EMPLOYEE which stores Employee ID (EMP_ID), Employee Name (EMP_NAME), Employee City (EMP_CITY)</div> <div>Table 2:</div> <div>PAYROLL which stores Employee ID (EMP_ID), Department (DEPARTMENT), Designation (DESIGNATION), and Salary (SALARY) for various employees.</div> <div>Note: Attribute names are written within brackets.</div> <div>Table: EMPLOYEE</div> <table><tr><td>EMP_ID</td><td>EMP_NAME</td><td>EMP_CITY</td></tr></table>	EMP_ID	EMP_NAME	EMP_CITY	3																		
EMP_ID	EMP_NAME	EMP_CITY																					

1	ABHINAV	AGRA
2	KABIR	FARIDABAD
3	ESHA	NOIDA
4	PAUL	SEOUL
5	VICTORIA	LONDON

Table: PAYROLL

EMP_ID	DEPARTMENT	DESIGNATION	SALARY
1	SALES	MANAGER	75000
2	SALES	ASSOCIATE	50000
3	ENGINEERING	MANAGER	95000
4	ENGINEERING	ENGINEER	70000
5	MARKETING	MANAGER	65000

Write appropriate SQL queries for the following:

- I. Display department-wise average Salary.
- II. List all designations in the decreasing order of Salary.
- III. Display employee name along with their corresponding departments.

OR

(B) Consider the following tables:

Table 1:

ATHLETE, which stores **AthleteID**, **Name**, **Country**. The table displays basic information of the athletes

Table 2:

MEDALS, which stores **AthleteID**, **Sport**, and **Medals**. The table displays the number of medals won by each athlete in their respective sports.


Table: ATHLETE

AthleteID	Name	COUNTRY
101	Arjun	INDIA
102	Priya	INDIA
103	Asif	UAE
104	Rozy	USA
105	David	DENMARK

Table: MEDALS

AthleteID	Sport	Medals
101	Swimming	8
102	Track	3
103	Gymnastics	5
104	Swimming	2
105	Track	6

Write appropriate SQL queries for the following:

		<div>I. Display the sports-wise total number of medals won.</div> <div>II. Display the names of all the Indian athletes in uppercase.</div> <div>III. Display the athlete name along with their corresponding sports</div>										
Q No.	Section-D (2 x 4 = 8 Marks)	Marks										
33	<div>During a practical exam, a student Ankita has to fill in the blanks in a Python program that generates a bar chart. This bar chart represents the number of books read by four students in one month.</div> <div><table><tr><th>Student Name</th><th>Books Read</th></tr><tr><td>Karan</td><td>12</td></tr><tr><td>Lina</td><td>9</td></tr><tr><td>Raj</td><td>5</td></tr><tr><td>Simran</td><td>3</td></tr></table></div> <div>Help Ankita to complete the code.</div> <div><div><div>Number of Books Read by Students</div></div><div><pre>import _____ as plt #Statement-1 students = ['Karan', 'Lina', 'Raj', 'Simran'] books_read = [12, 9, 5, 3] plt.bar(students, _____, label='Books Read') #Statement-2 plt.xlabel('Student Name') plt._____('Books Read') #Statement-3 plt.legend() plt.title('_____') #Statement-4 plt.show()</pre></div></div>	Student Name	Books Read	Karan	12	Lina	9	Raj	5	Simran	3	4
Student Name	Books Read											
Karan	12											
Lina	9											
Raj	5											
Simran	3											

		<div>I. Write the suitable code for the import statement in the blank space in the line marked as Statement-1.</div> <div>II. Refer to the graph shown above and fill in the blank in Statement-2 with suitable Python code.</div> <div>III. Fill in the blank in Statement-3 with the name of the function to set the label on the y-axis.</div> <div>IV. Refer the graph shown above and fill the blank in Statement-4 with suitable Chart Title.</div>																								
34	<div>(A) Rahul, who works as a database designer, has developed a database for a bookshop. This database includes a table <i>BOOK</i> whose column (attribute) names are mentioned below:</div> <div>BCODE: Shows the unique code for each book.</div> <div>TITLE: Indicates the book's title.</div> <div>AUTHOR: Specifies the author's name.</div> <div>PRICE: Lists the cost of the book.</div> <div>Table: BOOK</div> <table><tr><th>BCODE</th><th>TITLE</th><th>AUTHOR</th><th>PRICE</th></tr><tr><td>B001</td><td>MIDNIGHT'S CHILDREN</td><td>SALMAN RUSHDIE</td><td>500</td></tr><tr><td>B002</td><td>THE GOD OF SMALL THINGS</td><td>ARUNDHATI ROY</td><td>450</td></tr><tr><td>B003</td><td>A SUITABLE BOY</td><td>VIKRAM SETH</td><td>600</td></tr><tr><td>B004</td><td>THE WHITE TIGER</td><td>ARAVIND ADIGA</td><td>399</td></tr><tr><td>B005</td><td>TRAIN TO PAKISTAN</td><td>KHUSHWANT SINGH</td><td>350</td></tr></table> <div><div>I. Write SQL query to display book titles in lowercase.</div><div>II. Write SQL query to display the highest price among the books.</div><div>III. Write SQL query to display the number of characters in each book title.</div><div>IV. Write SQL query to display the Book Code and Price sorted by Price in descending order.</div></div> <div>OR</div> <div>(B) Dr. Kavita has created a database for a hospital's pharmacy. The database includes a table named MEDICINE whose column (attribute) names are mentioned below:</div> <div>MID: Shows the unique code for each medicine.</div>	BCODE	TITLE	AUTHOR	PRICE	B001	MIDNIGHT'S CHILDREN	SALMAN RUSHDIE	500	B002	THE GOD OF SMALL THINGS	ARUNDHATI ROY	450	B003	A SUITABLE BOY	VIKRAM SETH	600	B004	THE WHITE TIGER	ARAVIND ADIGA	399	B005	TRAIN TO PAKISTAN	KHUSHWANT SINGH	350	4
BCODE	TITLE	AUTHOR	PRICE																							
B001	MIDNIGHT'S CHILDREN	SALMAN RUSHDIE	500																							
B002	THE GOD OF SMALL THINGS	ARUNDHATI ROY	450																							
B003	A SUITABLE BOY	VIKRAM SETH	600																							
B004	THE WHITE TIGER	ARAVIND ADIGA	399																							
B005	TRAIN TO PAKISTAN	KHUSHWANT SINGH	350																							

MED_NAME: Specifies the medicine name

SUPP_CITY: Specifies the city where the supplier is located.

STOCK: Indicates the quantity of medicine available.

DEL_DATE: Specifies the date when the medicine was delivered.


Table: **MEDICINE**

MID	MED_NAME	SUPP_CITY	STOCK	DEL_DATE
M01	PARACETAMOL	MUMBAI	200	2023-06-15
M02	AMOXICILLIN	KOLKATA	50	2023-03-21
M03	COUGH SYRUP	BENGALURU	120	2023-02-10
M04	INSULIN	CHENNAI	135	2023-01-25
M05	IBUPROFEN	AHMEDABAD	30	2023-04-05

Write the output of the following SQL Queries.

- I. Select LENGTH(MED_NAME) from MEDICINE where STOCK > 100;
- II. Select MED_NAME from MEDICINE where month(DEL_DATE) = 4;
- III. Select MED_NAME from MEDICINE where STOCK between 120 and 200;
- IV. Select max(DEL_DATE) from MEDICINE;

Q No.	Section-E (3 x 5 = 15 Marks)	Marks
35	ABC Pvt. Ltd., a multinational technology company, is looking to establish its Indian Head Office in Bengaluru, and a regional office branch in Lucknow. The Bengaluru head office will be organized into four departments: HR, FINANCE, TECHNICAL, AND SUPPORT. As a network engineer, you have to propose solutions for various queries listed from I to V.	5



The shortest distances between the departments/offices are as follows:

HR TO FINANCE	65 M
HR TO TECHNICAL	80 M
HR TO SUPPORT	70 M
FINANCE TO TECHNICAL	60 M
FINANCE TO SUPPORT	75 M
TECHNICAL TO SUPPORT	50 M
BENGALURU OFFICE TO LUCKNOW	1900 KM

The number of computers in each department/office is as follows:

HR	175
FINANCE	35
TECHNICAL	50
SUPPORT	15
LUCKNOW OFFICE	40

- I. Suggest the most suitable department in the Bengaluru Office Setup, to install the server. Also, give a reason to justify your suggested location.
- II. Draw a suitable cable layout of wired network connectivity between the departments in the Bengaluru Office.
- III. Which networking device would you suggest the company to purchase to interconnect all the computers within a department in Bengaluru Office?
- IV. The company is considering establishing a network connection between its Bengaluru Head Office and Lucknow regional office. Which

	type of network—LAN, MAN, or WAN—will be created? Justify your answer.																																
	V. The company plans to develop an interactive website that will enable its employees to monitor their performance after login. Would you recommend a static or dynamic website, and why?																																
36	<p>Consider the DataFrame <i>df</i> shown below.</p> <table><tr><th></th><th>MovieID</th><th>Title</th><th>Year</th><th>Rating</th></tr><tr><td>0</td><td>1</td><td>LAGAAN</td><td>2001</td><td>8.4</td></tr><tr><td>1</td><td>2</td><td>TAARE ZAMEEN PAR</td><td>2007</td><td>8.5</td></tr><tr><td>2</td><td>3</td><td>3 IDIOTS</td><td>2009</td><td>8.4</td></tr><tr><td>3</td><td>4</td><td>DANGAL</td><td>2016</td><td>8.4</td></tr><tr><td>4</td><td>5</td><td>ANDHADHUN</td><td>2018</td><td>8.3</td></tr></table> <p>Write Python statements for the DataFrame <i>df</i> to:</p> <ul style="list-style-type: none">I. Print the first two rows of the DataFrame <i>df</i>.II. Display titles of all the movies.III. Remove the column rating.IV. Display the data of the 'Title' column from indexes 2 to 4 (both included)V. Rename the column name 'Title' to 'Name'.			MovieID	Title	Year	Rating	0	1	LAGAAN	2001	8.4	1	2	TAARE ZAMEEN PAR	2007	8.5	2	3	3 IDIOTS	2009	8.4	3	4	DANGAL	2016	8.4	4	5	ANDHADHUN	2018	8.3	5
	MovieID	Title	Year	Rating																													
0	1	LAGAAN	2001	8.4																													
1	2	TAARE ZAMEEN PAR	2007	8.5																													
2	3	3 IDIOTS	2009	8.4																													
3	4	DANGAL	2016	8.4																													
4	5	ANDHADHUN	2018	8.3																													
37	(A)	<p>Write suitable SQL query for the following:</p> <ul style="list-style-type: none">I. To display the average score from the test_results column (attribute) in the Exams tableII. To display the last three characters of the registration_number column (attribute) in the Vehicles table. (Note: The registration numbers are stored in the format DL-01-AV-1234)III. To display the data from the column (attribute) username in the Users table, after eliminating any leading and trailing spaces.IV. To display the maximum value in the salary column (attribute) of the Employees table.V. To determine the count of rows in the Suppliers table.	5																														
	(B)	<p style="text-align: center;">OR</p> <p>Write suitable SQL query for the following:</p> <ul style="list-style-type: none">I. Round the value of pi (3.14159) to two decimal places.																															

		<p>II. Calculate the remainder when 125 is divided by 8.</p> <p>III. Display the number of characters in the word 'NewDelhi'.</p> <p>IV. Display the first 5 characters from the word 'Informatics Practices'.</p> <p>V. Display details from 'email' column (attribute), in the 'Students' table, after removing any leading and trailing spaces.</p>	
--	--	--	--

MARKING SCHEME
CLASS XII SESSION: 2024-25
INFORMATICS PRACTICES (065)

Time allowed: 3 Hours

Maximum Marks:70

Q No.	Section-A	Marks
1	True (1 mark for correct answer)	1
2	(B). Filter rows based on a specific condition (1 mark for correct answer)	1
3	(D). Router (1 mark for correct answer)	1
4	(A). DROP TABLE (1 mark for correct answer)	1
5	(D). Electronic devices that are no longer in use (1 mark for correct answer)	1
6	(B). df['column_name'] (1 mark for correct answer)	1
7	(D). line (1 mark for correct answer)	1
8	True (1 mark for correct answer)	1
9	(B). pd.read_csv('filename.csv') (1 mark for correct answer)	1
10	(A) Using copyrighted material without giving proper acknowledgement to the source (1 mark for correct answer)	1
11	(D). Rows (1 mark for correct answer)	1
12	(A). Star	1

	(1 mark for correct answer)												
13	(D). 5 (1 mark for correct answer)		1										
14	(B). Phishing (1 mark for correct answer)		1										
15	(B). Indices of the Series (1 mark for correct answer)		1										
16	(B). P-2, Q-4, R-1, S-3 (1 mark for correct answer)		1										
17	(D). Filtering data based on condition (1 mark for correct answer)		1										
18	(C). Line plot (1 mark for correct answer)		1										
19	(C). LAN (1 mark for correct answer)		1										
20	(A). Both Assertion (A) and Reason (R) are true, and Reason (R) is the correct explanation of Assertion (A) (1 mark for correct answer)		1										
21	(D). Assertion (A) is False, but Reason (R) is True (1 mark for correct answer)		1										
Q No.	Section-B (7 x 2 = 14 Marks)		Marks										
22	(A)	<p>A Series is a one-dimensional array containing a sequence of values of any data type (int, float, list, string, etc) which by default have numeric data labels starting from zero.</p> <p>We can imagine a Pandas Series as a column in a spreadsheet. An example of a series containing the names of students is given below:</p> <table> <tr> <td>Index</td> <td>Value</td> </tr> <tr> <td>0</td> <td>Arnab</td> </tr> <tr> <td>1</td> <td>Samridhi</td> </tr> <tr> <td>2</td> <td>Ramit</td> </tr> <tr> <td>3</td> <td>Divyam</td> </tr> </table> <p>(1 mark for correct definition)</p>	Index	Value	0	Arnab	1	Samridhi	2	Ramit	3	Divyam	2
Index	Value												
0	Arnab												
1	Samridhi												
2	Ramit												
3	Divyam												


		<p><i>(1 mark for correct example)</i></p> <p style="text-align: center;">OR</p> <p>(B) Library: A collection of modules providing functionalities for specific tasks. Pandas: Used for data analysis Matplotlib: Used for creating plots <i>(1 mark for correct definition)</i> <i>(1/2 mark each for correct use of each library)</i></p>	
23	<p>Intellectual Property Rights (IPR)</p> <p>These are legal rights that protect the creations of the human intellect. The nature of these works can be artistic, literary or technical etc.</p> <p>Importance in the digital world</p> <p>These rights help prevent the unauthorized use or reproduction of digital content and ensure that creators are fairly compensated and incentivized for their original work.</p> <p><i>(1 mark for correct definition)</i> <i>(1 mark for correct importance)</i></p>		2
24	<p>I. SELECT SUBSTRING('Database Management System', 10, 6); II. SELECT INSTR('Database Management System', 'base');</p> <p><i>(1 mark for each correct query)</i></p>		2
25	<p>(A) The Internet is a vast network of interconnected computer networks facilitating global communication and data exchange. The World Wide Web (WWW), on the other hand, is a system of interlinked hypertext documents accessed via the Internet.</p> <p><i>(1 mark for correct definition)</i> <i>(1 mark for correct difference)</i></p> <p style="text-align: center;">OR</p> <p>(B) Browser cookies: Small pieces of data stored on our digital devices by websites to remember information and personalize our experience. Advantage: Improve user experience by remembering preferences, like our preferred language and other settings.</p> <p><i>(1 mark for correct definition)</i> <i>(1 mark for correct advantage)</i></p>		2

26	<p>Primary Key : A set of attributes that can uniquely identify each row in a table (relation). It must contain unique values and cannot be null.</p> <p>How it differs from Candidate Key</p> <p>There can be multiple Candidate Keys in a table (relation), but only one of them is selected as Primary Key.</p> <p><i>(1 mark for correct definition)</i></p> <p><i>(1 mark for correct difference)</i></p>	2
27	<p>Two health concerns due to excessive use of Digital Devices:</p> <p>a) Eye strain and vision problems.</p> <p>b) Musculoskeletal issues like neck and back pain.</p> <p><i>(1 mark for each correct health concern)</i></p>	2
28	<p>(A)</p> <pre>import <u>pandas</u> as pd D1 = {'Name': 'Rakshit', 'Age': 25} D2 = {'Name': 'Paul', 'Age': 30} D3 = {'Name': '<u>Ayesha</u>', 'Age': 28} data = [<u>D1</u>, <u>D2</u>, <u>D3</u>] df = pd.<u>DataFrame</u>(data) print(df)</pre> <p>Changes Made :</p> <ol style="list-style-type: none"> Changed Pandas to pandas. Corrected mismatched string quotation marks Corrected the closing parenthesis in the list data. Changed Dataframe to DataFrame. <p><i>(1/2 mark for each correct correction and underlining)</i></p> <p style="text-align: center;">OR</p> <p>(B)</p> <pre>import <u>pandas</u> as pd data = ['Chennai', '<u>Lucknow</u>', 'Imphal'] indx = ['Tamil Nadu','Uttar Pradesh','Manipur'] s = pd.Series(<u>data</u>, indx) print(<u>s</u>)</pre> <p><i>(1/2 mark for each correct fill in the blank)</i></p>	2

Q No	Section-C (4 x 3 = 12 Marks)		Marks
29	<p>I. E-waste can release harmful substances like lead and mercury into the environment. (1 mark for correct answer)</p> <p>II. They can donate or sell it to a certified e-waste recycling center. (1 mark for correct answer)</p> <p>III. Recycling e-waste helps conserve natural resources and reduces pollution. (1 mark for correct answer)</p>		3
30	<p>(A) import pandas as pd d1 = {'Product': 'Laptop', 'Price': 60000} d2 = {'Product': 'Desktop', 'Price': 45000} d3 = {'Product': 'Monitor', 'Price': 15000} d4 = {'Product': 'Tablet', 'Price': 30000} data = [d1, d2, d3, d4] df = pd.DataFrame(data) print(df) (1 mark for correct import statement) (1 mark for correct list of dictionary) (1 mark for correct creation of DataFrame)</p> <p style="text-align: center;">OR</p> <p>(B) import pandas as pd data = {'Russia': 'Moscow', 'Hungary': 'Budapest', 'Switzerland': 'Bern'} s = pd.Series(data) print(s) (1 mark for correct import statement) (1 mark for correct dictionary) (1 mark for correct creation of Series)</p>		3
31	<p>I.</p> <p>CREATE TABLE STUDENTS (StudentID NUMERIC PRIMARY KEY, FirstName VARCHAR(20),</p>		3

	<p>LastName VARCHAR(10), DateOfBirth DATE, Percentage FLOAT(10,2)); (2 mark for correct creation of Table)</p> <p>II.</p> <p>INSERT INTO STUDENTS (StudentID, FirstName, LastName, DateOfBirth, Percentage) VALUES (1, 'Supriya', 'Singh', '2010-08-18', 75.5); (1 Mark for correct insert Query)</p>		
32	<p>(A)</p> <p>I. SELECT DEPARTMENT, AVG(SALARY) FROM PAYROLL GROUP BY DEPARTMENT; II. SELECT DESIGNATION FROM PAYROLL ORDER BY SALARY DESC; III. SELECT EMP_NAME, DEPARTMENT FROM EMPLOYEE E, PAYROLL P WHERE E.EMP_ID=P.EMP_ID; (1 mark for each correct query)</p> <p style="text-align: center;">OR</p> <p>(B)</p> <p>I. SELECT SPORT,SUM(Medals) FROM MEDALS GROUP BY SPORT; II. SELECT UPPER(Name) FROM ATHLETE WHERE COUNTRY = 'INDIA'; III. SELECT NAME, SPORT FROM ATHLETE A, MEDALS M WHERE A.AthleteID= M.AthleteID; (1 mark for each correct query)</p>		3
Q No.	Section-D (2 x 4 = 8 Marks)		Marks
33	<p>I. matplotlib.pyplot II. books_read III. ylabel IV. Number of Books Read by Students (1 mark for each correct answer)</p>		4

34	<div>(A)<div>I. SELECT LOWER(TITLE) FROM BOOK; II. SELECT MAX(PRICE) FROM BOOK; III. SELECT LENGTH(TITLE) FROM BOOK; IV. SELECT BCODE, PRICE FROM BOOK ORDER BY PRICE DESC; (1 mark for each correct answer)</div></div> <div>(B)<div>I.<div><div>LENGTH(MED_NAME)</div><div>11</div><div>11</div><div>7</div></div></div><div>II.<div><div>MED_NAME</div><div>IBUPROFEN</div></div></div><div>III.<div><div>MED_NAME</div><div>PARACETAMOL</div><div>COUGH SYRUP</div><div>INSULIN</div></div></div><div>IV.<div><div>max(DEL_DATE)</div><div>2023-06-15</div></div></div><div>(1 mark for each correct answer)</div></div>	4
Q No.	Section-E (3 x 5 = 15 Marks)	Marks
35	<div>I. The server should be installed in the HR department as it has the most number of computers.</div> <div>II. Star topology</div>	5

	 <pre> graph TD HR[HR] --- FINANCE[FINANCE] HR --- SUPPORT[SUPPORT] HR --- TECHNICAL[TECHNICAL] </pre> <p>III. Switch/Hub</p> <p>IV. WAN (Wide Area Network) will be created as the offices are located in different cities.</p> <p>V. A dynamic website is recommended as it can display the dynamic performance data (which differs from employee to employee) of each employee.</p> <p><i>(1 mark for each correct answer)</i></p>		
36	<p>I. <code>print(df.head(2))</code></p> <p>II. <code>print(df['Title'])</code></p> <p>III. <code>df = df.drop('Rating', axis=1)</code></p> <p>IV. <code>print(df.loc[2:4,'Title'])</code></p> <p>V. <code>df.rename(columns={'Title':'Name'}, inplace=True)</code></p> <p><i>(1 mark for each correct answer)</i></p>		5
37	<p>(A)</p> <p>I. <code>SELECT AVG(test_results) FROM Exams;</code></p> <p>II. <code>SELECT RIGHT(registration_number, 3) FROM Vehicles;</code></p> <p>III. <code>SELECT TRIM(username) FROM Users;</code></p> <p>IV. <code>SELECT MAX(salary) FROM Employees;</code></p> <p>V. <code>SELECT COUNT(*) FROM Suppliers;</code></p> <p><i>(1 mark for each correct query)</i></p> <p style="text-align: center;">OR</p> <p>(B)</p> <p>I. <code>SELECT ROUND(3.14159, 2);</code></p> <p>II. <code>SELECT MOD(125, 8);</code></p> <p>III. <code>SELECT LENGTH('NewDelhi');</code></p> <p>IV. <code>SELECT LEFT('Informatics Practices', 5);</code></p> <p>V. <code>SELECT TRIM(email) FROM Students;</code></p> <p><i>(1 mark for each correct query)</i></p>		5