# **Inheritance**

## **Long Answer Type Questions**

+

## **Question 1:**

```
class ITEM
int ID;
char IName[20];
protected:
float Qty;
public:
ITEM();
void Enter();
void View();
} ;
Class TRADER;
int DCode;
Protected:
char Manager[20];
public:
TRADER();
void Enter();
void View();
};
class- SALEPOINT : public ITEM, private TRADER
Char Name [20], Location [20];
public:
SALEPOINT();
void EnterAll();
void ViewAll();
};
(i) Which type of Inheritance out of the following is illustrated
in the above example ?
- Single Level Inheritance
- Multi Level Inheritance
- Multiple Inheritance
```

```
(ii)Write the names of all the data members, which are directly
accessible from the member functions
of class SALEPOINT.
(iii)Write the names of all the member functions, which are
directly accessible by an object of
class SALEPOINT.
(iv)What will be the order of execution of the constructors,
when an object of class
SALEPOINT is declared ?
```

- 1. Multiple Inheritance
- 2. Name, Location, Manager, Qty
- 3. EnterAll(), VeiwAll(), Enter(), ViewO
- 4. ITEM (), TRADER (), SALEPOINT ()

#### **Question 2:**

Give the following class definition answer the question that is follow:

```
class University
char name [20];
protected:
char vc[20];
public :
void estd();
void inputdata();
void outputdata();
class College : protected University
int regno;
protected
char principal()
public :
int no of students;
void readdata();
void dispdata();
};
class Department : public College
char name[20];
char HOD[20];
public:
void fetchdata(int);
```

```
void displaydata();
}
```

(i) Name the base class and derived class of college.

## **Answer:**

Base class: University
Derived class: Department

(ii) Name the data member(s) that can be accessed from function display data.

## Answer:

char name [20], char principal), no\_of\_students, char vc[20]

(iii) What type of inheritance is depicted in the above class definition?

#### Answer:

Multilevel Inheritance

(iv) What will be the size of an object (in bytes) of class Department?

## **Answer:**

85 bytes.

## **Question 3:**

```
class Exterior
int orderld;
char Address[20];
protected:
float Advance;
public:
Exterior();
void Book();
void View();
class Paint : public Exterior
int Wall Area, ColorCode;
protected:
char Type;
public:
paint();
void PBook();
void PView()
};
class Bill : public Paint
```

```
float Charges;
void Calculate();
public:
Bill();
void Billing();
void Print();
};
(i) Which type of Inheritance out of the following is illustrated in the above example ?
- Single Level Inheritance
- Multi Level Inheritance
- Multiple Inheritance
```

Multi Level Inheritance

(ii) Write the names of all the data members, which are directly accessible from the member functions of class Paint.

#### Answer:

Wall Area, Color Code, Type, Advance

Note: No marks to be awarded for any partial/additional answer(s)

(iii) Write the names of all the member functions, which are directly accessible from an object of class Bill.

## Answer:

Billing(), Print(), PBook(), PView(), Book(), View()

- No marks to be awarded for any partial/ additional answer(s)
- Constructors can be ignored

(iv) What will be the order of execution of the constructors, when an object of class Bill is declared?

## Answer:

Exterior(), Paint (), Bill()

Note: No marks to be awarded for any other order

#### **Question 4:**

Write the definition of a class Photo in C + + with following description :

**Private Members** 

- Pno // Data member for Picture Number (an integer)
- Category // Data member for Picture Category (a string)
- Exhibit // Data member for Exhibition Location (a string)
- Fix Exhibit // A member function to assign

//Exhibition Location as per category

//as shown in the following table

Category	Exhibit
Antique	Zaveri
Modern	Johnsen
Classic	Terenida

## **Public Members**

- Enter () //A function to allow user to enter values //Pno, category and call FixLocation () function
- SeeAll () //A function to display all the data members

#### Answer:

```
class photo
{
int Pno;
 char Category [20]; char Exhibit [20]; void FixExhibit ();
public :
void Register();
void ViewAll();
};
void Photo :: FixExhibit()
if(strcmpi(category, "Antique") == 0)
strcpy(Exhibit, "Zaveri");
else if(strcmpi(Category, "Modern") == 0)
strcpy (Exhibit, "Johnsen");
else if strcmpi(Category, "Classic") == 0)
strcpy(Exhibit, "Terenida");
void Photo :: Register()
{
cin>>"Pno";
gets (Category);
FixExhibit 0;
void Photo :: ViewAll()
coute<Pno<<Category<<Exhibit<<endl;</pre>
```

#### Question 5:

Answer the question (i) to (iv) based on the following:

```
class Interior
int OrderId;
char Address[20];
protected:
float Advance;
public:
Interior();
void Book();
void View();
};
class Painting : public Interior
int WallArea, ColorCode;
protected:
char Type;
public:
Painting();
void PBook();
void PView();
class Billing : public Painting
{
float Charges;
void Calculate();
public:
Billing();
void Bill();
void BillPrint();
(i) Which type of Inheritance of the following is illustrated in
the above example ?
- Single Level Inheritance
- Multi Level Inheritance
- Multiple Inheritance
```

#### Answer:

Mutli Level Inheritance

(ii) Write the names of all the data members, which are directly accessible from the member functions of class painting.

Wall Area, Color Code, Type, Advance

Note:

- No marks to be awaarded for any partial or additional answer(s)
- (iii) Write the names of all the member functions, which are directly accessible from an

object of class Billing. Bill(), BillPrint(), PBook(), PViewQ, Book(), View()

Note: No marks to be awarded for any partial/ additional answer(s)

- Constructors can be ignored
- (iv) What will be the order of execution of the constructors, when an object of class Billing is declared?

#### Answer:

Interior, Painting, Billing

Note: No marks to be awarded for any other order

### **Question 6:**

```
class AC
char Model[10];
char Date of purchase[10];
char Company[20];
public();
AC();
void enter car detail();
void show car detail();
};
class Accessories : protected AC
protected:
char Stabilizer[30];
char AC cover[20];
public:
float Price;
Accessories();
void enteraccessoriesdetails();
void showaccessoriesdetails();
};
class Dealer : public Accessories
int No of dealers;
char dealers name[20];
int No of products;
public:
Dealer();
void enterdetails();
void showdetails();
};
(i) How many bytes will be required by an object of class Dealer
and class Accessories?
```

```
(ii) Which type of inheritance is illustrated in the above c++
code ? Write the base class and
derived class name of class Accessories.
(iii) Write names of all the members which are accessible from
the objects of class Dealer.
(iv) Write names of all the members accessible from member
functions of class Dealer.
```

- (i) Object of Dealer = 118 bytes and object of Accessories = 98 bytes
- (ii) Multilevel Inheritance, Base class = AC,

Derived class = Dealer

- (iii) enterdetails(), showdetails(), price, enteraccessoriesdetails(), showaccessoriesdetails()
- (iv) No\_of\_dealers, dealers name, No\_of\_products, enterdetails(), showdetails(), Stablizer, Ac\_cover, price, enteraccessories details(), showaccessoriesdetails(), entercardetail, showcardetail()

#### **Question 7:**

Consider the following class state:

```
class State
{
protected:
int tp; //no. of tourist places
public:
State()
{
tp = 0;
void inctp()
tp++;
}
int gettp()
return tp;
}
};
Write a code in C + + to publically derive another class
'District' with the following additional
members derived in the Public visibility mode.
Data Members
distname - char(50)
```

```
population - long
```

#### Member functions:

```
dinput() - To enter distname and population.
doutput() - To display distname and population on screen.
```

#### Answer:

```
class District : public state
{
private:
  char *distname[50];
long population;
public :
  void dinput()
{
  gets(distname);
  cin>>population;
}
  void output()
{
  puts(disname);
  cout>>population;
}
}
```

#### **Question 8:**

Define a class Dance Academy in C++ with following description:

## **Private Members:**

- Enrollno of type int
- Name of type string
- Style of type string
- Fee of type float
- A member function chkfee() to assign the value of fee variable according to the style entered by the user according to the criteria as given below.

Style	Fee
Classical	10000
Western	8000
Freestyle	11000

## **Public Members**

- A function enrollment) to allow users to enter values for Enrollno, Name, Style and call function chkfee() to assign value of fee variable according to the Style entered by the user.
- A function display() to allow users to view the details of all the data members.

```
class Dance Academy
int Enrollno;
char Name[20];
Char, style[20-]
Float Fee;
void chkfee()
if (strcmpi(Style."Classical") == 0)
Fee=10000;
else if(strcrapi(Style, "Western") == 0)
Fee=8000;
else if(strcmpi(Style, "Freestyle") == 0)
Fee=11000;
public;
void enrollment()
cout<<"Please enter Enrollno, Name, Style";</pre>
cin>>Enrollno;
gets (Name);
gets(Style);
chkfee();
void display()
cout << "\n Entered Enrollno, Name Style, and Fee
is:"<<Enrollno<<"t"<<Name<<"\t"<<Style<<"\t"<<Fee;
}
};
Question 9:
Consider the following C++ code and answer the questions from (i) to (iv):
Class Campus
```

```
long Id;
char City[20];
protected:
char Country[20];
public:
Campus();
void Register();
void Display();
};
```

```
class Dept:private Campus
{
long DCode[10];
char HOD[20];
protected:
double Budget;
public:
Dept();
void Enter();
void Show();
} ;
class Applicant:public Dept
long RegNo;
char Name[20];
public:
Applicant();
void Enroll();
void View();
};
(i) Which type of Inheritance is shown in the above example?
(ii) Write the names of those member functions, which are
directly accessed from the objects of
class Applicant.
(iii) Write the names of those data members, which can be
directly accessible from the member
functions of class Applicant.
(iv) Is it possible to directly call function Display() of class
University from an object of
class Dept?
(Answer as Yes or No).
Answer:
```

- (i) Multilevel Inheritance
- (ii) Enroll(), View(), Enter(), Show().
- (iii) RegNo., Name, Budget.
- (iv) No.

## **Question 10:**

Consider the following and answer the question given below:

```
class ITEM
{
char ICode[10];
protected:
```

```
char IName[20];
public:
ITEM();
void Enter():
void Display();
};
class SUPPLIER
char SCode [10];
protected:
char SName[25];
public:
SUPPLIER();
void TEnter();
void TDisplay();
};
class SHOP: private SUPPLIER, public ITEM
char SHOPADDRESS [15], SEmail [25];
public:
SHOP();
void Enter();
void Display();
};
(i) Which type of inheritance is shown in the above example?
(ii) Write the names of all the member functions accessible from
Enter() function of class SHOP.
(iii) Write name of all the member functions accessible through
an object of class SHOE
(iv) What will be the order of execution for the constructors
ITEM(), SUPPLIER() and SHOP(),
when an object of class SHOP is declared?
Answer:
(i) Multiple inheritance.
(ii) Display (), TEnter(), TDisplay, Enter(), DisplayO.
(iii) Enter(), DisplayO, ITEM.Enter(), Item. Display.
(iv) ITEM(), then SUPPLIER(), then SHOP().
Question 11:
Consider the following C++ code and answer the questions from (i) to (iv):
```

class Personal:

int Class, Rno; char Section; protected:

```
char Name[20];
public:
Personal();
void Pentry();
void Pdisplayf();
class Marks:private Personal
float M[5];
protected:
char Grade[5];
public:
Marks();
void Mentry();
void Mdisplay();
};
class Result : public Marks
float Total, Agg;
public:
char FinalGrade, Comments [20];
Result();
void Rcalculate();
void Rdisplayt();
};
(i) Which type of inheritance is shown in the above example ?
(ii) Write the names of those data members, which can be
directly accessed from the objects of
class result.
(iii) Write the names of those member functions, which can be
directly accessed from the objects
of class Result.
(iv) Write the names of those data members, which can be
directly accessed from the Mentry() function
of class Marks.
```

Inheritance Type:

 Personal Base class
 ↓
 Marks Sub class of personal
 ↓
 Result Sub class of Result
 Multilevel Inheritance

2. FinalGrade Comments [20]

```
    Rcalculate ()
        Rdisplay ()
        Mentry ()
        Mdisplay ()
    M [5], Rno, Class, Section,
        Grade [5]
```

## **Question 12:**

Consider the following C++ code and answer the questions from (i) to (iv):

```
class Student
{
int Class, Rno;
char Section;
protected:
 char SName[20];
public:
 Student();
void Stentry();
void StdisplayO;
class Score: private Student
float Marks[5];
protected:
char Grade [5];
public:
Score();
void Sentry();
void Sdisplay();
};
class Report : public Score
float Total, Avg;
public:
char OverallGrade, Remarks[20];
Report();
void Revaluate();
void RPrint();
};
(i) Which type of inheritance is shown in the above example?
(ii) Write the names of those data members, which can be
directly accessed from the objects of class
Report.
(iii) Write the names of those member function, which can be
directly accessed from the objects of
class Report.
```

```
(iv) Write the names of those data members, which can be directly accessed from the Sentry() function of class Score.
```


```
1. Student
   Score
   Report
   This is multilevel inheritance:
2. Data Members:
   Total.
   Avg,
   OverallGrade,
   Remarks [20],
3. Member functions:
   Report (),
   REvaluate (),
   RPrint (),
   Score (), .
   Sentry (),
   Sdisplay ().
4. Data members
   Marks [5], Class, Rno, Section,
   Grade [5], SName.
```

## **Question 13:**

```
class COMPANY
{
  char Location[20];
  double budget, income;
  protected:
  void Accounts();
  public :
   COMPANY();
  void Register();
  void Show();
  };
   class FACTORY : public COMPANY
  {
   char Location[20];
   int Workers;
```

```
protected: double salary;
void Computer();
public:
FACTORY();
void Enter();
void Show();
};
class SHOP:private Company
char Location[20];
float Area;
double Sale;
public:
SHOP();
void Input();
void Output();
};
(i) Name the type of inheritance illustrated in the above C+ +
code.
(ii) Write the name of data members which are accessible from
the member functions of class SHOE
(iii) Write the name of member functions which are accessible
from the objects of class FACTORY.
(iv) Write the name of data members which are accessible from
the objects of class SHOE
```

(i) Hierarchical Inheritance




- (ii) None
- (iii) Enter(), Show(), Register(), Accounts company :: Show ().
- (iv) Data Members: NONE

## **Question 14:**

```
class ORGANIZATION
{
char Address[20];
double budget, income;
protected:
```

```
void Compute();
public:
ORGANIZATION();
void Get();
void Show();
};
class WORKAREA: public ORGANIZATION
charAddress[20];
int staff;
protected:
double pay;
void Calculate();
public:
WORKAREA();
void Enter();
void Display();
} ;
class SHOWROOM: private
ORGANIZATION
char Address[20];
float Area;
double Sale;
public:
SHOWROOM();
void Enter();
void Show();
(i) Name the type of inheritance illustrated in the above C+ +
code.
(ii) Write the name of data members which are accessible from
the member functions of class SHOWROOM.
(iii) Write the name of member functions which are accessible
from the objects of class WORKAREA.
(iv) Write the name of members which are accessible from the
objects of class SHOWROOM.
```

(i) Hierarchical Inheritance



(ii) Address, Area, Sale, Budget, Income.

```
(iii) Enter(), Display(), Get (), Show()(iv) Data Members: NONEMember Functions: Enter(), Show()
```

## **Question 15:**

```
class indoor sports
int i id;
char i name[20];
char i coach[20];
protected:
int i rank, i fee;
void get ifee()
public: indoor_sports();
void iEntry();
void ishow();
};
class outdoor sports
{
int o id;
char o name[20];
char o coach[20];
protected;
int orank, ofee;
void get ofee();
public;
outdoor sports();
void oshow();
};
class sports:public indoor sports, protected outdoor sports
char rules [20];
public;
sports();
void registration();
void showdata();
(i) Name the type of inheritance illustrated in the above C+ +
code.
(ii) Write the names of all the members, which are accessible
from the objects belonging to class
outdoor sports.
(iii) Write the name of member functions which are accessible
from the objects of class sports.
```

(iv) What will be the size of the object belonging to class indoor sports?

#### **Answer:**

(i) Multiple Inheritance.

(ii) Data Member; None

Member Funcitons; oEntry(), oShow()

Note:

No marks to be awarded for any partial or additional answer (s)

(iii) registration(), showdat(), oEnty(), oShow(), get\_ofee(), iEntryO, iShow(), get\_ ifee()

Note:

No marks to be awarded for any partial or additional answer (s)

(iv) 46 Bytes

## **Question 16:**

Write the definition of a class DISTRICT in C++ with following description :

Private Member

Dcode

//Data member for code (an integer)

- DName

//Data member for Name (a string)

DPop

//Data member for Population (a long int)

Area

//Data member for Area Coverage

(a float)

Density

//Data member for Population Density

(a float)

– DenCal()

//A member function to calculate //Density as Pop/Area

**Public Members** 

– Input()

//A function to allow user to enter

values of

//Dcode, DName, DPop, Area and call

DenCal () //function

– ShowALL()

//A function to display all the data

members

//also display a message "Highly Populated Area"

//if the Density is more than 12000

```
Class DISTRICT
int DCode;
char DName[20];
long int DPop;
Float Area;
Float Dens;
Void Dencal();
Public:
void Input();
void showALL();
};
void DISTICT::Input()
cin>>Dcode;
gets(DName);//OR cin>>Dname;
cin>>DPop;
cin>>Area;
Dencal();
void DISTRICT::ShowALL()
cout<<Dcode<<DName<<DPop<<Area<<Dens; //Ignore endl</pre>
if (Dens>12000) cout << "Highly Populated Area";
\\Ignore endl
}
void DISTRICT::Dencal()
Dens=DPop/Area;
```

## **Question 17:**

```
class PACKAGE
{
  int PCode;
  char PDes[20];
  protected:
  float PQty;
  public :
  PACKAGE();
  void In();
  void DispO;
```

```
};
class TRANSPORT
int TCode;
protected:
char TName[20];
public:
TRANSPORT();
void Enter();
void Display();
};
class DELIVERY: public PACKAGE, private TRANSPORT
char Address[40], Date[12];
public:
DELIVERY();
void Input();
void Show();
}
(i) Which type of Inheritance out of the following illustrated
in the above example?
• Single Level Inheritance
• Multi Level Inheritance
• Multiple Inheritance
(ii) Write the names of all the data members, which are directly
accessible from the member functions
of class DELIVERY.
(iii) Write the names of all the member functions, which are
directly accessible by an object of
class DELIVERY.
(iv) What will be the order of execution of the constructors,
when and object of class DELIVERY
is declared ?
```

- (i) Multiple Inheritance.
- (ii) PQty, IName, Address, Date
- (iii) Input(), show(), In(), Disp()
- (iv) PACKAGE(), TRANSPORTO, DELIVERY()