

## AVERAGES

1. Average (A) =  $\frac{\text{Sum of Quantities (S)}}{\text{No. of Quantities (N)}}$

$$S = N \times A$$

$$N = \frac{S}{A}$$

2. 1 to n, consecutive 'n' natural numbers

$$S = \frac{n(n+1)}{2}$$

$$N = n$$

$$A = \frac{n(n+1)}{2 \times n}$$

$$A = \frac{n+1}{2}$$

$$= \frac{\text{Last no.} + 1}{2}$$

$$A = \frac{\text{Last no.} + \text{First no.}}{2}$$

3. 1 to n, consecutive 'n' odd numbers

Eg:- 1, 3, 5, 7, 9 → Total 5 no's = n

$$A = \frac{25}{5} = 5$$

$$\boxed{A = n}$$

4. 1 to n, consecutive 'n' even numbers

Eg:- 2, 4, 6, 8, 10

$$A = \frac{30}{5} = 6$$

### 5. Any consecutive 'n' natural numbers

No. of numbers = odd

Eg:- 50, 51, (52), 53, 54

Average = 52

### 6. Any consecutive, 'n' natural numbers

No. of numbers = even

Eg:- 50, 51, 52, 53, 54, 55

A = 52.5

### 7. Combined or Group or weighted average

$n_1 \rightarrow x_1$

$n_2 \rightarrow x_2$

$n_3 \rightarrow x_3$

$\vdots$

$$A = \frac{n_1 x_1 + n_2 x_2 + n_3 x_3 + \dots}{n_1 + n_2 + n_3 + \dots}$$

P.9 NO:- 67

1.	Grand parents	parents	Grand children
	A = 67 years	A = 35 years	A = 6 years
	N = 2	N = 2	N = 3


$$A = \frac{67 \times 2 + 35 \times 2 + 6 \times 3}{2 + 2 + 3}$$

$$= 31 \frac{5}{7} \text{ years}$$

2.	Sunday	Other days	
	A = 510	A = 240	1 - Sunday,
	N = ?	N = ?	7 - days
			<hr/>
			8 - Sunday <sub>2</sub>
			<hr/>
			7
			<hr/>
			15 - S <sub>3</sub>
			<hr/>
			7
			<hr/>
			22 - S <sub>4</sub>
			<hr/>
			7
			<hr/>
			29 - S <sub>5</sub>

$$A = \frac{510 \times 5 + 240 \times 25}{30}$$
$$= 285$$

3.



$$\frac{8 \times 30 + 1 \times (A+20)}{9} = A$$

$$A = \frac{260}{8}$$

$$= 32.50$$


$$A = 32.50$$

$$\text{Sum} = A \times N$$

$$= 32.50 \times 9$$

$$= 292.50 \text{ RS.}$$


4.



$$\frac{75 \times 10 + 6 \times x}{16} = 76$$

$$x = 77 \frac{2}{3}$$

5.



$$x = 2$$

$$6. \left( \frac{I+II}{2} \right) - \left( \frac{II+III}{2} \right) = 15$$

$$\frac{I + II - II + III}{2} = 15$$

7.  $\frac{1^{\text{st}} \text{ day}}{7}$  :  $\frac{5^{\text{th}} \text{ day}}{8}$        $1, 2, 3, 4 \rightarrow A = 58, \text{ sum} = 4 \times 58 = 232$   
 $\downarrow$   
 $8 \times 8^\circ = 64^\circ$        $2, 3, 4, 5 \rightarrow A = 60, \text{ sum} = 4 \times 60 = 240$   


---

 $1^{\text{st}} - 5^{\text{th}} = -8$   
 $5^{\text{th}} - 1^{\text{st}} = 8^\circ$

8.  $N = 36 \rightarrow A = 17 \text{ years}$   
Teacher  $\leftarrow T = +1 \rightarrow A = +1$   


---

 $N = 37$        $A = 18 \text{ years}$   
Summation of teachers ( $S_T$ ) =  $37 \times 18 = 666 \text{ years}$   
Summation of students ( $S_S$ ) =  $612 \text{ years}$   


---

 $54 \text{ years} = \text{Teacher's age}$

Note:-

$17 \text{ years (Avg age)}$   
 $+$   
 $37 \text{ years (Teacher added to group)}$   


---

 $54 \text{ years}$

Level-2:-

1.  $35 \rightarrow 1800$   
 $125 \times 36 \rightarrow 4500$   


---

 $6300$

3.  $\boxed{N=11} \quad A$   

$\boxed{C}$   
 $N=1$   
 $26 \text{ yrs}$

$\boxed{W}$   
 $N=1$   
 $29 \text{ yrs}$

$N=9$   
 $(A-1)$

---

 $1 \times 26 + 1 \times 29 + 9(A-1) = A$   
 $11$   
 $A = 23 \text{ years}$

4.  $\boxed{N=45, A=52 \text{ kg}} + \frac{2}{3} = 52 - \frac{2}{3}$   

$\downarrow$   
 $(-ve)$   
 $N=5$   
 $A=48 \text{ kg}$

$\downarrow$   
 $(+ve)$   
 $N=5$   
 $A=54 \text{ kg}$

---

 $5 \times 6 = \frac{30}{45} = \frac{2}{3}$

5.

$(A, B, C) = 84 \text{ kg}$

$(ABCD) = 80 \text{ kg}$

$(BCDE) = 79 \text{ kg}$

$$A+B+C = 84 \times 3$$

$$= 252 \text{ kg}$$

$$(-) 177$$

$$A = 75 \text{ kg}$$

$$A+B+C+D = 80 \times 4$$

$$= 320 \text{ kg}$$

$$(-) 252$$

$$D = 68 \text{ kg}$$

$$B+C+D+E = 79 \times 4$$

$$\downarrow \downarrow = 316 \text{ kg}$$

$$68 \quad 71 \quad (-) 139$$

$$B+C = 177 \text{ kg}$$

6.

$N = ? \quad A = 63$

$\hookrightarrow G = +20$

$H = +2$

$$63 \times N + 20 + 2 = 65 \times N$$

$$2N = 22$$

$$N = 11$$

$N = ? \quad A = 65$