


Exercise: 7.2
(Page No: 123)

1. In an isosceles triangle ABC, with $AB = AC$, the bisectors of B and C intersect each other at O. Join A to O. Show that:

(i) $OB = OC$

(ii) AO bisects A



Solution:

Given:

$AB = AC$ and

the bisectors of B and C intersect each other at O

(i) Since ABC is an isosceles with $AB = AC$,

$B = C$

$\frac{1}{2} B = \frac{1}{2} C$

$\Rightarrow OBC = OCB$ (Angle bisectors)

$\therefore OB = OC$ (Side opposite to the equal angles are equal.)

(ii) In $\triangle AOB$ and $\triangle AOC$,

$AB = AC$ (Given in the question)

$AO = AO$ (Common arm)

$OB = OC$ (As Proved Already)

So, $\triangle AOB \cong \triangle AOC$ by SSS congruence condition.

$\angle BAO = \angle CAO$ (by CPCT)

Thus, AO bisects $\angle A$.

2. In $\triangle ABC$, AD is the perpendicular bisector of BC (see Fig. 7.30). Show that $\triangle ABC$ is an isosceles triangle in which $AB = AC$.




Fig. 7.30

Solution:

It is given that AD is the perpendicular bisector of BC

To prove:

$AB = AC$

Proof:

In $\triangle ADB$ and $\triangle ADC$,

$AD = AD$ (It is the Common arm)

$$ADB = ADC$$

$BD = CD$ (Since AD is the perpendicular bisector)

So, $\triangle ADB \cong \triangle ADC$ by **SAS congruency criterion**.

Thus,

$$AB = AC \text{ (by CPCT)}$$

3. $\triangle ABC$ is an isosceles triangle in which altitudes BE and CF are drawn to equal sides AC and AB respectively (see Fig. 7.31). Show that these altitudes are equal.




Fig. 7.31

Solution:

Given:

(i) BE and CF are altitudes.

(ii) $AC = AB$

To prove:

$$BE = CF$$

Proof:

Triangles $\triangle AEB$ and $\triangle AFC$ are similar by AAS congruency since

$\angle A = \angle A$ (It is the common arm)

$\angle AEB = \angle AFC$ (They are right angles)

$AB = AC$ (Given in the question)

$\therefore \triangle AEB \cong \triangle AFC$ and so, $BE = CF$ (by CPCT).

4. ABC is a triangle in which altitudes BE and CF to sides AC and AB are equal (see Fig. 7.32). Show that

(i) $\triangle ABE \cong \triangle ACF$

(ii) $AB = AC$, i.e., ABC is an isosceles triangle.




Fig. 7.32

Solution:

It is given that $BE = CF$

(i) In $\triangle ABE$ and $\triangle ACF$,

$\angle A = \angle A$ (It is the common angle)

$\angle AEB = \angle AFC$ (They are right angles)

$BE = CF$ (Given in the question)

$\therefore \triangle ABE \cong \triangle ACF$ by **AAS congruency condition**.

(ii) $AB = AC$ by CPCT and so, ABC is an isosceles triangle.

5. ABC and DBC are two isosceles triangles on the same base BC (see Fig. 7.33). Show that $\angle ABD = \angle ACD$.




Fig. 7.33

Solution:

In the question, it is given that ABC and DBC are two isosceles triangles.

We will have to show that $\angle ABD = \angle ACD$

Proof:

Triangles $\triangle ABD$ and $\triangle ACD$ are similar by SSS congruency since

$AD = AD$ (It is the common arm)

$AB = AC$ (Since ABC is an isosceles triangle)

$BD = CD$ (Since BCD is an isosceles triangle)

So, $\triangle ABD \cong \triangle ACD$.

$\therefore \angle ABD = \angle ACD$ by CPCT.

6. $\triangle ABC$ is an isosceles triangle in which $AB = AC$. Side BA is produced to D such that $AD = AB$ (see Fig. 7.34). Show that $\angle BCD$ is a right angle.




Fig. 7.34

Solution:

It is given that $AB = AC$ and $AD = AB$

We will have to now prove $\angle BCD$ is a right angle.

Proof:

Consider $\triangle ABC$,

$AB = AC$ (It is given in the question)

Also, $\angle ACB = \angle ABC$ (They are angles opposite to the equal sides and so, they are equal)

Now, consider $\triangle ACD$,

$AD = AB$

Also, $\angle ADC = \angle ACD$ (They are angles opposite to the equal sides and so, they are equal)

Now,

In $\triangle ABC$,

$$\angle CAB + \angle ACB + \angle ABC = 180^\circ$$

$$\text{So, } \angle CAB + 2\angle ACB = 180^\circ$$

$$\Rightarrow \angle CAB = 180^\circ - 2\angle ACB \text{ — (i)}$$

Similarly, in $\triangle ADC$,

$$\angle CAD = 180^\circ - 2\angle ACD \text{ — (ii)}$$

also,

$$\angle CAB + \angle CAD = 180^\circ \text{ (BD is a straight line.)}$$

Adding (i) and (ii) we get,

$$\angle CAB + \angle CAD = 180^\circ - 2\angle ACB + 180^\circ - 2\angle ACD$$


$$\Rightarrow 180^\circ = 360^\circ - 2\angle ACB - 2\angle ACD$$

$$\Rightarrow 2(\angle ACB + \angle ACD) = 180^\circ$$

$$\Rightarrow \angle BCD = 90^\circ$$

7. ABC is a right-angled triangle in which $\angle A = 90^\circ$ and $AB = AC$. Find $\angle B$ and $\angle C$.

Solution:



In the question, it is given that

$$\angle A = 90^\circ \text{ and } AB = AC$$

$$AB = AC$$

$\Rightarrow \angle B = \angle C$ (They are angles opposite to the equal sides and so, they are equal)

Now,

$A+B+C = 180^\circ$ (Since the sum of the interior angles of the triangle)

$$\therefore 90^\circ + 2B = 180^\circ$$

$$\Rightarrow 2B = 90^\circ$$


$$\Rightarrow B = 45^\circ$$

$$\text{So, } B = C = 45^\circ$$

8. Show that the angles of an equilateral triangle are 60° each.

Solution:

Let ABC be an equilateral triangle as shown below:



Here, $BC = AC = AB$

(Since the length of all sides is same)

$$\Rightarrow A = B = C$$

(Sides opposite to the equal angles are equal.)

Also, we know that

$$A+B+C = 180^\circ$$

$$\Rightarrow 3A = 180^\circ$$

$$\Rightarrow A = 60^\circ$$

$$\therefore A = B = C = 60^\circ$$

So, the angles of an equilateral triangle are always 60° each.