

## Chapter-1

### (Revision of 11<sup>th</sup> Class)

(Only 1 and 2 marks questions will be asked from this chapter in the final exams)

#### True False and Fill Ups

1. C language is developed by \_\_\_\_\_ ( Dennis Ritchie )
2. Compiler directives help compiler to compile the program? ( True )
3. Compiler directives are terminated with semicolon (;) symbol. ( False )
4. Compiler directives begin with \_\_\_\_\_ symbol. ( # - Hash )
5. \n is used for \_\_\_\_\_ in C language. ( Next Line or New Line )
6. \t is used for \_\_\_\_\_ in C language. ( Tab Position )
7. \a is used for \_\_\_\_\_ in C language. ( Beep Sound )
8. \b is used for \_\_\_\_\_ in C language. ( Shift Cursor One Position Left/Backspace )
9. \r is used for \_\_\_\_\_ in C language. ( Carriage Return )
10. \_\_\_\_\_ Memory is used for char data type. ( 1 byte or 8 bits )
11. \_\_\_\_\_ Memory is used for int data type. ( 2 byte or 16 bits )
12. \_\_\_\_\_ Memory is used for float data type. ( 4 byte or 32 bits )
13. \_\_\_\_\_ Memory is used for double data type. ( 8 byte or 64 bits )
14. \_\_\_\_\_ Operators require one operand to perform their operation. ( Unary )
15. \_\_\_\_\_ Operators require two operand to perform their operation. ( binary )
16. \_\_\_\_\_ Operators require three operand to perform their operation. ( Ternary )
17. \_\_\_\_\_ data structure is used to store same type of values under a common name. ( Array )
18. \_\_\_\_\_ is a network of multinetworks which is a collection of many network. ( Internet )
19. \_\_\_\_\_ is a set of rules which manage data communication. ( Protocol )
20. \_\_\_\_\_ software is used to make report card, visiting cards, calendars, advertisement, magazines etc. ( DTP or Desktop Publishing )
21. \_\_\_\_\_ and \_\_\_\_\_ are the common ways of printing documents. ( Laser and Offset Printing )
22. Spacing between two or more lines are called \_\_\_\_\_. ( Leading )
23. \_\_\_\_\_ is used to put objects in a systematic manner. ( Page Layout )
24. Space between page edges and page contents from left, right, top, bottom is called \_\_\_\_\_. ( Margin )

## FULL FORMS

LAN	-	LOCAL AREA NETWORK
MAN	-	METROPOLITAN AREA NETWORK
WAN	-	WIDE AREA NETWORK
FTP	-	FILE TRANSFER NETWORK
HTTP	-	HYPER TEXT TRANSFER NETWORK
URL	-	UNIFORM RESOURCE NETWORK
WWW	-	WORLD WIDE NETWORK
MODEM	-	MODULATOR DEMOLATOR
JIT	-	JUST IN TIME
SUWIDHA	-	SINGLE USER-FRIENDLY WINDOW DISPOSAL AND HELPLINE FOR APPLICANTS
TCP/IP	-	TRANSFER CONTROL PROTOCOL/INTERNET PROTOCOL
NIU	-	NETWORK INTERFACE UNIT
Bps	-	Byte per second
Kbps	-	Kilobyte per second
Mbps	-	Megabyte per second
Tbps	-	Terabyte per second
i-ticket	-	internet ticketing
e-ticket	-	electronic ticketing
DTP	-	DESKTOP PUBLISHING
WYSIWYG	-	WHAT YOU SEE IS WHAT YOU GET
Stdio.h	-	Standard Input Output Header File
Conio.h	-	Console Input Output Header File