

## Series WX1YZ/C



SET~2

30/C/2

रोल नं. Roll No.



# गणित (मानक)

## **MATHEMATICS (STANDARD)**

2	к		
- 1	•		

Time allowed : 3 hours       Maximum Marks : 80         नोट / NOTE :         (i)       कृपया जाँच कर लें कि इस प्रश्न पत्र में मुद्रित पृष्ठ 23 हैं / Please check that this question paper contains 23 printed pages.         (ii)       प्रश्न-पत्र में दाहिने हाथ की ओर दिए गए प्रश्न-पत्र कोड को परीक्षार्थी उत्तर-पुस्तिका के मुख-पृष्ठ पर लिखें / Q.P. Code given on the right hand side of the question paper should be written on the title page of the answer-book by the candidate.         (iii)       कृपया जाँच कर लें कि इस प्रश्न-पत्र में 38 प्रश्न हैं / Please check that this question paper contains 38 questions.         (iv)       कृपया प्रश्न का उत्तर लिखना शुरू करने से पहले, उत्तर-पुस्तिका में प्रश्न का क्रमांक अवश्य लिखें / Please write down the serial number of the question in the answer-book before attempting it.         (v)       इस प्रश्न-पत्र को पढ़ने के लिए 15 मिनट का समय दिया गया है / प्रश्न-पत्र का वितरण पूर्वाह्न में 10.15 बजे किया जाएगा / 10.15 बजे से 10.30 बजे तक छात्र केवल प्रश्न-पत्र को पढ़ेंगे और इस अवधि के दौरान वे उत्तर-पुस्तिका पर कोई उत्तर नहीं लिखेंगे / 15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the students will read the question paper only and will not write any answer on the answer-book during this period.	निधा	रित समय : 3 घण्टे अधिकतम अंक : 80
<ul> <li>मोट / NOTE :</li> <li>कृपया जाँच कर लें कि इस प्रश्न-पत्र में मुद्रित पृष्ठ 23 हैं । Please check that this question paper contains 23 printed pages.</li> <li>(ii) प्रश्न-पत्र में दाहिने हाथ की ओर दिए गए प्रश्न-पत्र कोड को परीक्षार्थी उत्तर-पुस्तिका के मुख-पृष्ठ पर लिखें ।</li> <li>Q.P. Code given on the right hand side of the question paper should be written on the title page of the answer-book by the candidate.</li> <li>(iii) कृपया जाँच कर लें कि इस प्रश्न-पत्र में 38 प्रश्न हैं । Please check that this question paper contains 38 questions.</li> <li>(iv) कृपया प्रश्न का उत्तर लिखना शुरू करने से पहले, उत्तर-पुस्तिका में प्रश्न का क्रमांक अवश्य लिखें ।</li> <li>Please write down the serial number of the question in the answer-book before attempting it.</li> <li>(v) इस प्रश्न-पत्र को पढ़ने के लिए 15 मिनट का समय दिया गया है । प्रश्न-पत्र का वितरण पूर्वाह्न में 10.15 बजे किया जाएगा । 10.15 बजे से 10.30 बजे तक छात्र केवल प्रश्न-पत्र को पढ़ेंगे और इस अवधि के दौरान वे उत्तर-पुस्तिका पर कोई उत्तर नहीं लिखेंगे ।</li> <li>15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the students will read the question paper only and will not write any answer on the answer-book during this period.</li> </ul>	Tim	e allowed : 3 hours Maximum Marks : 80
<ul> <li>(i) कृपया जाँच कर लें कि इस प्रश्न-पत्र में मुद्रित पृष्ठ 23 हैं । Please check that this question paper contains 23 printed pages.</li> <li>(ii) प्रश्न-पत्र में दाहिने हाथ की ओर दिए गए प्रश्न-पत्र कोड को परीक्षार्थी उत्तर-पुस्तिका के मुख-पृष्ठ पर लिखें । Q.P. Code given on the right hand side of the question paper should be written on the title page of the answer-book by the candidate.</li> <li>(iii) कृपया जाँच कर लें कि इस प्रश्न-पत्र में 38 प्रश्न हैं । Please check that this question paper contains 38 questions.</li> <li>(iv) कृपया प्रश्न का उत्तर लिखना शुरू करने से पहले, उत्तर-पुस्तिका में प्रश्न का क्रमांक अवश्य लिखें ।</li> <li>(iv) कृपया प्रश्न का उत्तर लिखना शुरू करने से पहले, उत्तर-पुस्तिका में प्रश्न का क्रमांक अवश्य लिखें ।</li> <li>(v) इस प्रश्न-पत्र को पढ़ने के लिए 15 मिनट का समय दिया गया है । प्रश्न-पत्र का वितरण पूर्वाह्न में 10.15 बजे किया जाएगा । 10.15 बजे से 10.30 बजे तक छात्र केवल प्रश्न-पत्र को पढ़ेंगे और इस अवधि के दौरान वे उत्तर-पुस्तिका पर कोई उत्तर नहीं लिखेंगे ।</li> <li>15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the students will read the question paper only and will not write any answer on the answer-book during this period.</li> </ul>	नोट	/ NOTE :
<ul> <li>(ii) प्रश्न-पत्र में दाहिने हाथ की ओर दिए गए प्रश्न-पत्र कोड को परीक्षार्थी उत्तर-पुस्तिका के मुख-पृष्ठ पर लिखें  </li> <li>Q.P. Code given on the right hand side of the question paper should be written on the title page of the answer-book by the candidate.</li> <li>(iii) कृपया जाँच कर लें कि इस प्रश्न-पत्र में 38 प्रश्न हैं  </li> <li>Please check that this question paper contains 38 questions.</li> <li>(iv) कृपया प्रश्न का उत्तर लिखना शुरू करने से पहले, उत्तर-पुस्तिका में प्रश्न का क्रमांक अवश्य लिखें  </li> <li>(iv) कृपया प्रश्न का उत्तर लिखना शुरू करने से पहले, उत्तर-पुस्तिका में प्रश्न का क्रमांक अवश्य लिखें  </li> <li>Please write down the serial number of the question in the answer-book before attempting it.</li> <li>(v) इस प्रश्न-पत्र को पढ़ने के लिए 15 मिनट का समय दिया गया है   प्रश्न-पत्र का वितरण पूर्वाह्न में 10.15 बजे किया जाएगा   10.15 बजे से 10.30 बजे तक छात्र केवल प्रश्न-पत्र को पढ़ेंगे और इस अवधि के दौरान वे उत्तर-पुस्तिका पर कोई उत्तर नहीं लिखेंगे  </li> <li>15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the students will read the question paper only and will not write any answer on the answer-book during this period.</li> </ul>	(i)	कृपया जाँच कर लें कि इस प्रश्न-पत्र में मुद्रित पृष्ठ 23 हैं । Please check that this question paper contains 23 printed pages.
<ul> <li>Q.P. Code given on the right hand side of the question paper should be written on the title page of the answer-book by the candidate.</li> <li>(iii) कृपया जाँच कर लें कि इस प्रश्न-पत्र में 38 प्रश्न हैं । Please check that this question paper contains 38 questions.</li> <li>(iv) कृपया प्रश्न का उत्तर लिखना शुरू करने से पहले, उत्तर-पुस्तिका में प्रश्न का क्रमांक अवश्य लिखें । Please write down the serial number of the question in the answer-book before attempting it.</li> <li>(v) इस प्रश्न-पत्र को पढ़ने के लिए 15 मिनट का समय दिया गया है । प्रश्न-पत्र का वितरण पूर्वाह्न में 10.15 बजे किया जाएगा । 10.15 बजे से 10.30 बजे तक छात्र केवल प्रश्न-पत्र को पढ़ेंगे और इस अवधि के दौरान वे उत्तर-पुस्तिका पर कोई उत्तर नहीं लिखेंगे । 15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the students will read the question paper only and will not write any answer on the answer-book during this period.</li> </ul>	(ii)	प्रश्न-पत्र में दाहिने हाथ की ओर दिए गए प्रश्न-पत्र कोड को परीक्षार्थी उत्तर-पुस्तिका के मुख-पृष्ठ पर लिखें ।
<ul> <li>(iii) कृपया जाँच कर लें कि इस प्रश्न-पत्र में 38 प्रश्न हैं।</li> <li>Please check that this question paper contains 38 questions.</li> <li>(iv) कृपया प्रश्न का उत्तर लिखना शुरू करने से पहले, उत्तर-पुस्तिका में प्रश्न का क्रमांक अवश्य लिखें।</li> <li>Please write down the serial number of the question in the answer-book before attempting it.</li> <li>(v) इस प्रश्न-पत्र को पढ़ने के लिए 15 मिनट का समय दिया गया है। प्रश्न-पत्र का वितरण पूर्वाह्न में 10.15 बजे किया जाएगा। 10.15 बजे से 10.30 बजे तक छात्र केवल प्रश्न-पत्र को पढ़ेंगे और इस अवधि के दौरान वे उत्तर-पुस्तिका पर कोई उत्तर नहीं लिखेंगे।</li> <li>15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the students will read the question paper only and will not write any answer on the answer-book during this period.</li> </ul>		Q.P. Code given on the right hand side of the question paper should be written on the title page of the answer-book by the candidate.
Please check that this question paper contains <b>38</b> questions. (iv) कृपया प्रश्न का उत्तर लिखना शुरू करने से पहले, उत्तर-पुस्तिका में प्रश्न का क्रमांक अवश्य लिखें   Please write down the serial number of the question in the answer-book before attempting it. (v) इस प्रश्न-पत्र को पढ़ने के लिए 15 मिनट का समय दिया गया है   प्रश्न-पत्र का वितरण पूर्वाह्न में 10.15 बजे किया जाएगा   10.15 बजे से 10.30 बजे तक छात्र केवल प्रश्न-पत्र को पढ़ेंगे और इस अवधि के दौरान वे उत्तर-पुस्तिका पर कोई उत्तर नहीं लिखेंगे   15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the students will read the question paper only and will not write any answer on the answer-book during this period.	(iii)	कृपया जाँच कर लें कि इस प्रश्न-पत्र में 38 प्रश्न हैं ।
<ul> <li>(iv) कृपया प्रश्न का उत्तर लिखना शुरू करने से पहले, उत्तर-पुस्तिका में प्रश्न का क्रमांक अवश्य लिखें ।</li> <li>Please write down the serial number of the question in the answer-book before attempting it.</li> <li>(v) इस प्रश्न-पत्र को पढ़ने के लिए 15 मिनट का समय दिया गया है । प्रश्न-पत्र का वितरण पूर्वाह्न में 10.15 बजे किया जाएगा । 10.15 बजे से 10.30 बजे तक छात्र केवल प्रश्न-पत्र को पढ़ेंगे और इस अवधि के दौरान वे उत्तर-पुस्तिका पर कोई उत्तर नहीं लिखेंगे ।</li> <li>15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the students will read the question paper only and will not write any answer on the answer-book during this period.</li> </ul>		Please check that this question paper contains <b>38</b> questions.
Please write down the serial number of the question in the answer-book before attempting it. (v) इस प्रश्न-पत्र को पढ़ने के लिए 15 मिनट का समय दिया गया है । प्रश्न-पत्र का वितरण पूर्वाह्न में 10.15 बजे किया जाएगा । 10.15 बजे से 10.30 बजे तक छात्र केवल प्रश्न-पत्र को पढ़ेंगे और इस अवधि के दौरान वे उत्तर-पुस्तिका पर कोई उत्तर नहीं लिखेंगे । 15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the students will read the question paper only and will not write any answer on the answer-book during this period.	(iv)	कृपया प्रश्न का उत्तर लिखना शुरू करने से पहले, उत्तर पुस्तिका में प्रश्न का क्रमांक अवश्य लिखें ।
(v) इस प्रश्न-पत्र को पढ़ने के लिए 15 मिनट का समय दिया गया है । प्रश्न-पत्र का वितरण पूर्वाह्न में 10.15 बजे किया जाएगा । 10.15 बजे से 10.30 बजे तक छात्र केवल प्रश्न-पत्र को पढ़ेंगे और इस अवधि के दौरान वे उत्तर-पुस्तिका पर कोई उत्तर नहीं लिखेंगे । 15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the students will read the question paper only and will not write any answer on the answer-book during this period.		Please write down the serial number of the question in the answer-book before attempting it.
पूर्वाह्न में 10.15 बजे किया जाएगा / 10.15 बजे से 10.30 बजे तक छात्र केवल प्रश्न-पत्र को पढ़ेंगे और इस अवधि के दौरान वे उत्तर-पुस्तिका पर कोई उत्तर नहीं लिखेंगे / 15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the students will read the question paper only and will not write any answer on the answer-book during this period.	(v)	इस प्रश्न-पत्र को पढ़ने के लिए 15 मिनट का समय दिया गया है । प्रश्न-पत्र का वितरण
पढ़ेने और इस अवॉध के दौरान वे उत्तर-पुस्तिका पर कोई उत्तर नहीं लिखेने / 15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the students will read the question paper only and will not write any answer on the answer-book during this period.		पूर्वाह्न में 10.15 बजे किया जाएगा   10.15 बजे से 10.30 बजे तक छात्र केवल प्रश्न-पत्र को
15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the students will read the question paper only and will not write any answer on the answer-book during this period.		पढ़ेंगे और इस अवधि के दौरान वे उत्तर-पुस्तिका पर कोई उत्तर नहीं लिखेंगे
		15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the students will read the question paper only and will not write any answer on the answer-book during this period.

सामान्य निर्देश :

निम्नलिखित निर्देशों को बहुत सावधानी से पढ़िए और उनका सख़्ती से पालन कीजिए :

- (i) इस प्रश्न-पत्र में 38 प्रश्न हैं । सभी प्रश्न अनिवार्य हैं ।
- (ii) यह प्रश्न-पत्र पाँच खण्डों में विभाजित है क, ख, ग, घ एवं ङ ।
- (iii) खण्ड क में प्रश्न संख्या 1 से 18 तक बहुविकल्पीय (MCQ) तथा प्रश्न संख्या 19 एवं 20 अभिकथन एवं तर्क आधारित एक-एक अंक के प्रश्न हैं।
- (iv) खण्ड ख में प्रश्न संख्या 21 से 25 तक अति लघु-उत्तरीय (VSA) प्रकार के दो-दो अंकों के प्रश्न हैं ।
- (v) खण्ड ग में प्रश्न संख्या 26 से 31 तक लघु-उत्तरीय (SA) प्रकार के तीन-तीन अंकों के प्रश्न हैं।
- (vi) खण्ड घ में प्रश्न संख्या 32 से 35 तक दीर्घ-उत्तरीय (LA) प्रकार के पाँच-पाँच अंकों के प्रश्न हैं ।
- (vii) खण्ड ङ में प्रश्न संख्या 36 से 38 तक प्रकरण अध्ययन आधारित चार-चार अंकों के प्रश्न हैं। प्रत्येक प्रकरण अध्ययन में आंतरिक विकल्प दो-दो अंकों के प्रश्न में दिया गया है।
- (viii) प्रश्न-पत्र में समग्र विकल्प नहीं दिया गया है। यद्यपि, खण्ड ख के 2 प्रश्नों में, खण्ड ग के 2 प्रश्नों में, खण्ड घ के 2 प्रश्नों में तथा खण्ड ङ के 3 प्रश्नों में आंतरिक विकल्प का प्रावधान दिया गया है।
- (ix) जहाँ आवश्यक हो स्वच्छ आकृतियाँ बनाइए । जहाँ आवश्यक हो π =  $\frac{22}{7}$  लीजिए, यदि अन्यथा न दिया गया हो ।
- (x) कैल्कुलेटर का उपयोग वर्जित है ।

#### खण्ड क

इस खण्ड में बहविकल्पीय प्रश्न (MCQ) हैं, जिनमें प्रत्येक प्रश्न 1 अंक का है ।

1. k का मान जिसके लिए द्विघात समीकरण  $2x^2 - 10x + k = 0$  के मूल वास्तविक और बराबर हैं, है :

(a)	$\frac{25}{2}$	(b)	1 5
(c)	$-\frac{5}{2}$	(d)	1 2

**2.** यदि केन्द्र O(2, 3) वाले एक वृत्त की AB एक जीवा है, जहाँ A और B के निर्देशांक क्रमश: (4, 3) और (x, 5) हैं, तो x का मान है :

(a)	3	(b)	<b>2</b>
(c)	5	(d)	4

30/C/2 ~~~ Page 2



#### **General Instructions :**

Read the following instructions very carefully and strictly follow them :

- (i) This question paper contains **38** questions. All questions are compulsory.
- (ii) This question paper is divided into five Sections A, B, C, D and E.
- (iii) In Section A, Questions no. 1 to 18 are multiple choice questions (MCQs) and questions number 19 and 20 are Assertion-Reason based questions of 1 mark each.
- (iv) In Section B, Questions no. 21 to 25 are very short answer (VSA) type questions, carrying 2 marks each.
- (v) In Section C, Questions no. 26 to 31 are short answer (SA) type questions, carrying 3 marks each.
- (vi) In Section D, Questions no. 32 to 35 are long answer (LA) type questions carrying 5 marks each.
- (vii) In Section E, Questions no. 36 to 38 are case study based questions carrying 4 marks each. Internal choice is provided in 2 marks questions in each case-study.
- (viii) There is no overall choice. However, an internal choice has been provided in 2 questions in Section B, 2 questions in Section C, 2 questions in Section D and 3 questions in Section E.
- (ix) Draw neat diagrams wherever required. Take  $\pi = \frac{22}{7}$  wherever required, if not stated.
- (x) Use of calculators is **not** allowed.

### SECTION A

This section comprises multiple choice questions (MCQs) of 1 mark each.

**1.** The value of k for which the quadratic equation  $2x^2 - 10x + k = 0$  has real and equal roots, is :

(a)	$\frac{25}{2}$	(b)	$\frac{1}{5}$
(c)	$-\frac{5}{2}$	(d)	$\frac{1}{2}$

**2.** If AB is a chord of a circle with centre at O(2, 3), where the coordinates of A and B are (4, 3) and (x, 5) respectively, then the value of x is :

(a)	3	(b)	2

(c) $5$ (d)	4
-------------	---

30/C/2 ~~~ Page 3

P.T.O.

3.	बहुपद	$3x^2 + 11x - 4$ के शून्यक हैं :		
	(a)	$\frac{1}{2}, -4$	(b)	$\frac{1}{4}, -3$
	(c)	$\frac{1}{3}, -4$	(d)	$\frac{1}{3}, 4$
4.	दो बच्च	वों के एक परिवार में कम-से-कम एक ल	गड़की के	होने की प्रायिकता है :
	(a)	$\frac{1}{2}$	(b)	$\frac{2}{5}$
	(c)	$\frac{3}{4}$	(d)	$\frac{1}{4}$
5.	बिन्दु (	4, 7) की x-अक्ष से दूरी है :		
	(a)	7 इकाई	(b)	5 इकाई
	(c)	4 इकाई	(d)	10 इकाई
6.	$2\cos^2$	$^2 heta(1+ an^2 heta)$ बराबर है :		
	(a)	0	(b)	1
	(c)	2	(d)	3
7.	आलेख निरूपि	वीय रूप से, समीकरण युग्म – 6x – 2y त करता है, जो :	v = 21 S	और 2x – 3y + 7 = 0, दो रेखाओं को
	(a)	एक दूसरे को ठीक एक बिन्दु पर काट	ती हैं	
	(b)	एक दूसरे को ठीक दो बिन्दुओं पर क	ाटती हैं	
	(c)	संपाती हैं		
	(d)	समांतर हैं		
8.	यदि ए	क साइकिल का पहिया 11 km की	दूरी तय	करने में 5000 चक्कर लगाता है, तो
	पहिए व	का व्यास है :		
	(a)	65 cm	(b)	35 cm
	(c)	70 cm	(d)	50 cm

30/C/2 ~~~ Page 4

**3.** The zeroes of the polynomial  $3x^2 + 11x - 4$  are :

(a) 
$$\frac{1}{2}, -4$$
 (b)  $\frac{1}{4}, -3$ 

(c) 
$$\frac{1}{3}, -4$$
 (d)  $\frac{1}{3}, 4$ 

4. In a family of two children, the probability of having at least one girl is :

(a)	$\frac{1}{2}$	(b)	$\frac{2}{5}$
(c)	$\frac{3}{4}$	(d)	$\frac{1}{4}$

**5.** The distance of the point (4, 7) from the x-axis is :

(a)	7 units	(b)	5 units
(c)	4 units	(d)	10 units

**6.**  $2\cos^2\theta (1 + \tan^2\theta)$  is equal to :

(a)	0	(b)	1

(c) 2 (d) 3

7. Graphically, the pair of equations -6x - 2y = 21 and 2x - 3y + 7 = 0 represents two lines which are :

- (a) intersecting exactly at one point
- (b) intersecting exactly at two points
- (c) coincident
- (d) parallel

8. If a bicycle wheel makes 5000 revolutions in moving 11 km, then the diameter of the wheel is :

Page 5

(a)	$65~\mathrm{cm}$	(b)	$35~\mathrm{cm}$

- (c) 70 cm (d) 50 cm
- 30/C/2 **~~~~**

P.T.O.

9. त्रिज्या 7 cm के एक वृत्त पर, बिन्दु P जो वृत्त के केन्द्र से 25 cm की दूरी पर स्थित है, से डाली गई स्पर्श-रेखा की लम्बाई होगी :

(a)	22 cm	(b)	24  cm
(c)	25 cm	(d)	28 cm

10. आकृति में, केन्द्र O वाले वृत्त पर PA और PB दो स्पर्श-रेखाएँ इस प्रकार हैं कि ∠ APB = 50° है। तब ∠ OAB की माप है :



11. त्रिज्या 7 cm के केन्द्र O वाले वृत्त का एक चतुर्थांश OACB है जहाँ ACB वृत्त की चाप है । इस चतुर्थांश की परिधि है :

(a)	15 cm	(b)	$50~\mathrm{cm}$
(c)	25 cm	(d)	44 cm

**12.** यदि 2x, x + 10, 3x + 2 एक A.P. के तीन क्रमागत पद हैं, तो x का मान है :

- (a) 4 (b) 5
- (c) 6 (d) 8
- 13. दो पासों को एक बार फेंकने पर, योगफल 10 प्राप्त होने की प्रायिकता है :

30/C/2	~~~~	Page 6	
(c)	$\frac{1}{6}$	(d)	$\frac{1}{4}$
(a)	$\frac{1}{12}$	(b)	$\frac{1}{36}$



**9.** The length of the tangent drawn from a point P, whose distance from the centre of a circle is 25 cm, and the radius of the circle is 7 cm, is :

(a)	22 cm	(b)	$24 \mathrm{~cm}$
(c)	25 cm	(d)	$28~{ m cm}$

10. In the figure, PA and PB are two tangents to the circle with centre O such that  $\angle APB = 50^{\circ}$ . Then, the measure of  $\angle OAB$  is :



**11.** OACB is a quadrant of a circle with centre O and radius 7 cm where ACB is the arc. Then the perimeter of the quadrant is :

(a)	15 cm	(b)	$50~\mathrm{cm}$
(c)	25 cm	(d)	44 cm

**12.** If 2x, x + 10, 3x + 2 are three consecutive terms of an A.P., then the value of x is :

(a)	4	(b)	5
(c)	6	(d)	8

**13.** In a single throw of two dice, the probability of getting a sum of 10 is :

(a)	$\frac{1}{12}$	(b)	$\frac{1}{36}$
(c)	$\frac{1}{6}$	(d)	$\frac{1}{4}$

30/C/2 ~~~ Page 7

*P.T.O.* 

14. एक मीनार की ऊँचाई 20 m है । जब सूर्य का उन्नतांश 60° है, तो भूमि पर बनी मीनार की छाया की लम्बाई है :

(a) 
$$\frac{20}{\sqrt{3}}$$
 m (b)  $\frac{20}{3}$  m

(c)  $20\sqrt{3}$  m (d) 20 m

15. दी गई आकृति में, DE ||BC और सभी माप cm में दिए हैं । AE की लम्बाई है :



16.

. संख्याओं 1, 2, 3 में से एक संख्या चुनी जाती है और उसे x से निरूपित किया जाता है और संख्याओं 1, 4, 9 में से एक संख्या चुनी जाती है जिसे y से निरूपित किया जाता है । तब P(xy < 9) है :

(a)	$\frac{1}{9}$	(b)	$\frac{3}{9}$
(c)	$\frac{5}{9}$	(d)	$\frac{7}{9}$

17. एक 10 m लंबे ऊर्ध्वाधर खंभे की भूमि पर पड़ने वाली छाया की लम्बाई 5 m है । उसी समय में, एक मीनार की भूमि पर पड़ने वाली छाया की लम्बाई 12.5 m है । मीनार की ऊँचाई है :

(a) $20 \text{ m}$ (b) $22 \text{ r}$	(a)	20 m	(b)	$22 \mathrm{m}$
---------------------------------------	-----	------	-----	-----------------

- (c) 25 m (d) 24 m
- 30/C/2 ~~~ Page 8



14. The height of a tower is 20 m. The length of its shadow made on the level ground when the Sun's altitude is 60°, is :

(a) 
$$\frac{20}{\sqrt{3}}$$
 m (b)  $\frac{20}{3}$  m

- (c)  $20\sqrt{3}$  m (d) 20 m
- **15.** In the given figure, DE || BC and all measurements are given in centimetres. The length of AE is :



16. A number is chosen from the numbers 1, 2, 3 and denoted as x, and a number is chosen from the numbers 1, 4, 9 and denoted as y. Then P(xy < 9) is :

(a)	$\frac{1}{9}$	(b)	$\frac{3}{9}$
(c)	$\frac{5}{9}$	(d)	$\frac{7}{9}$

17. A vertical pole 10 m long casts a shadow of length 5 m on the ground. At the same time, a tower casts a shadow of length 12.5 m on the ground. The height of the tower is :

Page 9

(a) 20 m	(b)	$22 \mathrm{m}$
----------	-----	-----------------

- (c) 25 m (d) 24 m
- 30/C/2 **~~~~**

P.T.O.

18. आनुभविक संबंध का उपयोग करने पर एक बंटन, जिसका माध्य 7.2 और माध्यक 7.1 है, का बहुलक होगा :

(a)  $6\cdot 2$  (b)  $6\cdot 3$ 

(c) 6.5 (d) 6.9

प्रश्न संख्या 19 और 20 अभिकथन एवं तर्क आधारित प्रश्न हैं और प्रत्येक प्रश्न का 1 अंक है। दो कथन दिए गए हैं जिनमें एक को अभिकथन (A) तथा दूसरे को तर्क (R) द्वारा अंकित किया गया है। इन प्रश्नों के सही उत्तर नीचे दिए गए कोडों (a), (b), (c) और (d) में से चुनकर दीजिए।

- (a) अभिकथन (A) और तर्क (R) दोनों सही हैं और तर्क (R), अभिकथन (A) की सही व्याख्या करता है।
- (b) अभिकथन (A) और तर्क (R) दोनों सही हैं, परन्तु तर्क (R), अभिकथन (A) की सही व्याख्या *नहीं* करता है।
- (c) अभिकथन (A) सही है, परन्तु तर्क (R) ग़लत है।
- (d) अभिकथन (A) ग़लत है, परन्तु तर्क (R) सही है।
- **19.** *अभिकथन* (A) : एक निष्पक्ष पासा एक बार फेंका जाता है । एक अभाज्य संख्या प्राप्त होने की प्रायिकता  $\frac{1}{2}$  है ।
  - तर्क (R) : एक प्राकृत संख्या, अभाज्य संख्या होती है यदि इस संख्या के केवल दो गुणनखण्ड हों।
- 20. अभिकथन (A): दो खिलाड़ी, सानिया और अशनाम एक टेनिस मैच खेलते हैं । सानिया के मैच जीतने की प्रायिकता 0.79 है और अशनाम के मैच जीतने की प्रायिकता 0.21 है ।
  - तर्क (R) : दो पूरक घटनाओं की प्रायिकताओं का योगफल 1 होता है।

#### खण्ड ख

इस खण्ड में अति लघु-उत्तरीय (VSA) प्रकार के प्रश्न हैं, जिनमें प्रत्येक के 2 अंक हैं ।

**21.** (क) यदि A(-2, -1), B(a, 0), C(4, b) तथा D(1, 2) एक समांतर चतुर्भुज ABCD के शीर्ष हैं, तो a और b के मान ज्ञात कीजिए।

अथवा

(ख) बिंदु A(-1, 0), B(3, 1) तथा C(2, 2) इसी क्रम में लेने पर, एक समांतर चतुर्भुज ABCD के तीन शीर्ष हैं । इसके चौथे शीर्ष D के निर्देशांक ज्ञात कीजिए ।

30/C/2 ~~~ Page 10

- 18. Using empirical relationship, the mode of a distribution whose mean is  $7\cdot 2$  and the median  $7\cdot 1$ , is :
  - (a) 6.2 (b) 6.3
  - (c) 6.5 (d) 6.9

Questions number 19 and 20 are Assertion and Reason based questions carrying 1 mark each. Two statements are given, one labelled as Assertion (A) and the other is labelled as Reason (R). Select the correct answer to these questions from the codes (a), (b), (c) and (d) as given below.

- (a) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A).
- (b) Both Assertion (A) and Reason (R) are true, but Reason (R) is *not* the correct explanation of the Assertion (A).
- (c) Assertion (A) is true, but Reason (R) is false.
- $(d) \qquad Assertion \ (A) \ is \ false, \ but \ Reason \ (R) \ is \ true.$
- **19.** Assertion (A): A fair die is thrown once. The probability of getting a prime number is  $\frac{1}{2}$ .
  - Reason(R): A natural number is a prime number if it has only two factors.
- **20.** Assertion (A): Two players, Sania and Ashnam play a tennis match. The probability of Sania winning the match is 0.79 and that of Ashnam winning the match is 0.21.
  - Reason(R): The sum of probabilities of two complementary events is 1.

## **SECTION B**

This section comprises very short answer (VSA) type questions of 2 marks each.

**21.** (a) If A(-2, -1), B(a, 0), C(4, b) and D(1, 2) are the vertices of a parallelogram ABCD, then find the values of a and b.

## OR

(b) The three vertices of a parallelogram ABCD, taken in order, are A(-1, 0), B(3, 1) and C(2, 2). Find the coordinates of the fourth vertex D.

30/C/2 **~~~** Page 11

22. दी गई आकृति में,  $\frac{AO}{OC} = \frac{BO}{OD} = \frac{1}{2}$  तथा AB = 5 cm है । DC की लम्बाई ज्ञात कीजिए ।



23. (क) यदि यह दिया हुआ है कि  $\sqrt{2}$  एक अपरिमेय संख्या है, तो सिद्ध कीजिए कि  $(5-2\sqrt{2})$  एक अपरिमेय संख्या है।

अथवा

- (ख) जाँच कीजिए कि क्या किसी प्राकृत संख्या n के लिए, संख्या 6<sup>n</sup>, अंक 0 पर समाप्त हो सकती है ।
- 24. एक वृत्त बिन्दु P पर एक त्रिभुज ABC की भुजा BC को छू रहा है और क्रमश: बिन्दुओं Q और R में बढ़ाई गई भुजाओं AB और AC को छू रहा है।



25. ज्ञात कीजिए कि बिन्दुओं (- 3, 10) और (6, - 8) को जोड़ने वाले रेखा-खण्ड को बिन्दु
 (-1, k) किस अनुपात में विभाजित करता है । अत:, k का मान ज्ञात कीजिए ।

30/C/2 ~~~ Page 12

**22.** In the given figure,  $\frac{AO}{OC} = \frac{BO}{OD} = \frac{1}{2}$  and AB = 5 cm. Find the length of DC.



**23.** (a) If  $\sqrt{2}$  is given as an irrational number, then prove that  $(5 - 2\sqrt{2})$  is an irrational number.

OR

- (b) Check whether  $6^n$  can end with the digit 0 for any natural number n.
- 24. A circle is touching the side BC of a △ ABC at the point P and touching AB and AC produced at points Q and R respectively.



- **25.** Find the ratio in which the point (-1, k) divides the line segment joining the points (-3, 10) and (6, -8). Hence, find the value of k.
- 30/C/2 ~~~ Page 13

#### खण्ड ग

इस खण्ड में लघू-उत्तरीय (SA) प्रकार के प्रश्न हैं, जिनमें प्रत्येक के 3 अंक हैं।

- 26. आधारभूत समानुपातिकता प्रमेय का कथन लिखिए और इसे सिद्ध कीजिए ।
- 27. (क) 50 और 500 के बीच के सभी पूर्णांकों, जो 7 से भाज्य हैं, का योगफल ज्ञात
   कीजिए ।

अथवा

- (ख) 10 और 300 के बीच ऐसी कितनी संख्याएँ हैं जो 4 से भाग करने पर शेष 3 देती हैं ?
   इन संख्याओं का योगफल भी ज्ञात कीजिए ।
- 28. दो वर्गों के क्षेत्रफलों का योगफल 468 m<sup>2</sup> है । यदि उनके परिमापों का अंतर 24 m हो, तो दोनों वर्गों की भुजाओं की लम्बाइयाँ ज्ञात कीजिए ।
- 29. दो पानी के नल एक साथ एक हौज को  $3\frac{1}{3}$  घंटों में भर सकते हैं । बड़े व्यास वाला नल अलग से हौज को भरने में, कम व्यास वाले नल से 5 घंटे कम समय लेता है । प्रत्येक नल द्वारा अलग से हौज को भरने के समय ज्ञात कीजिए ।
- **30.** (क) 6 cm त्रिज्या वाले एक वृत्त के लघु और दीर्घ त्रिज्यखण्डों का क्षेत्रफल ज्ञात कीजिए, यदि लघु चाप द्वारा केंद्र पर अंतरित कोण 60° है।

 $(\pi = 3.14$  का प्रयोग कीजिए)

अथवा

 (ख) यदि 10 cm त्रिज्या वाले एक वृत्त की कोई जीवा केन्द्र पर 60° का कोण अंतरित करती है, तो संगत लघु वृत्तखण्ड का क्षेत्रफल ज्ञात कीजिए ।

 $(\pi = 3.14$  और  $\sqrt{3} = 1.73$  का प्रयोग कीजिए)

**31.** एक त्रिभुज ABC में, ∠ A = x°, ∠ B =  $(3x - 2)^\circ$  तथा ∠ C = y° है । साथ ही, ∠ C - ∠ B = 9° है । त्रिभुज के तीनों कोण ज्ञात कीजिए ।

30/C/2 **~~~** Page 14

## **SECTION C**

This section comprises of short answer (SA) type questions of 3 marks each.

**26.** State and prove Basic Proportionality theorem.

27. (a) Find the sum of all integers between 50 and 500, which are divisible by 7.

#### OR

- (b) How many numbers lie between 10 and 300, which when divided by 4 leave a remainder 3 ? Also, find their sum.
- **28.** Sum of the areas of two squares is 468 m<sup>2</sup>. If the difference of their perimeters is 24 m, find the lengths of the sides of the two squares.
- 29. Two water taps together can fill a tank in  $3\frac{1}{3}$  hours. The tap of larger diameter takes 5 hours less than the smaller one to fill the tank separately. Find the time in which each tap can fill the tank separately.
- 30. (a) Find the area of the minor and the major sectors of a circle with radius 6 cm, if the angle subtended by the minor arc at the centre is  $60^{\circ}$ . (Use  $\pi = 3.14$ )

#### OR

- (b) If a chord of a circle of radius 10 cm subtends an angle of 60° at the centre of the circle, find the area of the corresponding minor segment of the circle. (Use  $\pi = 3.14$  and  $\sqrt{3} = 1.73$ )
- **31.** In a  $\triangle$  ABC,  $\angle$  A = x°,  $\angle$  B =  $(3x 2)^{\circ}$  and  $\angle$  C = y°. Also,  $\angle$  C  $\angle$  B = 9°. Determine the three angles of the triangle.

30/C/2 **~~~** Page 15

P.T.O.

#### खण्ड घ

इस खण्ड में दीर्घ-उत्तरीय (LA) प्रकार के प्रश्न हैं, जिनमें प्रत्येक के 5 अंक हैं ।

**32.** एक स्कूल के दसवीं कक्षा की 50 छात्राओं की ऊँचाई (cm में) का सर्वेक्षण किया गया और संबंधित निम्नलिखित आँकड़े प्राप्त हुए :

ऊँचाई (cm में)	छात्राओं की संख्या
120 – 130	2
130 – 140	8
140 - 150	12
150 - 160	20
160 - 170	8
कुल	50

उपर्युक्त आँकड़ों का माध्य और बहुलक ज्ञात कीजिए।

33. (क) एक तंबू 3 m की ऊँचाई तक एक लंब-वृत्तीय बेलन के आकार का है और फिर भूमि के ऊपर 13·5 m की अधिकतम ऊँचाई के साथ लंब-वृत्तीय शंकु बन जाता है । यदि आधार की त्रिज्या 14 m है, तो ₹ 2 प्रति वर्ग मीटर की दर से तंबू के भीतरी भाग को पेंट कराने की लागत ज्ञात कीजिए ।

#### अथवा

- (ख) एक ठोस लकड़ी का खिलौना एक लंब-वृत्तीय शंकु के आकार का है जो उसी त्रिज्या के एक अर्धगोले पर अध्यारोपित है । यदि अर्धगोले की त्रिज्या 4.2 cm तथा खिलौने की कुल ऊँचाई 10.2 cm है, तो लकड़ी के खिलौने का आयतन ज्ञात कीजिए । इस खिलौने का कुल पृष्ठीय क्षेत्रफल भी ज्ञात कीजिए ।
- **34.** 60 m ऊँचे भवन के शिखर से एक केबल टावर के शिखर और तल के अवनमन कोण क्रमश:  $45^{\circ}$  और  $60^{\circ}$  हैं । टावर की ऊँचाई ज्ञात कीजिए । ( $\sqrt{3} = 1.73$  का प्रयोग कीजिए)
- 30/C/2 **~~~** Page 16



## SECTION D

This section comprises long answer (LA) type questions of 5 marks each.

**32.** A survey regarding the heights (in cm) of 50 girls of class X of a school was conducted and the following data was obtained :

Height (in cm)	Number of girls
120 – 130	2
130 – 140	8
140 - 150	12
150 - 160	20
160 – 170	8
Total	50

Find the mean and mode of the above data.

33. (a) A tent is in the shape of a right circular cylinder up to a height of 3 m and then a right circular cone, with a maximum height of 13.5 m above the ground. Calculate the cost of painting the inner side of the tent at the rate of ₹ 2 per square metre, if the radius of the base is 14 m.

## OR

- (b) A solid wooden toy is in the shape of a right circular cone mounted on a hemisphere of same radius. If the radius of the hemisphere is 4·2 cm and the total height of the toy is 10·2 cm, find the volume of the wooden toy. Also, find the total surface area of the toy.
- **34.** From the top of a 60 m high building, the angles of depression of the top and bottom of a cable tower are observed to be  $45^{\circ}$  and  $60^{\circ}$  respectively. Find the height of the tower. (Use  $\sqrt{3} = 1.73$ )
- 30/C/2 **~~~~**

**35.** (क) सिद्ध कीजिए कि :  $\frac{1+\sin\theta}{1-\sin\theta} - \frac{1-\sin\theta}{1+\sin\theta} = 4 \tan\theta \sec\theta$ 

अथवा

(ख) मान ज्ञात कीजिए :  $\frac{\tan^2 60^\circ + 4 \sin^2 45^\circ + 3 \sec^2 60^\circ + 5 \cos^2 90^\circ}{\csc 30^\circ + \sec 60^\circ - \cot^2 30^\circ}$ 

खण्ड ङ

इस खण्ड में 3 प्रकरण अध्ययन आधारित प्रश्न हैं जिनमें प्रत्येक के 4 अंक हैं ।

### प्रकरण अध्ययन – 1

36. 14 फरवरी को इंटरनेशनल बुक गिविंग डे के रूप में मनाया जाता है और दुनिया के कई देश इस दिन को मनाते हैं । भारत में भी कुछ लोगों ने इस दिन को मनाना शुरू किया और एक सार्वजनिक पुस्तकालय को निम्नलिखित संख्या में कुछ विषयों की पुस्तकें दान कीं :

इतिहास = 96, विज्ञान = 240, गणित = 336

इन पुस्तकों को कम-से-कम ढेरों में इस प्रकार व्यवस्थित करना है कि प्रत्येक ढेर में केवल एक विषय की पुस्तकें हों और प्रत्येक ढेर पर पुस्तकों की संख्या समान हो।

उपर्युक्त सूचना के आधार पर, निम्नलिखित प्रश्नों के उत्तर दीजिए :

- (i) प्रत्येक ढेर में कितनी किताबें व्यवस्थित हैं ?
- गणित की सभी पुस्तकों को व्यवस्थित करने के लिए कितने ढेरों का उपयोग किया जाता है ?
- (iii) (क) सभी पुस्तकों को व्यवस्थित करने के लिए उपयोग किए जाने वाले ढेरों की कुल संख्या निर्धारित कीजिए ।

अथवा

30/C/2 **~~~** Page 18

1

1

**35.** (a) Prove that :  $\frac{1 + \sin \theta}{1 - \sin \theta} - \frac{1 - \sin \theta}{1 + \sin \theta} = 4 \tan \theta \sec \theta$ 

OR

(b) Evaluate :

 $\frac{\tan^2 \, 60^\circ + 4 \sin^2 \, 45^\circ + 3 \sec^2 \, 60^\circ + 5 \cos^2 \, 90^\circ}{\csc \, 30^\circ + \sec \, 60^\circ - \cot^2 \, 30^\circ}$ 

## SECTION E

This section comprises 3 case study based questions of 4 marks each.

## Case Study – 1

**36.** February 14 is celebrated as International Book Giving Day and many countries in the world celebrate this day. Some people in India also started celebrating this day and donated the following number of books of various subjects to a public library :

History = 96, Science = 240, Mathematics = 336.

These books have to be arranged in minimum number of stacks such that each stack contains books of only one subject and the number of books on each stack is the same.

Based on the above information, answer the following questions :

(i)	How many books are arranged in each stack ?	1
(ii)	How many stacks are used to arrange all the Mathematics books ?	1

(iii) (a) Determine the total number of stacks that will be used for arranging all the books.

OR

30/C/2 **~~~** 

*P.T.O.* 



(iii) (ख) यदि इतिहास, विज्ञान और गणित की प्रत्येक पुस्तक की मोटाई क्रमश:
 1.8 cm, 2.2 cm और 2.5 cm है, तो इतिहास, विज्ञान और गणित की पुस्तकों के प्रत्येक ढेर की ऊँचाई ज्ञात कीजिए।

#### प्रकरण अध्ययन – 2

37. बगीचे में खेलते समय समायरा ने एक छत्ते को देखा और अपनी माँ से पूछा कि यह क्या है । उसकी माँ ने उत्तर दिया कि यह मधुमक्खियों द्वारा शहद जमा करने के लिए बनाया गया छत्ता है । साथ ही, उसने उसे बताया कि बनने वाले छत्ते की आकृति एक गणितीय संरचना है । छत्ते की गणितीय संरचना को ग्राफ में दिखाया गया है ।



उपर्युक्त सूचना के आधार पर, निम्नलिखित प्रश्नों के उत्तर दीजिए :

(i)दिए गए ग्राफ द्वारा दर्शाए गए बहुपद के लिए कितने शून्यक हैं ?1(ii)बहुपद के शून्यक लिखिए ।1(iii)(क)यदि बहुपद  $x^2 + (a + 1)x + b$  के शून्यक 2 और -3 हों, तो a और b के<br/>मान ज्ञात कीजिए ।2अथवा

30/C/2

Page 20



 (iii) (b) If the thickness of each book of History, Science and Mathematics is 1.8 cm, 2.2 cm and 2.5 cm respectively, then find the height of each stack of History, Science and Mathematics books.

## Case Study – 2

**37.** While playing in a garden, Samaira saw a honeycomb and asked her mother what is that. Her mother replied that it's a honeycomb made by honey bees to store honey. Also, she told her that the shape of the honeycomb formed is a mathematical structure. The mathematical representation of the honeycomb is shown in the graph.



Based on the above information, answer the following questions :

(i)	How	many zero	oes are there for the polynomial repre-	sented by the	
	grap	h given ?			1
(ii)	Writ	the zeroes	es of the polynomial.		1
(iii)	(a)	If the zer then dete	roes of a polynomial $x^2 + (a + 1) x + b$ ermine the values of a and b.	are 2 and – 3,	2
		OI	R		
30/C/2	~~	~~~	Page 21	P.T	.O.



यदि बहुपद  $x^2$  + px + 45 के शून्यकों के अन्तर का वर्ग 144 है, तो p का (ख) (iii) मान ज्ञात कीजिए।

2

#### प्रकरण अध्ययन – 3

एक पार्क में चार खंभे एक वृत्ताकार फव्वारे के चारों ओर A, B, C और D की स्थिति में इस 38. प्रकार खड़े होते हैं कि खंभे AB, BC, CD और DA में लगने वाला कपड़ा क्रमश: P, Q, R और S पर वृत्ताकार फव्वारे को छूता है जैसा कि चित्र में दिखाया गया है।



उपर्युक्त सूचना के आधार पर, निम्न प्रश्नों के उत्तर दीजिए :

- यदि वृत्ताकार फव्वारे का केन्द्र O है, तो ∠ OSA का माप ज्ञात कीजिए। (i) 1
- यदि AB = AD हो, तो ABCD आकृति का नाम लिखिए। (ii) 1
- यदि DR = 7 cm और AD = 11 cm है, तो AP की लम्बाई ज्ञात कीजिए । (iii) (क) 2अथवा
- यदि वृत्ताकार फव्वारे का केन्द्र O है और  $\angle$  QCR = 60° है, तो  $\angle$  QOR (iii) (ख) का माप ज्ञात कीजिए। 2

30/C/2



(iii) (b) If the square of difference of the zeroes of the polynomial  $x^2 + px + 45$  is 144, then find the value of p.

## Case Study – 3

**38.** In a park, four poles are standing at positions A, B, C and D around the circular fountain such that the cloth joining the poles AB, BC, CD and DA touches the circular fountain at P, Q, R and S respectively as shown in the figure.



Based on the above information, answer the following questions :

(i)	If O	is the centre of the circular fountain, then $\angle$ OSA =	1
(ii)	If AF	B = AD, then write the name of the figure ABCD.	1
(iii)	(a)	If $DR = 7$ cm and $AD = 11$ cm, then find the length of AP.	2
		OR	
(;;;;)	( <b>b</b> )	If $\Omega$ is the control of the circular fountain with $\langle \Omega CR - 60^{\circ}$	

(iii) (b) If O is the centre of the circular fountain with  $\angle QCR = 60^{\circ}$ , then find the measure of  $\angle QOR$ . 2

#### Marking Scheme Strictly Confidential (For Internal and Restricted use only) Secondary School Supplementary Examination, July- 2023 MATHEMATICS PAPER CODE 30/C/2

Gener	al Instructions: -
1	You are aware that evaluation is the most important process in the actual and correct assessment of the candidates. A small mistake in evaluation may lead to serious problems which may affect the
	future of the candidates, education system and teaching profession. To avoid mistakes, it is requested
•	that before starting evaluation, you must read and understand the spot evaluation guidelines carefully.
2	"Evaluation policy is a confidential policy as it is related to the confidentiality of the examinations conducted Evaluation done and covered other espects. Its' lookage to public in
	any manner could lead to derailment of the examination system and affect the life and future
	of millions of candidates. Sharing this policy/document to anyone, publishing in any magazine
	and printing in News Paper/Website etc may invite action under various rules of the Board and
	IPC."
3	Evaluation is to be done as per instructions provided in the Marking Scheme. It should not be done
	according to one's own interpretation or any other consideration. Marking Scheme should be strictly
	adhered to and religiously followed. However, while evaluating, answers which are based on
	correctness otherwise and due marks be awarded to them. In class-X, while evaluating two
	competency-based questions, please try to understand given answer and even if reply is not
	from marking scheme but correct competency is enumerated by the candidate, due marks
	should be awarded.
4	The Marking scheme carries only suggested value points for the answers.
	These are in the nature of Guidelines only and do not constitute the complete answer. The students
	can have their own expression and if the expression is correct, the due marks should be awarded
5	The Head Examiner must go through the first five answer books evaluated by each evaluator on the
5	first day to ensure that evaluation has been carried out as per the instructions given in the Marking
	Scheme. If there is any variation, the same should be zero after deliberation and discussion. The
	remaining answer books meant for evaluation shall be given only after ensuring that there is no
	significant variation in the marking of individual evaluators.
6	Evaluators will mark ( $$ ) wherever answer is correct. For wrong answer CROSS 'X" be marked.
	Evaluators will not put right ( $\checkmark$ ) while evaluating which gives an impression that answer is correct
_	and no marks are awarded. This is most common mistake which evaluators are committing.
7	If a question has parts, please award marks on the right-hand side for each part. Marks awarded for
	different parts of the question should then be totaled up and written in the left-hand margin and
8	If a question does not have any parts, marks must be awarded in the left hand margin and encircled
0	This may also be followed strictly
9	In O1-O20, if a candidate attempts the question more than once (without canceling the previous
-	attempt), marks shall be awarded for the first attempt only and the other answer scored out
	with a note "Extra Question".
10	In Q21-Q38, if a student has attempted an extra question, answer of the question deserving
	more marks should be retained and the other answer scored out with a note "Extra Question".

11	No marks to be deducted for the cumulative effect of an error. It should be penalized only once.
12	A full scale of marks (example 0 to 80/70/60/50/40/30 marks as given in Question
	Paper) has to be used. Please do not hesitate to award full marks if the answer deserves it.
13	Every examiner has to necessarily do evaluation work for full working hours i.e., 8 hours every day
	and evaluate 20 answer books per day in main subjects and 25 answer books per day in other subjects
	(Details are given in Spot Guidelines). This is in view of the reduced syllabus and number of
	questions in question paper.
14	Ensure that you do not make the following common types of errors committed by the Examiner in
	the past:-
	• Leaving answer or part thereof unassessed in an answer book.
	• Giving more marks for an answer than assigned to it.
	• Wrong totaling of marks awarded on an answer.
	• Wrong transfer of marks from the inside pages of the answer book to the title page.
	• Wrong question wise totaling on the title page.
	• Wrong totaling of marks of the two columns on the title page.
	• Wrong grand total.
	• Marks in words and figures not tallying/not same.
	• Wrong transfer of marks from the answer book to online award list.
	• Answers marked as correct, but marks not awarded. (Ensure that the right tick mark is correctly
	and clearly indicated. It should merely be a line. Same is with the X for incorrect answer.)
	• Half or a part of answer marked correct and the rest as wrong, but no marks awarded.
15	While evaluating the answer books if the answer is found to be totally incorrect, it should be marked
	as cross (X) and awarded zero (0) Marks.
16	Any un assessed portion, non-carrying over of marks to the title page, or totaling error detected by
	the candidate shall damage the prestige of all the personnel engaged in the evaluation work as also
	of the Board. Hence, in order to uphold the prestige of all concerned, it is again reiterated that the
	instructions be followed meticulously and judiciously.
17	The Examiners should acquaint themselves with the guidelines given in the "Guidelines for spot
	Evaluation" before starting the actual evaluation.
18	Every Examiner shall also ensure that all the answers are evaluated, marks carried over to the title
	page, correctly totaled and written in figures and words.
19	The candidates are entitled to obtain photocopy of the Answer Book on request on payment of the
	prescribed processing fee. All Examiners/Additional Head Examiners/Head Examiners are once
	again reminded that they must ensure that evaluation is carried out strictly as per value points for
	each answer as given in the Marking Scheme.

## MARKING SCHEME MATHEMATICS (Subject Code–041) (PAPER CODE: 30/C/2)

Q. No.	EXPECTED OUTCOMES/VALUE POINTS	Marks
	SECTION A	
	Questions no. 1 to 18 are multiple choice questions (MCQs) and	l
	questions number 19 and 20 are Assertion-Reason based questions of 1	l
	mark each	
1.	The value of $k$ for which the quadratic equation $2x^2-10x+k=0$ has real and equal roots, is :	l
	(a) $\frac{25}{2}$ (b) $\frac{1}{5}$	l
	(c) $-\frac{5}{2}$ (d) $\frac{1}{2}$	l
Sol.	$(a)\frac{25}{2}$	1
2.	If AB is a chord of a circle with centre at $O(2, 3)$ , where the coordinates of A and B are $(4, 3)$ and $(x, 5)$ respectively, then the value of x is :	
	(a) 3 (b) 2	l
	(c) 5 (d) 4	
Sol.	(b) 2	1
3.	The zeroes of the polynomial $3x^2 + 11x - 4$ are :	
	(a) $\frac{1}{2}, -4$ (b) $\frac{1}{4}, -3$	
	(c) $\frac{1}{3}, -4$ (d) $\frac{1}{3}, 4$	
Sol.	$(c)\frac{1}{3}, -4$	1
4.	In a family of two children, the probability of having at least one girl is :	
	(a) $\frac{1}{2}$ (b) $\frac{2}{5}$	
	(c) $\frac{3}{4}$ (d) $\frac{1}{4}$	
Sol.	$(c)\frac{3}{4}$	1

5.	The distance of the point (4, 7) from the x-axis is :	
	(a) 7 units (b) 5 units	
	(c) 4 units (d) 10 units	
Sol.	(a) 7 units	1
6.	$2\cos^2\theta (1 + \tan^2\theta)$ is equal to :	
	(a) = 0 (b) 1	
	(c) 2 (d) 3	
Sol.	(c) 2	1
7.	Graphically, the pair of equations $-6x - 2y = 21$ and $2x - 3y + 7 = 0$ represents two lines which are : (a) intersecting exactly at one point (b) intersecting exactly at two points (c) coincident (d) parallel	
<b>C</b> 1	(a) intersecting exectly at one point	
Sol.	(a) mersecting exactly at one point	1
<u> </u>	If a bicycle wheel makes 5000 revolutions in moving 11 km, then the diameter of the wheel is :	1
<u> </u>	(a) intersecting exactly at one point         If a bicycle wheel makes 5000 revolutions in moving 11 km, then the diameter of the wheel is :         (a) 65 cm       (b) 35 cm	1
<u> </u>	(a) intersecting exactly at one point         If a bicycle wheel makes 5000 revolutions in moving 11 km, then the diameter of the wheel is :         (a) 65 cm       (b) 35 cm         (c) 70 cm       (d) 50 cm	1
<u>Sol.</u> 8. Sol.	(a) intersecting exactly at one point         If a bicycle wheel makes 5000 revolutions in moving 11 km, then the diameter of the wheel is :         (a) 65 cm       (b) 35 cm         (c) 70 cm       (d) 50 cm         (c) 70 cm	1
Sol. 8. Sol. 9.	(a) Intersecting exactly at one point         If a bicycle wheel makes 5000 revolutions in moving 11 km, then the diameter of the wheel is :         (a) 65 cm       (b) 35 cm         (c) 70 cm       (d) 50 cm         (c) 70 cm       (d) 50 cm         The length of the tangent drawn from a point P, whose distance from the centre of a circle is 25 cm, and the radius of the circle is 7 cm, is :         (a) 22 cm       (b) 24 cm         (c) 25 cm       (d) 28 cm	1
Sol. 8. Sol. 9. Sol.	(a) finersecting exactly at one point         If a bicycle wheel makes 5000 revolutions in moving 11 km, then the diameter of the wheel is :         (a) 65 cm       (b) 35 cm         (c) 70 cm       (d) 50 cm         (c) 70 cm       The length of the tangent drawn from a point P, whose distance from the centre of a circle is 25 cm, and the radius of the circle is 7 cm, is :         (a) 22 cm       (b) 24 cm         (c) 25 cm       (d) 28 cm	1

10.	In the figure, PA and PB are ty	wo tangents to the circle with centre O	
	such that $\angle$ APB = 50°. Then, the	e measure of $\angle$ OAB is :	
	P 50° A O B	)	
	(a) 25°	(b) 50°	
	(c) 75°	(d) 100°	
Sol.	(a) 25°		1
11.	OACB is a quadrant of a circle wi	ith centre O and radius 7 cm where ACB	
	is the arc. Then the perimeter of t	the quadrant is :	
	(a) 15 cm	(b) 50 cm	
	(c) 25 cm	(d) 44 cm	
Sol	(c) 25 cm		1
Sol. 12.	(c) 25 cm		1
Sol. 12.	(c) 25 cm If 2x, x + 10, 3x + 2 are three value of x is :	e consecutive terms of an A.P., then the	1
Sol. 12.	<ul> <li>(c) 25 cm</li> <li>If 2x, x + 10, 3x + 2 are three value of x is :</li> <li>(a) 4</li> </ul>	e consecutive terms of an A.P., then the (b) 5	1
Sol. 12.	<ul> <li>(c) 25 cm</li> <li>If 2x, x + 10, 3x + 2 are three value of x is :</li> <li>(a) 4</li> <li>(c) 6</li> </ul>	e consecutive terms of an A.P., then the (b) 5 (d) 8	1
Sol. 12.	<ul> <li>(c) 25 cm</li> <li>If 2x, x + 10, 3x + 2 are three value of x is :</li> <li>(a) 4</li> <li>(c) 6</li> </ul>	e consecutive terms of an A.P., then the (b) 5 (d) 8	1
Sol. 12. Sol. 13.	<ul> <li>(c) 25 cm</li> <li>If 2x, x + 10, 3x + 2 are three value of x is :</li> <li>(a) 4</li> <li>(c) 6</li> <li>(c) 6</li> <li>In a single throw of two dice, the single three of two dices.</li> </ul>	e consecutive terms of an A.P., then the (b) 5 (d) 8 e probability of getting a sum of 10 is :	1
Sol. 12. Sol. 13.	<ul> <li>(c) 25 cm</li> <li>If 2x, x + 10, 3x + 2 are three value of x is :</li> <li>(a) 4</li> <li>(c) 6</li> <li>(c) 6</li> <li>In a single throw of two dice, the 1</li> </ul>	e consecutive terms of an A.P., then the (b) 5 (d) 8 he probability of getting a sum of 10 is : 1	1
Sol. 12. Sol. 13.	<ul> <li>(c) 25 cm</li> <li>If 2x, x + 10, 3x + 2 are three value of x is :</li> <li>(a) 4</li> <li>(c) 6</li> <li>(c) 6</li> <li>In a single throw of two dice, the (a) 1/12</li> </ul>	e consecutive terms of an A.P., then the (b) 5 (d) 8 the probability of getting a sum of 10 is : (b) $\frac{1}{36}$	1
Sol. 12. Sol. 13.	(c) 25 cm If 2x, $x + 10$ , $3x + 2$ are three value of x is : (a) 4 (c) 6 (c) 6 In a single throw of two dice, th (a) $\frac{1}{12}$ (c) $\frac{1}{2}$	e consecutive terms of an A.P., then the (b) 5 (d) 8 the probability of getting a sum of 10 is : (b) $\frac{1}{36}$ (d) $\frac{1}{36}$	1
Sol. 12. Sol. 13.	(c) 25 cm If 2x, x + 10, 3x + 2 are three value of x is : (a) 4 (c) 6 (c) 6 In a single throw of two dice, th (a) $\frac{1}{12}$ (c) $\frac{1}{6}$	e consecutive terms of an A.P., then the (b) 5 (d) 8 the probability of getting a sum of 10 is : (b) $\frac{1}{36}$ (d) $\frac{1}{4}$	1
Sol. 12. Sol. 13.	(c) 25 cm If 2x, x + 10, 3x + 2 are three value of x is : (a) 4 (c) 6 (c) 6 In a single throw of two dice, th (a) $\frac{1}{12}$ (c) $\frac{1}{6}$ (a) $\frac{1}{12}$	e consecutive terms of an A.P., then the (b) 5 (d) 8 the probability of getting a sum of 10 is : (b) $\frac{1}{36}$ (d) $\frac{1}{4}$	1
Sol. 12. Sol. 13. Sol.	(c) 25 cm If 2x, x + 10, 3x + 2 are three value of x is : (a) 4 (c) 6 (c) 6 In a single throw of two dice, th (a) $\frac{1}{12}$ (c) $\frac{1}{6}$ (a) $\frac{1}{12}$	e consecutive terms of an A.P., then the (b) 5 (d) 8 the probability of getting a sum of 10 is : (b) $\frac{1}{36}$ (d) $\frac{1}{4}$	1
Sol. 12. Sol. 13.	(c) 25 cm If 2x, x + 10, 3x + 2 are three value of x is : (a) 4 (c) 6 (c) 6 In a single throw of two dice, th (a) $\frac{1}{12}$ (c) $\frac{1}{6}$ (a) $\frac{1}{12}$	e consecutive terms of an A.P., then the (b) 5 (d) 8 the probability of getting a sum of 10 is : (b) $\frac{1}{36}$ (d) $\frac{1}{4}$	1
Sol. 12. Sol. 13. Sol.	(c) 25 cm If 2x, x + 10, 3x + 2 are three value of x is : (a) 4 (c) 6 (c) 6 In a single throw of two dice, th (a) $\frac{1}{12}$ (c) $\frac{1}{6}$ (a) $\frac{1}{12}$	e consecutive terms of an A.P., then the (b) 5 (d) 8 the probability of getting a sum of 10 is : (b) $\frac{1}{36}$ (d) $\frac{1}{4}$	1

14.	The height of a tower is 20 m. The length of its shadow made on the level ground when the Sun's altitude is 60°, is :	
	(a) $\frac{20}{\sqrt{3}}$ m (b) $\frac{20}{3}$ m	
	(c) $20\sqrt{3}$ m (d) $20$ m	
Sol.	$(a) \frac{20}{\sqrt{3}} m$	1
15.	In the given figure, DE    BC and all measurements are given in centimetres. The length of AE is : A	
	B $C$ $E$ $C$ $E$ $C$	
	(a) 2 cm (b) 2.25 cm	
	(c) 2.5 cm (d) 2.75 cm	
Sol.	(b) 2.25 cm	1
16.	A number is chosen from the numbers 1, 2, 3 and denoted as x, and a number is chosen from the numbers 1, 4, 9 and denoted as y. Then $P(xy < 9)$ is :	
	(a) $\frac{1}{9}$ (b) $\frac{3}{9}$	
	(c) $\frac{5}{9}$ (d) $\frac{7}{9}$	
Sol.	$(c)\frac{5}{9}$	1

17.	A vertical pole 10 m long casts a shadow of length 5 m on the ground. At the same time, a tower casts a shadow of length $12.5$ m on the ground. The height of the tower is :	
	(a) 20 m (b) 22 m	
	(c) 25 m (d) 24 m	
Sol.	(c) 25 m	1
18.	Using empirical relationship, the mode of a distribution whose mean is $7.2$ and the median $7.1$ , is :	
	(a) 6·2 (b) 6·3	
	(c) 6·5 (d) 6·9	
Sol.	(d) 6.9	1
	Questions number 19 and 20 are Assertion and Reason based questions carrying 1 mark each. Two statements are given, one labelled as Assertion (A) and the other is labelled as Reason (R). Select the correct answer to these questions from the codes (a), (b), (c) and (d) as given below.	
	<ul> <li>(a) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A).</li> <li>(b) Both Assertion (A) and Reason (R) are true, but Reason (R) is <b>not</b></li> </ul>	
	the correct explanation of the Assertion (A).	
	(c) Assertion (A) is true, but Reason (R) is false.	
	(d) Assertion (A) is false, but Reason (R) is true.	
19.	Assertion (A): A fair die is thrown once. The probability of getting a prime number is $\frac{1}{2}$ .	
	Reason (R): A natural number is a prime number if it has only two factors.	
Sol.	(a) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A).	1
20.	Assertion (A) : Two players, Sania and Ashnam play a tennis match. The probability of Sania winning the match is 0.79 and that of Ashnam winning the match is 0.21.	
	$Reason\ (R)$ : The sum of probabilities of two complementary events is 1.	
Sol.	(a) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A).	1

	SECTION B	
	This section comprises very short answer (VSA) type questions of 2	
	marks each.	
21 (a).	If $A(-2, -1)$ , $B(a, 0)$ , $C(4, b)$ and $D(1, 2)$ are the vertices of a parallelogram ABCD, then find the values of a and b.	
Sol.	Coordinates of the mid-point of AC = Coordinates of the mid-point of BD $\left(\frac{-2+4}{2}, \frac{-1+b}{2}\right) = \left(\frac{a+1}{2}, \frac{0+2}{2}\right)$	1
	$\therefore \frac{-2+4}{2} = \frac{a+1}{2} \implies a = 1$	1/2
	and $\frac{-1+b}{2} = \frac{0+2}{2} \implies b = 3$	1⁄2
	OR	
21 (b).	The three vertices of a parallelogram ABCD, taken in order, are A(-1, 0), B(3, 1) and C(2, 2). Find the coordinates of the fourth vertex D.	
Sol.	Let the coordinates of fourth vertex D be $(x, y)$	
	Coordinates of the mid-point of $AC = Coordinates$ of the mid-point of BD	
	$\left(\frac{-1+2}{2}, \frac{0+2}{2}\right) = \left(\frac{3+x}{2}, \frac{1+y}{2}\right)$	1
	$\therefore \frac{-1+2}{2} = \frac{3+x}{2} \implies x = -2$	1/2
	and $\frac{0+2}{2} = \frac{1+y}{2} \implies y = 1$	1/2
22.	In the given figure, $\frac{AO}{OC} = \frac{BO}{OD} = \frac{1}{2}$ and AB = 5 cm. Find the length of	
	DC. $A \rightarrow B$ $D \rightarrow C$	
Sol.	In $\triangle AOB$ and $\triangle COD$	
	$\frac{de}{dc} = \frac{de}{dD}$ (Given)	
	$\angle AOB = \angle COD (V.O.A.)$	
	$\therefore \Delta AOB \sim \Delta COD (SAS rule)$	1

	$\frac{AO}{AB} = \frac{AB}{AB}$ (C.P.S.T.)	
	OC CD ( ) 1 _ 5	
	$\overline{2} = \overline{CD}$	
	$\Rightarrow$ CD = 10 cm	1
23 (a).	If $\sqrt{2}$ is given as an irrational number, then prove that $(5-2\sqrt{2})$	
	is an irrational number	
	is an irrational number.	
Sol.	Let us assume that $5 - 2\sqrt{2}$ be a rational number.	
	$\therefore 5 - 2\sqrt{2} = \frac{p}{a}$ , where p and q are integers and $q \neq 0$ .	1
	$\Rightarrow \sqrt{2} = \frac{5q - p}{p}$	1/2
	2q RHS is a rational number. So, I HS is also a rational number which contradict	
	the given fact that $\sqrt{2}$ is an irrational number	
	So, our assumption is wrong.	
	Hence, $5 - 2\sqrt{2}$ is an irrational number.	1/2
	OR	
23 (b).	Check whether 6 <sup>n</sup> can end with the digit 0 for any natural	
	number n.	
Sol.	If the number $6^n$ ends with the digit 0, then it should be divisible by 2 and 5.	
	But prime factorisation of $6^n$ is $(2 \times 3)^n$ .	1
	$\therefore$ Prime factorisation of 6 <sup>n</sup> does not contain prime number 5.	1
	Hence, 6 <sup>th</sup> can't end with the digit 0.	1
24.	A circle is touching the side BC of a $\Delta$ ABC at the point P and touching	
	AB and AC produced at points Q and R respectively.	
	Prove that $AQ = \frac{1}{2}$ (Perimeter of $\triangle$ ABC).	
	A B P C R	

Sol.	Perimeter of $\triangle ABC = AB + BC + CA$			
	= AB + BP + CP + CA	1/2		
	= AB + BQ + CR + CA [BP = BQ; CP = CR]	1/2		
	= AQ + AR			
	$= AQ + AQ \qquad [AQ = AR]$	1/2		
	= 2  AQ			
	$\therefore AQ = \frac{1}{2} (Perimeter of \Delta ABC)$	1/2		
25.	Find the ratio in which the point (-1, k) divides the line segment joining			
	the points $(-3, 10)$ and $(6, -8)$ . Hence, find the value of k.			
Sol.	Let C $(-1, k)$ be divides the line segment joining the points A $(-3, 10)$			
	and B $(6, -8)$ in the ratio m : 1.			
	Using section formula			
	1 -3 + 6m			
	$-1 = \frac{1}{m+1}$			
	$\Rightarrow$ m = $\frac{2}{-}$	1		
	7 Hance required ratio is 2 + 7	1		
	$10\times7-8\times2$	1		
	$k = \frac{10 \times 7 - 3 \times 2}{2 + 7} = 6$	I		
	SECTION C			
	This section comprises of Short Answer (SA) type questions of 3 marks			
	each.			
26				
20.	State and prove Basic Proportionality theorem.			
Sol.	Correct statement of Basic Proportionality	1/2		
	Correct figure, given, to prove and construction	1		
	Correct proof	11/2		
27 (a).	Find the sum of all integers between 50 and 500 which are			
	The me sum of an integers between so and boo, when are			
	divisible by 7.			
Sol.	56, 63,, 497	1		
	Here $a = 56$ and $d = 7$			
	Let $a_n = 497$			
	$\Rightarrow$ 56 + (n - 1) × 7 = 497	1/2		
	$\Rightarrow$ n = 64	1/2		
	$S_{64} = \frac{64}{2} \times (56 + 497) = 17696$	1		
	1304 - 2 x (30 + 177) - 17070			
	OR	1		
	OR	1		

27 (b).	How many numbers lie between 10 and 300, which when divided	
	by 4 leave a remainder 3 ? Also, find their sum.	
Sol.	11, 15,, 299	1
	Here $a = 11$ and $d = 4$	
	Let $a_n = 299$	1/
	$\implies 11 + (n-1) \times 4 = 299$	$\frac{1/2}{1/2}$
	$\implies n = 73$	72
	$S_{73} = \frac{1}{2} \times (11 + 299) = 11315$	1
28.	Sum of the areas of two squares is $468 \text{ m}^2$ . If the difference of their	
	perimeters is 24 m, find the lengths of the sides of the two squares.	
Sol.	Let the lengths of the sides of the two squares be 'x' m and 'y' m s.t. $x > y$	
	A.T.Q.	
	$x^2 + y^2 = 468$ (1)	1/2
	4x - 4y = 24	
	$\Rightarrow$ x - y = 6(2)	1/2
	From $(1)$ and $(2)$ , we get	
	$y^2 + 6y - 216 = 0$	
	$\Rightarrow$ y = 12 and y = -18	1
	But side of a square is always positive,	
	So, y = 12	
	and $x = 18$	
	Hence, the lengths of the sides of two squares are 12 m and 18 m.	
29.	Two water taps together can fill a tank in $3\frac{1}{3}$ hours. The tap of larger	
	diameter takes 5 hours less than the smaller one to fill the tank	
	separately. Find the time in which each tap can fill the tank separately.	
Sol.	Let the time taken by the tap of smaller diameter to fill the tank separately be 'x' hours and the time taken by the tap of larger diameter to fill the tank separately be $(x - 5)$ hours.	
	A.I.Q.	1
	$\frac{1}{x} + \frac{1}{x-5} = \frac{1}{10}$	I   1
	$\implies 3x^2 - 35x + 50 = 0$ $\implies (x - 10)(2x - 5) = 0$	
	$\implies (x - 10)(3x - 3) = 0$ $\implies x = 10 \text{ an } x^{-5}$	
	$\Rightarrow x = 10 \text{ or } x = \frac{1}{3}$	1/
	But $x = \frac{3}{3}$ is not possible, so $x = 10$	1/2

MS\_X\_Mathematics\_041\_30/C/2\_2022-23

	$\therefore$ time taken by the tap of smaller diameter to fill the tank separately is 10 hours		
	and time taken by the tap of larger diameter to fill the tank separately is	- 1/2	
	10 – 5 = 5 hours		
<b>30</b> (a).	Find the area of the minor and the major sectors of a circle with		
	radius 6 cm, if the angle subtended by the minor arc at the centre		
	is 60°. (Use $\pi = 3.14$ )		
Sol.	Area of minor sector = $\frac{3.14 \times (6)^2 \times 60^\circ}{2.000}$		
	= 18.84	1	
	Hence, area of minor segment is $18.84 \text{ cm}^2$	-72	
	Area of major sector = Area of circle – Area of minor sector		
	$= 3.14 \times (6)^2 - 18.84$	1	
	= 94.2	1⁄2	
	Hence, area of major segment is 94.2 cm <sup>2</sup>		
	OR		
<b>30 (b).</b>	If a chord of a circle of radius 10 cm subtends an angle of $60^{\circ}$ at the		
	centre of the circle, find the area of the corresponding minor		
	segment of the circle. (Use $\pi=3{\cdot}14$ and $\sqrt{3}~=1{\cdot}73$ )		
Sol.	Area of minor segment = $\frac{3.14 \times (10)^2 \times 60^\circ}{1000} - \frac{1}{2} \times (10)^2 \times \frac{\sqrt{3}}{1000}$	2	
	$360^{\circ}$ 2 2 2 _ 314 173	1/2	
	$=\frac{-1}{6}$	1/	
	$=9\frac{1}{12}$ or 9.08	1/2	
	Hence, area of minor segment is 9.08 cm <sup>2</sup> .		
31.	In a $\triangle$ ABC, $\angle$ A = x°, $\angle$ B = $(3x - 2)^{\circ}$ and $\angle$ C = y°. Also, $\angle$ C – $\angle$ B = 9°.		
	Determine the three angles of the triangle.		
Sol.	$\angle A + \angle B + \angle C = 180^{\circ}$		
	$\therefore x + (3x - 2) + y = 180$		
	$\Rightarrow 4x + y = 182 \qquad \qquad$	1	
	Given, $\angle C - \angle B = 9^{\circ}$		
	$\therefore \mathbf{y} - (3\mathbf{x} - 2) = 9$	1/	
	$\Rightarrow y - 3x = 7 \qquad (2)$	1/2	
	Solving $(1)$ and $(2)$ , we get	1	
	x = 25 and $y = 82Hence (A = 25^{\circ}) (B = (2)(25 = 2)^{\circ}) (72^{\circ}) and (C = 82^{\circ})$	1/2	
	Hence, $\angle A = 25^{\circ}$ , $\angle B = (3 \times 25 - 2)^{\circ} = 73^{\circ}$ and $\angle U = 82^{\circ}$	72	

			SECTION D			
	This section comprises of Long Answer (LA) type questions of 5 marks					
			each.			
32.	A survey regar	rding the he	ights (in cm) of (	50 girls of	class X of a school	
	was conducted	and the folle	owing data was ol	otained :		
	Heigh	t (in em)	Number of girls			
	120	- 130	2			
	130	- 140	8			
	140	- 150	12	]		
	150	- 160	20			
	160	- 170	8	]		
	Т	otal	50	1		
	Find the mean	and mode of	f the above data.	-		
Sol.						
	Height (in cm)	No. of gir	ls x <sub>i</sub>	$u_{\mathrm{i}}$	$f_i u_i$	
	120 - 130	2	125	- 2	- 4	
	130 - 140	8	135	- 1	- 8	
	140 - 150	12	145 = a	0	0	
	150 - 160	20	155	1	20	
	160 - 170	8	165	2	16	
	Total	50			24	
	Mary 145 24	<sup>1</sup> × 10			Correct table	11/2
	Mean = $145 + \frac{1}{50}$	- × 10				1
	= 149.8	1 4 0 0				1/2
	∴ mean height is	149.8 cm				1/
	Modal class is 1:	50 - 160				1/2
	Mode = $150 + \frac{1}{(2)}$	$\frac{(20-12)}{(20-12-8)}$ ×	10			1
	= 154					1/2
	∴ modal height i	s 154 cm				
	U					

33 (a).	A tent is in the shape of a right circular cylinder up to a height of 3 m and then a right circular cone, with a maximum height of $13.5$ m above the ground. Calculate the cost of painting the inner side of the tent at the rate of $\gtrless$ 2 per square metre, if the radius of	
	the base is 14 m.	
Sol.	Height of conical part = $13.5 - 3 = 10.5$ m	1⁄2 1
	Shant height = $\sqrt{(14)^2 + (10.5)^2} = 17.5$ m SA of tent = CSA of conical part + CSA of cylindrical part	1
	$= \left(\frac{22}{2} \times 14 \times 17.5\right) + \left(2 \times \frac{22}{2} \times 14 \times 3\right)$	2
	$= 1034 \text{ m}^2$	1/2
	Cost of painting @ $\gtrless$ 2 per m <sup>2</sup> = 1034 × 2 = $\gtrless$ 2068	1
	OR	
33 (b).	A solid wooden toy is in the shape of a right circular cone mounted	
	on a hemisphere of same radius. If the radius of the hemisphere is	
	4.2 cm and the total height of the toy is $10.2$ cm, find the volume of	
	the wooden toy. Also, find the total surface area of the toy.	
Sol.	Height of conical part = $10.2 - 4.2 = 6$ cm	1/2
	Volume of toy = Volume of conical part + Volume of hemispherical part $\begin{pmatrix} 1 & 2^2 \\ 2 & 2^2 \end{pmatrix}$	1
	$= \left(\frac{1}{3} \times \frac{22}{7} \times (4.2)^2 \times 6\right) + \left(\frac{2}{3} \times \frac{22}{7} \times (4.2)^3\right)$	1
	= 266.112 Hence Volume of toy is 266.112 cm <sup>3</sup>	1
	Slant height of conical part = $\sqrt{(4.2)^2 + (6)^2} \approx 7.32$ cm	1
	TSA of the toy = CSA of hemispherical part + CSA of conical part	1
	$=\left(2 \times \frac{22}{7} \times (4.2)^2\right) + \left(\frac{22}{7} \times 4.2 \times 7.32\right)$	1
	= 207.504	1/2
	Hence, TSA of toy is $207.504 \text{ cm}^2$	



35 (a).	Prove that :	
	$\frac{1+\sin\theta}{1-\sin\theta} - \frac{1-\sin\theta}{1+\sin\theta} = 4\tan\theta\sec\theta$	
Sol.	$LHS = \frac{(1+\sin\theta)^2 - (1-\sin\theta)^2}{(1+\sin\theta)(1-\sin\theta)}$	2
	$= \frac{4\sin\theta}{1-\sin^2\theta}$	1
	$=\frac{4\sin\theta}{\cos^2\theta}$	1
	$= 4 \tan \theta \sec \theta = \text{RHS}$	1
	OR	
35 (b).	Evaluate :	
	$\frac{\tan^2 60^\circ + 4 \sin^2 45^\circ + 3 \sec^2 60^\circ + 5 \cos^2 90^\circ}{\csc 30^\circ + \sec 60^\circ - \cot^2 30^\circ}$	
Sol.	$\frac{(\sqrt{3})^2 + 4\left(\frac{1}{\sqrt{2}}\right)^2 + 3(2)^2 + 5(0)^2}{2 + 2 - (\sqrt{2})^2}$	3
	$=\frac{3+2+12+0}{4-3}$	1
	= 17	1
	SECTION E	
	This section comprises of 3 case-study based questions of 4 marks each.	

36.	<ul> <li>February 14 is celebrated as International Book Giving Day and many countries in the world celebrate this day. Some people in India also started celebrating this day and donated the following number of books of various subjects to a public library :</li> <li>History = 96, Science = 240, Mathematics = 336.</li> <li>These books have to be arranged in minimum number of stacks such that each stack contains books of only one subject and the number of books on each stack is the same.</li> <li>Based on the above information, answer the following questions :</li> <li>(i) How many books are arranged in each stack ?</li> </ul>	
	<ul><li>(ii) How many stacks are used to arrange all the Mathematics books ?</li></ul>	
	(iii) (a) Determine the total number of stacks that will be used for arranging all the books.	
	OR	
	(iii) (b) If the thickness of each book of History, Science and Mathematics is 1.8 cm, 2.2 cm and 2.5 cm respectively, then find the height of each stack of History, Science and Mathematics books.	
Sol.	(i) HCF $(96, 240, 336) = 48$	1
	(ii) Number of stacks $=\frac{336}{48}=7$	1
	(iii) (a) Total number of stacks $=\frac{96}{48} + \frac{240}{48} + \frac{336}{48}$	1
	= 14 OR	1
	(b) Height of each stack of History = 48 × 1.8 = 86.4 cm Height of each stack of Science = 48 × 2.2 = 105.6 cm Height of each stack of Mathematics = 48 × 2.5 = 120 cm	1 mark for 1 correct answer, 1½ mark for two correct answer and 2 marks for all correct answers.

37.	<ul> <li>While playing in a garden, Samaira saw a honeycomb and asked her mother what is that. Her mother replied that it's a honeycomb made by honey bees to store honey. Also, she told her that the shape of the honeycomb formed is a mathematical structure. The mathematical representation of the honeycomb is shown in the graph.</li> <li>Image: the transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown in the graph.</li> <li>Image: transmission of the honeycomb is shown i</li></ul>	
	(iii) (b) If the square of difference of the zeroes of the polynomial	
	$x^2 + px + 45$ is 144, then find the value of p.	
Sol.	(i) Two	1
	(ii) $7 \text{ and } -7$	1
	(iii) (a) $-(a+1) = 2 + (-3) \implies a = 0$	1
	$b = 2 \times (-3) \Longrightarrow b = -6$	1
	(b) Let $\alpha$ and $\beta$ be the zeroes of given polynomial	
	Here, $\alpha + \beta = -p$ and $\alpha \beta = 45$	1/2
	$(\alpha - \beta)^2 = 144$	1/2
	$\Rightarrow (\alpha + \beta)^2 - 4\alpha\beta = 144$	1/2
	$\implies (-p)^2 - 4 \times 45 = 144$ $\implies p - \pm 18$	72 1/2
	$\rightarrow p - \tau$ 10	

38.	In a park, four poles are standing at positions A, B, C and D around the circular fountain such that the cloth joining the poles AB, BC, CD and DA touches the circular fountain at P, Q, R and S respectively as shown in the figure.					
	D R C A P B					
	Based on the above information, answer the following questions :					
	(i) If O is the centre of the circular fountain, then $\angle$ OSA =					
	(ii) If $AB = AD$ , then write the name of the figure ABCD.					
	(iii) (a) If $DR = 7 \text{ cm}$ and $AD = 11 \text{ cm}$ , then find the length of AP.					
	OR					
	(iii) (b) If O is the centre of the circular fountain with $\angle$ QCR = 60°,					
	then find the measure of $\angle$ QOR.					
Sol.	(i) 90°	1				
	(ii) $AB + DC = BC + DA$					
	Given, $AB = AD$					
	$\Rightarrow BC = DC$	1				
	(iii) (a) $DS = DR = 7$ cm					
	AD = 11  cm					
	7 + SA = 11					
	$\Rightarrow$ SA = 4 cm					
	$\therefore AP = 5A = 4 \text{ cm}$	/2				
	(b) $\angle QOR = 180^{\circ} - 60^{\circ}$	1				
	$= 120^{\circ}$	1				