# **Understanding Elementary Shapes**

## Line segment :

- A line segment is a part of a line between two end points
- The distance between the end points of a line segment is its length.
- The graduated ruler and the divider are used to measure and compare lengths of line segments

#### Angle:

- An angle is formed when two rays meet at a point
- A Protractor is used to measure the size of an angle in degrees
- Movement of the hand of a clock from one position to another position is an example for an angle
- One full turn of the hand is 1 revolution corresponding to 360° or a

Based on the nature of the angles							
Acute angled triangle	Right angled triangle	Obtuse angled triangle					
All three angles are acute	One angle is a right angle and the other two are acute	One angle is an obtuse angle and other two are acute					

## complete angle

• A right angle is tha revolution and a straight angle is a revolution

Name of the angle	Measure			
Acute	smaller than that of a right angle			
Obtuse	greater than that of a right angle and less than a straight angle			
Right	equals 90°			
straight angle	equals 180°			
reflex angle	larger than a straight angle but less than 360°			

• Two intersecting lines are perpendicular if the angle between them is



• An equilateral triangle is also called as an equiangular triangle as

each angle measures 60°

**Classification of Triangles :** 

#### 90°

- The perpendicular bisector of a line segment is a perpendicular to the • line segment and also divides it into two equal parts.
- The side opposite to the right angle in a right angled triangle is the • longest side and is called as the hypotenuse

#### **Classification of Quadrilaterals:**

Property	Name of the Quadrilateral		
One pair of parallel sides	Trapezium		
Two pairs of parallel sides	Parallelogram		
Parallelogram with 4 right angles	Rectangle		
Parallelogram with 4 sides of equal length	Rhombus		
A rhombus with 4 right angles	Square		

- In a parallelogram, diagonals bisect each other and opposite angles • are equal and parallel
- In a rhombus, diagonals are perpendicular bisectors of each other •
- Diagonals are equal in a square and a rectangle

#### Polygons

3

4

5

6

7

8

9

10

Heptagon

Octagon

Nonagon

Decagon

•

#### Face-Are closed figures bounded by line segments Edge Edge Are classified based on their sides The cylinder, the cone and the sphere have no straight edges Number of sides Name of the Polygon The base of a cone is a circle Triangle The cylinder has two bases that are circular Quadrilateral A sphere has no flat faces Pentagon Hexagon

Different 3-D shapes

#### 3-dimensional or 3-D shapes

These are solid objects that occupy space and have length, breadth and height (depth): cube, cuboid, cone ,sphere, prism, pyramid etc

#### Faces, Edges and Vertices

- Many three dimensional shapes have flat surfaces called faces
- Two faces meet at a line segment called an edge
- Three edges meet at a point called a vertex



				1		
Cuboid	Cube	Sphere	Cylinder	Pentagonal prism	pyramid	Cone
			$\langle \rangle$			
		$ \rightarrow $				
		$\checkmark$				
				1	I	