INTRODUCTION TO EUCLID'S GEOMETRY

IMPORTANT POINTS

- A solid has shape, size, position and can be moved from one place to another, its boundaries are called surfaces.
- The boundaries of the surfaces are curves or straight line and these lines end in points.
- A point is that which has no part.
- A line is breadthless length.
- The ends of a line are points
- A straight line is a line which lies evently with the points on itself.
- A surface is that which has length and breadth only. The edges of a surface are lines.
- A plane surface is a surface which lies evently with the straight lines on itself.
- The assumptions that were specific to geometry are called 'postulate'.
- Common notion, often called 'axioms', were assumptions used throughout mathematics and not specifically linked to geometry.


Euclid's five Postulates

- (i) Postulate 1: A straight line may be drawn from any one point to any other point
- (ii) Postulate 2 : A terminated line can be produced indefinitely.
- (iii) Postulate 3: A circle can be drawn with any centre and any radius.
- (iv) Postulate 4 : All right angles are equal to one another
- (v) Postulate 5: If a straight line falling on two straight lines makes the interior angles on the same side of it taken together less than two right angles, then the two straight lines, if produced indefinitely, meet on that side on which the sum of angles is less than two right angles.
- An equilateral triangle can be constructed on any given line segment
- Two distinct lines cannot have more than one point in common.
- Two distinct intersecting lines cannot be parallel to the same line.

EXERCISE

SINGLE CHOICE QUESTIONS

- Q.1 Given two distinct points, there are so many lines that passes through them -
 - (A) True
 - (B) False
 - (C) Can not be obtained
 - (D) None of these
- Q.2 When any system of axioms is given, it needs to be ensured that the system is consistent -
 - (A) True
- (B) False
- (C) Does not exist
- (D) None of these
- Q.3 If P, Q and R are three points on a line, and Q lies between P and R, then -
 - (A) PQ + QR = PR (B) PR + RQ = PQ
 - (C) RP + QR = PQ (D) None of these
- Q.4 Which of the following lines are parallel?



- (A) (i) and (ii)
- (B) (ii) and (iii)
- (C) (i), (ii) and (iii)
- (D) (i), (iii) and (iv)
- Q.5 Theorems are statements which are proved, using definitions, axioms, previously proved statements and deductive reasoning -
 - (A) Yes
- (B) No
- (C) Does not exist
- (D) None of these
- Q.6 If a point Q lies between two points P and R such that PQ = QR, then point Q is called -
 - (A) Mid point
- (B) Line segment
- (C) Segment point (D) None of these
- Q.7 In fig. if PQ = SR, then -



- (A) PS = SR
- (B) PQ ≠ SR
- (C) PQ = QR
- (D) PS = QR
- Q.8 Every line segment has one and only one mid-point -
 - (A) True
 - (B) False
 - (C) Un predictable
 - (D) None of these

Q.9	An angle is formed when two rays originate from the same end point -			
	(A) True (B	3) False		
	(C) Un predictable	(D) None of these		
Q.10	A part of a line with two end points is called a -			
	(A) line-segment	(B) segment		
	(C) point segment (D) None of these			
Q.11	A part of a line with one end point is called a -			
	(A) line	(B) ray		
	(C) line segment	(D) None of these		
Q.12	If three or more poin	its lie on the same line, they are called collinear points -		
3	STATE OF THE PARTY	3) False		
	(C) Un predictable	(D) None of these		
Q.13	If three or more points are not lie on the same line, they are called non-collinear points -			
Q.10	(A) True	penne		
	(B) False			
	(C) Un predictable			
(D) None of these			
0.14	A circle can be drawn with any centre and any radius -			
		3) False		
	(C) Does not exist	· Andrews Control of the Control of		
Q.15				
Q.115	(A) True	iot be drawn from any one point to any other point		
	(B) False			
	(C) Un predictable			
	(D) None of these			
Q.16		n not be produced indefinitely on both the sides -		
Q.10	(A) True			
	(B) False			
	(C) Un predictable			
	(D) None of these			
Q.17	If two circles are equal, then their radii are equal-			
	(A) True			
	(B) False			
	(C) Can not be obtained			
	(D) None of these			

(A) True (B) False (C) Can not be obtained (D) None of these Q.19 The Euclidean geometry is valid only for the figures in the plane - (A) True (B) False (C) Un predictable (D) None of these Q.20 Things which concide with one another are- (A) not equal to one another (B) equal to one another (C) identical to one another (D) None of these FILL IN THE BLANKS Q.21 Axioms or postulates are the which are obvious universal truths. Q.22 If equals are added to, the wholes are equal. Q.23 If equals are subtracted from equals the are equal. Q.24 All					
(B) False (C) Can not be obtained (D) None of these Q.19 The Euclidean geometry is valid only for the figures in the plane - (A) True (B) False (C) Un predictable (D) None of these Q.20 Things which concide with one another are- (A) not equal to one another (B) equal to one another (C) identical to one another (D) None of these FILL IN THE BLANKS Q.21 Axioms or postulates are the	Q.18	The distance of a point from a line is the length of the perpendicular from the point to the line-			
(C) Can not be obtained (D) None of these Q.19 The Euclidean geometry is valid only for the figures in the plane - (A) True (B) False (C) Un predictable (D) None of these Q.20 Things which concide with one another are— (A) not equal to one another (B) equal to one another (C) identical to one another (D) None of these FILL IN THE BLANKS Q.21 Axioms or postulates are the		(A) True			
(D) None of these Q.19 The Euclidean geometry is valid only for the figures in the plane - (A) True (B) False (C) Un predictable (D) None of these Q.20 Things which concide with one another are— (A) not equal to one another (B) equal to one another (C) identical to one another (D) None of these FILL IN THE BLANKS Q.21 Axioms or postulates are the		(B) False			
Q.19 The Euclidean geometry is valid only for the figures in the plane - (A) True (B) False (C) Un predictable (D) None of these Q.20 Things which concide with one another are— (A) not equal to one another (B) equal to one another (C) identical to one another (D) None of these FILL IN THE BLANKS Q.21 Axioms or postulates are the which are obvious universal truths. Q.22 If equals are added to, the wholes are equal. Q.23 If equals are subtracted from equals the are equal. Q.24 All angles are equal to one another. Q.25 There are an		(C) Can not be obtained			
(A) True (B) False (C) Un predictable (D) None of these Q.20 Things which concide with one another are— (A) not equal to one another (B) equal to one another (C) identical to one another (D) None of these FILL IN THE BLANKS Q.21 Axioms or postulates are the which are obvious universal truths. Q.22 If equals are added to, the wholes are equal. Q.23 If equals are subtracted from equals the are equal. Q.24 All angles are equal to one another. Q.25 There are an		(D) None of these			
(B) False (C) Un predictable (D) None of these Q.20 Things which concide with one another are— (A) not equal to one another (B) equal to one another (C) identical to one another (D) None of these FILL IN THE BLANKS Q.21 Axioms or postulates are the which are obvious universal truths. Q.22 If equals are added to, the wholes are equal. Q.23 If equals are subtracted from equals the are equal. Q.24 All angles are equal to one another. Q.25 There are an	Q.19	The Euclidean geometry is valid only for the figures in the plane -			
(C) Un predictable (D) None of these Q.20 Things which concide with one another are— (A) not equal to one another (B) equal to one another (C) identical to one another (D) None of these FILL IN THE BLANKS Q.21 Axioms or postulates are the which are obvious universal truths. Q.22 If equals are added to, the wholes are equal. Q.23 If equals are subtracted from equals the are equal. Q.24 All angles are equal to one another. Q.25 There are an of lines which pass through two distinct points. Q.26 Two distinct lines can not have more than point in common. Q.27 A is that which has no part. Q.28 The of a line are Q.29 The whole is the part. Q.30 Things which are of the same things are equal to one another. Q. 31 The assumptions that were specific to geometry are called		(A) True			
(D) None of these Q.20 Things which concide with one another are— (A) not equal to one another (B) equal to one another (C) identical to one another (D) None of these FILL IN THE BLANKS Q.21 Axioms or postulates are the which are obvious universal truths. Q.22 If equals are added to, the wholes are equal. Q.23 If equals are subtracted from equals the are equal. Q.24 All angles are equal to one another. Q.25 There are an of lines which pass through two distinct points. Q.26 Two distinct lines can not have more than point in common. Q.27 A is that which has no part. Q.28 The of a line are Q.29 The whole is the part. Q.30 Things which are of the same things are equal to one another. Q. 31 The assumptions that were specific to geometry are called		(B) False			
Q.20 Things which concide with one another are— (A) not equal to one another (B) equal to one another (C) identical to one another (D) None of these FILL IN THE BLANKS Q.21 Axioms or postulates are the		(C) Un predictable			
(A) not equal to one another (B) equal to one another (C) identical to one another (D) None of these FILL IN THE BLANKS Q.21 Axioms or postulates are the		(D) None of these			
(B) equal to one another (C) identical to one another (D) None of these FILL IN THE BLANKS Q.21 Axioms or postulates are the	Q.20	Things which concide with one another are-			
(C) identical to one another (D) None of these FILL IN THE BLANKS Q.21 Axioms or postulates are the which are obvious universal truths. Q.22 If equals are added to, the wholes are equal. Q.23 If equals are subtracted from equals the are equal. Q.24 All angles are equal to one another. Q.25 There are an of lines which pass through two distinct points. Q.26 Two distinct lines can not have more than point in common. Q.27 A is that which has no part. Q.28 The of a line are Q.29 The whole is the part. Q.30 Things which are of the same things are equal to one another. Q. 31 The assumptions that were specific to geometry are called		(A) not equal to one another			
(D) None of these FILL IN THE BLANKS Q.21 Axioms or postulates are the		(B) equal to one another			
PILL IN THE BLANKS Q.21 Axioms or postulates are the		(C) identical to one another			
Q.21 Axioms or postulates are the which are obvious universal truths. Q.22 If equals are added to, the wholes are equal. Q.23 If equals are subtracted from equals the are equal. Q.24 All angles are equal to one another. Q.25 There are an of lines which pass through two distinct points. Q.26 Two distinct lines can not have more than point in common. Q.27 A is that which has no part. Q.28 The of a line are Q.29 The whole is the part. Q.30 Things which are of the same things are equal to one another. Q. 31 The assumptions that were specific to geometry are called		(D) None of these			
Q.21 Axioms or postulates are the which are obvious universal truths. Q.22 If equals are added to, the wholes are equal. Q.23 If equals are subtracted from equals the are equal. Q.24 All angles are equal to one another. Q.25 There are an of lines which pass through two distinct points. Q.26 Two distinct lines can not have more than point in common. Q.27 A is that which has no part. Q.28 The of a line are Q.29 The whole is the part. Q.30 Things which are of the same things are equal to one another. Q. 31 The assumptions that were specific to geometry are called	F	ILL IN THE BLANKS			
Q.22 If equals are added to, the wholes are equal. Q.23 If equals are subtracted from equals the are equal. Q.24 All angles are equal to one another. Q.25 There are an of lines which pass through two distinct points. Q.26 Two distinct lines can not have more than point in common. Q.27 A is that which has no part. Q.28 The of a line are Q.29 The whole is the part. Q.30 Things which are of the same things are equal to one another. Q. 31 The assumptions that were specific to geometry are called					
Q.24 All	Q.21	Axioms or postulates are the which are obvious universal truths.			
Q.24 All angles are equal to one another. Q.25 There are an of lines which pass through two distinct points. Q.26 Two distinct lines can not have more than point in common. Q.27 A is that which has no part. Q.28 The of a line are Q.29 The whole is the part. Q.30 Things which are of the same things are equal to one another. Q. 31 The assumptions that were specific to geometry are called	Q.22	If equals are added to, the wholes are equal.			
Q.25 There are an	Q.23	If equals are subtracted from equals the are equal.			
Q.26 Two distinct lines can not have more than point in common. Q.27 A is that which has no part. Q.28 The of a line are Q.29 The whole is the part. Q.30 Things which are of the same things are equal to one another. Q. 31 The assumptions that were specific to geometry are called	Q.24	Allangles are equal to one another.			
Q.27 A	Q.25	There are an of lines which pass through two distinct points.			
Q.28 The of a line are Q.29 The whole is the part. Q.30 Things which are of the same things are equal to one another. Q. 31 The assumptions that were specific to geometry are called	Q.26	Two distinct lines can not have more than point in common.			
 Q.29 The whole is the part. Q.30 Things which are of the same things are equal to one another. Q. 31 The assumptions that were specific to geometry are called 	Q.27	A is that which has no part.			
 Q.30 Things which are of the same things are equal to one another. Q. 31 The assumptions that were specific to geometry are called 	Q.28	The of a line are			
Q. 31 The assumptions that were specific to geometry are called	Q.29	The whole is the part.			
0 To 1	Q.30	Things which are of the same things are equal to one another.			
Q.32 Two distinct intersecting lines cannot be to the same line.	Q. 31	The assumptions that were specific to geometry are called			
	Q.32	Two distinct intersecting lines cannot be to the same line.			

ANSWER KEY

A. SINGLE CHOICE QUESTIONS:

1. (B)

2. (A)

3. (A)

4. (D)

5. (A)

6. (A)

7. (D)

8. (A)

9. (A)

10. (A)

11. (B)

12. (A)

13. (A)

14. (A)

15. (B)

16. (B)

17. (A)

18. (A)

19. (A)

20. (B)

B. FILL IN THE BLANKS:

21. assumptions

22. equals

23. remainders

24. right

25. infinite number

26. one

27. point

28. ends, points

29. greater than

30. halves or double

31. postulate

32. parallel