

Water Resources Engineering


- 1. The region where air coming from the pole (cooler and denser) and the air of the middle cell (warmer and lighter) meet is called _____.
 - (A) cold front (B) warm front
 - (C) polar front (D) occluded front
- **2.** The intensity-duration-frequency curve from the following is

(Where a < b < c)









(D) None of these

- **3.** The rate of evaporation from a water body increases directly with increase in:
 - I. Radiation
 - II. Wind upto a critical value
 - III. Atmospheric pressure
 - IV. Quality of water
 - (A) Only II, III, IV are correct
 - (B) Both I and II are correct
 - (C) Both II and III are correct
 - (D) Only I, II, IV are correct

- Time: 60 Minutes4. The infiltration capacity curves which are developed from infiltrometer tests or the hydrograph analysis
 - methods are used to estimate _____ from a given storm.
 - (A) infiltration (B) rainfall
 - (C) run-off (D) All of these
- 5. _____ hydrograph is independent of rainfall duration. (A) Instantaneous unit hydrograph
 - (B) Synthetic unit hydrograph
 - (C) Direct run-off hydrograph
 - (D) Unit hydrograph

TEST

- 6. When the seepage takes place from the stream into the ground, it is called ______ stream.
 - (A) perennial stream (B) influent stream
 - (C) effluent stream (D) ephemeral stream
- 7. A structure with a useful life period of 100 years is designed for a 50-year flood. Then the risk in the design is given by _____.
 - (A) 0.68 (B) 0.71
 - (C) 0.87 (D) 0.99
- **8.** The peak flow in outflow hydrographs in a channel routing occurs at _____.
 - (A) intersection point of inflow and outflow hydrographs
 - (B) before intersection
 - (C) after intersection
 - (D) Any of these
- 9. For unconfined aquifers, the storage coefficient
 - (A) is essentially the same as the specific yield.
 - (B) does not exist.
 - (C) is essentially the same as the specific retention.
 - (D) is essentially the same as the porosity.
- 10. In surface float method, the actual velocity of flow (V_a) is equal to ______ times of surface velocity (V_c) .
 - (A) 0.2 (B) 0.4
 - (C) 0.8 (D) 0.85
- **11.** In a river flow which has shallow depth velocity at different depths at a cross-section 0.2d, 0.4d and 0.8d from the bottom are 0.1, 0.2, 0.5 m/s respectively. Find the mean velocity at that cross-section.
 - (A) 0.3 m/s (B) 0.2 m/s
 - (C) 0.4 m/s (D) 0.35 m/s

12. A sample has a hydraulic conductivity of 12 m/day. What would be its intrinsic permeability? (in darcys) (A) 12.68 (B) 13.12

- (C) 14.35 (D) 16.89
- During a recuperation test conducted on a open well in a region, the water level in the well was depressed by 4 m and it was observed to rise by 2 m in 90 minutes.

What would be the yield from that well having a diameter of 6 m under a depression head of 3 m?

- (A) 35.1 m²/h
- (B) 39.19 m³/h
- (C) $48.32 \text{ m}^{3}/\text{h}$
- (D) $51.6 \text{ m}^3/\text{h}$
- 14. Calculate the peak of the outflow hydrograph in a river reach using Muskingham method given the following inflow hydrograph. Take $C_0 = 0.032$, $C_1 = 0.53$ and the starting value of outflow hydrograph as 10^3 /s.

Time (hours)	0	1	2	3	4	5	6	7
Inflow (m ³ /s)	10	20	30	40	50	40	30	20
 (A) 30.2 m³/s (B) 42.4 m³/s 								
(C) $51.6 \text{ m}^{3/\text{s}}$								

- (D) $20.8 \text{ m}^3/\text{s}$
- **15.** An urban area has a run-off coefficient of 0.35 and an area of 0.8 km². The maximum depth of rainfall with a 30-year return period is as follows:

Duration (min)	3	5	10	20	30	40
Depth of rainfall (mm)	10	15	20	25	30	35

If a culvert for drainage at the outlet of this area is to be designed for a time period of 30 years, estimate the peak flow rate. Take the time of concentration for the drainage area as 20 minutes.

- (A) $5.83 \text{ m}^3/\text{s}$
- (B) 15.55 m³/s
- (C) $2.78 \text{ m}^{3/\text{s}}$
- (D) 10.13 m³/s

Direction for questions 16 and 17:

The drainage area of water shed is 60 km². The ϕ -index is 0.4 cm/h. Base flow at outlet 12 m³/s, 1 hour-UHG of water shed is triangular in shape with a time base of 10 hours. Peak ordinate occurs at 5 hours.

16. Peak ordinate of UHG in (m^3/s) is _____.

(A)	13.33	(B)	23.33
(C)	33.33	(D)	43.33

17. For a storm of depth of 6.4 cm and duration of 1 hour, the peak ordinate in m^3/s of hydrograph is _____.

(A)	153	(B) 181
(C)	212	(D) 240

 A storm of 3 hours duration occurred over a basin of area 555.2 km². The resulting flow measurement is as follows:

Time (hours)	0	2	4	6	8	12	15
Q (m³/s)	10	210	310	360	260	60	10

If base flow = $10 \text{ m}^3/\text{s}$, find the depth of run-off over a catchment.

(A)	2.53 cm	(B) 0.81 cm
(C)	3.14 cm	(D) 1.43 cm

- 19. The total observed run-off volume during a 7 hours storm with a uniform intensity of 2 cm/h is 25×10^6 m³. If the area of the basic is 300 km², find the average infiltration rate for the basin in (mm/h).
 - (A) 2.18 (B) 3.63
 - (C) 5.72 (D) 8.14
- 20. The infiltration rate for excess rain on a small area was observed to be 5 cm/h at the beginning of rain and decreased exponentially toward an equilibrium of 0.6 cm/h. A total of 35 cm of water infiltrated during 10 hours interval. Determine *k* of the Horton's equation.
 (A) 0.05/h
 - (A) 0.03/h(B) 0.11/h
 - (C) 0.15/h
 - (D) 0.2/h
- 21. Match the following in List I with List II.

	List I		List II			
Ρ.	Transpiration	1.	Phytometer			
Q.	Evapotranspiration	2.	Rainfall simultator			
R.	Evaporation	3.	Lysimeter			
S.	Infiltration	4.	Water balance metho			
Cod	es:					
	PQRS		PQRS			
(A)	2 4 3 1		(B) 1 3 4 2			
(C)	3 2 1 4		(D) 4 1 2 3			

22. If 9.2 litres of water is added to an evaporation pan of 1.3 m diameter to bring the water surface to the stipulated level and if a nearby rainguage measured a rainfall of 8.8 mm. What is the evaporation recorded for the day?

(A) 0.6 mm	(B) 1.87 mm
(C) 2.3 mm	(D) 3.2 mm

Direction for questions 23 and 24:

A one-day rainfall of 16 cm in Hyderabad is found to have a return period of 100 years.

Calculate the probability that one-day rainfall of this magnitude or larger magnitude:

- 23. Will not occur in Hyderabad during the next 50 years.
 - (A) 0.01 (B) 0.99
 - (C) 0.605 (D) 0.53

24. Will occur in next year.

- (A) 0.01 (B) 0.99
- (C) 0.605 (D) 0.53
- **25.** Find out the mean precipitation of a catchment which is in a triangular shape of side 10 km. Rainguages installed at each corner recorded 10 cm, 15 cm, 20 cm respectively.

(A) 15 cm	(B)	12 cm
-----------	-----	-------

(C) 17 cm (D) 14 cm

3.826 | Part III • Unit 9 • Water Resources Engineering

						Answer Keys							
1. C	2. A	3. D	4. C	5. A	6. B	7. C	8. D	9. A	10. D				
11. B				15. A	16. C	17. C	18. D	19. D	20. C				
11. В 21. В	12. С 22. В	13. В 23. С	14. В 24. А	15. A 25. A	16. C	17. C	18. D	19. L)				