

# Mathematics

## (Chapter – 6) (Cubes and Cube Roots) (Exercise 6.1) (Class – VIII)

### Question 1:

Which of the following numbers are not perfect cubes:

(i) 216

(ii) 128

(iii) 1000

(iv) 100

(v) 46656

Answer 1:

(i) 216

Prime factors of  $216 = 2 \times 2 \times 2 \times 3 \times 3 \times 3$

Here all factors are in groups of 3's (in triplets)

Therefore, 216 is a perfect cube number.

$$\begin{array}{r} 2 \quad 216 \\ \hline 2 \quad 108 \\ 2 \quad 54 \\ 3 \quad 27 \\ 3 \quad 9 \\ 3 \quad 3 \\ 1 \end{array}$$

(ii) 128

Prime factors of  $128 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$

Here one factor 2 does not appear in a 3's group.

Therefore, 128 is not a perfect cube.

$$\begin{array}{r} 2 \quad 128 \\ \hline 2 \quad 64 \\ 2 \quad 32 \\ 2 \quad 16 \\ 2 \quad 8 \\ 2 \quad 4 \\ 2 \quad 2 \\ 1 \end{array}$$

(iii) 1000

Prime factors of  $1000 = 2 \times 2 \times 2 \times 5 \times 5 \times 5$

Here all factors appear in 3's group.

Therefore, 1000 is a perfect cube.

$$\begin{array}{r} 2 \quad 1000 \\ \hline 2 \quad 500 \\ 2 \quad 250 \\ 5 \quad 125 \\ 5 \quad 25 \\ 5 \quad 5 \\ 1 \end{array}$$

(iv) 100

Prime factors of  $100 = 2 \times 2 \times 5 \times 5$

Here all factors do not appear in 3's group.

Therefore, 100 is not a perfect cube.

$$\begin{array}{r} 2 \quad 100 \\ \hline 2 \quad 50 \\ 5 \quad 25 \\ 5 \quad 5 \\ 1 \end{array}$$

(v) 46656

Prime factors of  $46656 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 3 \times 3 \times 3$

Here all factors appear in 3's group.

Therefore, 46656 is a perfect cube.

$$\begin{array}{r} 2 \quad 46656 \\ \hline 2 \quad 23328 \\ 2 \quad 11664 \\ 2 \quad 5832 \\ 2 \quad 2916 \\ 2 \quad 1458 \\ 3 \quad 729 \\ 3 \quad 243 \\ 3 \quad 81 \\ 3 \quad 27 \\ 3 \quad 9 \\ 3 \quad 3 \\ 1 \end{array}$$



**Question 2:**

Find the smallest number by which each of the following numbers must be multiplied to obtain a perfect cube:

**(i)** 243**(ii)** 256**(iii)** 72**(iv)** 675**(v)** 100**Answer 2:****(i)** 243

Prime factors of  $243 = 3 \times 3 \times 3 \times 3 \times 3$

Here 3 does not appear in 3's group.

Therefore, 243 must be multiplied by 3 to make it a perfect cube.

3	243
3	81
3	27
3	9
3	3
	1

**(ii)** 256

Prime factors of  $256 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$

Here one factor 2 is required to make a 3's group.

Therefore, 256 must be multiplied by 2 to make it a perfect cube.

2	256
2	128
2	64
2	32
2	16
2	8
2	4
2	2
	1

**(iii)** 72

Prime factors of  $72 = 2 \times 2 \times 2 \times 3 \times 3$

Here 3 does not appear in 3's group.

Therefore, 72 must be multiplied by 3 to make it a perfect cube.

2	72
2	36
2	18
3	9
3	3
	1

**(iv)** 675

Prime factors of  $675 = 3 \times 3 \times 3 \times 5 \times 5$

Here factor 5 does not appear in 3's group.

Therefore, 675 must be multiplied by 3 to make it a perfect cube.

3	675
3	225
3	75
5	25
5	5
	1

**(v)** 100

Prime factors of  $100 = 2 \times 2 \times 5 \times 5$

Here factor 2 and 5 both do not appear in 3's group.

Therefore, 100 must be multiplied by  $2 \times 5 = 10$  to make it a perfect cube.

2	100
2	50
5	25
5	5
	1

**Question 3:**

Find the smallest number by which each of the following numbers must be divided to obtain a perfect cube:

**(i)** 81**(ii)** 128**(iii)** 135**(iv)** 192**(v)** 704



**Answer 3:****(i) 81**Prime factors of  $81 = 3 \times 3 \times 3 \times 3$ 

Here one factor 3 is not grouped in triplets.

Therefore, 81 must be divided by 3 to make it a perfect cube.

$$\begin{array}{r}
 3 \quad 81 \\
 \hline
 3 \quad 27 \\
 3 \quad 9 \\
 3 \quad 3 \\
 1
 \end{array}$$

**(ii) 128**Prime factors of  $128 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$ 

Here one factor 2 does not appear in a 3's group.

Therefore, 128 must be divided by 2 to make it a perfect cube.

$$\begin{array}{r}
 2 \quad 128 \\
 \hline
 2 \quad 64 \\
 2 \quad 32 \\
 2 \quad 16 \\
 2 \quad 8 \\
 2 \quad 4 \\
 2 \quad 2 \\
 1
 \end{array}$$

**(iii) 135**Prime factors of  $135 = 3 \times 3 \times 3 \times 5$ 

Here one factor 5 does not appear in a triplet.

Therefore, 135 must be divided by 5 to make it a perfect cube.

$$\begin{array}{r}
 3 \quad 135 \\
 \hline
 3 \quad 45 \\
 3 \quad 15 \\
 5 \quad 5 \\
 1
 \end{array}$$

**(iv) 192**Prime factors of  $192 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3$ 

Here one factor 3 does not appear in a triplet.

Therefore, 192 must be divided by 3 to make it a perfect cube.

$$\begin{array}{r}
 2 \quad 192 \\
 \hline
 2 \quad 96 \\
 2 \quad 48 \\
 2 \quad 24 \\
 2 \quad 12 \\
 2 \quad 6 \\
 3 \quad 3 \\
 1
 \end{array}$$

**(v) 704**Prime factors of  $704 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 11$ 

Here one factor 11 does not appear in a triplet.

Therefore, 704 must be divided by 11 to make it a perfect cube.

$$\begin{array}{r}
 2 \quad 704 \\
 \hline
 2 \quad 352 \\
 2 \quad 176 \\
 2 \quad 88 \\
 2 \quad 44 \\
 2 \quad 22 \\
 2 \quad 11 \\
 1
 \end{array}$$

**Question 4:**

Parikshit makes a cuboid of plasticine of sides 5 cm, 2 cm, 5 cm. How many such cuboids will he need to form a cube?

**Answer 4:**Given numbers =  $5 \times 2 \times 5$ 

Since, Factors of 5 and 2 both are not in group of three.

Therefore, the number must be multiplied by  $2 \times 2 \times 5$ 

= 20 to make it a perfect cube.

Hence, he needs 20 cuboids.



# Mathematics

## (Chapter - 6) (Cubes and Cube Roots) (Exercise 6.2) (Class - VIII)

### Question 1:

Find the cube root of each of the following numbers by prime factorization method:

(i) 64

(ii) 512

(iii) 10648

(iv) 27000

(v) 15625

(vi) 13824

(vii) 110592

(viii) 46656

(ix) 175616

(x) 91125

Answer 1:

(i) 64

$$\sqrt[3]{64} = \sqrt[3]{2 \times 2 \times 2 \times 2 \times 2 \times 2}$$

$$\sqrt[3]{64} = 2 \times 2 = 4$$

$$\begin{array}{r} 2 \quad 64 \\ \hline 2 \quad 32 \\ 2 \quad 16 \\ 2 \quad 8 \\ 2 \quad 4 \\ 2 \quad 2 \\ 2 \quad 1 \end{array}$$

$$\begin{array}{r} 2 \quad 512 \\ \hline 2 \quad 256 \\ 2 \quad 128 \\ 2 \quad 64 \\ 2 \quad 32 \\ 2 \quad 16 \\ 2 \quad 8 \\ 2 \quad 4 \\ 2 \quad 2 \\ 2 \quad 1 \end{array}$$

$$\begin{array}{r} 2 \quad 10648 \\ \hline 2 \quad 5324 \\ 2 \quad 2662 \\ 11 \quad 1331 \\ 11 \quad 121 \\ 11 \quad 11 \\ 11 \quad 1 \end{array}$$

$$\begin{array}{r} 2 \quad 27000 \\ \hline 2 \quad 13500 \\ 2 \quad 6750 \\ 3 \quad 3375 \\ 3 \quad 1125 \\ 3 \quad 375 \\ 5 \quad 125 \\ 5 \quad 25 \\ 5 \quad 5 \\ 5 \quad 1 \end{array}$$

$$\begin{array}{r} 5 \quad 15625 \\ \hline 5 \quad 3125 \\ 5 \quad 625 \\ 5 \quad 125 \\ 5 \quad 25 \\ 5 \quad 5 \\ 5 \quad 1 \end{array}$$

(iii) 10648

$$\sqrt[3]{10648} = \sqrt[3]{2 \times 2 \times 2 \times 11 \times 11 \times 11}$$

$$= 2 \times 11 = 22$$

(iv) 27000

$$\sqrt[3]{27000} = \sqrt[3]{2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 5 \times 5 \times 5}$$

$$= 2 \times 3 \times 5 = 30$$

(v) 15625

$$\sqrt[3]{15625} = \sqrt[3]{5 \times 5 \times 5 \times 5 \times 5 \times 5}$$

$$= 5 \times 5 = 25$$



(vi) 13824

$$\begin{aligned}\sqrt[3]{13824} &= \sqrt[3]{2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 3} \\ &= 2 \times 2 \times 2 \times 3 = 24\end{aligned}$$

2	13824
2	6912
2	3456
2	1728
2	864
2	432
2	216
2	108
2	54
3	27
3	9
3	3
	1

(vii) 110592

$$\begin{aligned}\sqrt[3]{110592} &= \sqrt[3]{2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 3} \\ &= 2 \times 2 \times 2 \times 2 \times 3 = 48\end{aligned}$$

2	110592
2	55296
2	27648
2	13824
2	6912
2	3456
2	1728
2	864
2	432
2	216
2	108
2	54
3	27
3	9
3	3
	1

(viii) 46656

$$\begin{aligned}\sqrt[3]{46656} &= \sqrt[3]{2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 3 \times 3 \times 3} \\ &= 2 \times 2 \times 3 \times 3 = 36\end{aligned}$$

2	46656
2	23328
2	11664
2	5832
2	2916
2	1458
3	729
3	243
3	81
3	27
3	9
3	3
	1



(ix) 175616

$$\sqrt[3]{175616} = \sqrt[3]{2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 7 \times 7 \times 7}$$

$$= 2 \times 2 \times 2 \times 7 = 56$$

2	175616
2	87808
2	43904
2	21952
2	10976
2	5488
2	2744
2	1372
2	686
7	343
7	49
7	7
	1

(x) 91125

$$\sqrt[3]{91125} = \sqrt[3]{3 \times 3 \times 3 \times 3 \times 3 \times 3 \times 5 \times 5 \times 5}$$

$$= 3 \times 3 \times 5 = 45$$

3	91125
3	30375
3	10125
3	3375
3	1125
3	375
5	125
5	25
5	5
	1

## Question 2:

State true or false:

- (i) Cube of any odd number is even.
- (ii) A perfect cube does not end with two zeroes.
- (iii) If square of a number ends with 5, then its cube ends with 25.
- (iv) There is no perfect cube which ends with 8.
- (v) The cube of a two-digit number may be a three-digit number.
- (vi) The cube of a two-digit number may have seven or more digits.
- (vii) The cube of a single digit number may be a single digit number.

## Answer 2:

- (i) False  
Since,  $1^3 = 1, 3^3 = 27, 5^3 = 125, \dots$  are all odd.
- (ii) True  
Since, a perfect cube ends with three zeroes.  
e.g.  $10^3 = 1000, 20^3 = 8000, 30^3 = 27000, \dots$  so on
- (iii) False  
Since,  $5^2 = 25, 5^3 = 125, 15^2 = 225, 15^3 = 3375$  (Did not end with 25)
- (iv) False  
Since,  $12^3 = 1728$  [Ends with 8]  
And,  $22^3 = 10648$  [Ends with 8]



**(v)** False

Since,  $10^3 = 1000$

[Four digit number]

And,  $11^3 = 1331$

[Four digit number]

**(vi)** False

Since,  $99^3 = 970299$

[Six digit number]

**(vii)** True

$1^3 = 1$

[Single digit number]

$2^3 = 8$

[Single digit number]