

रोल नं.

Roll No.

--	--	--	--	--	--	--

परीक्षार्थी कोड को उत्तर-पुस्तिका के मुख-पृष्ठ पर अवश्य लिखें ।

Candidates must write the Code on the title page of the answer-book.

- कृपया जाँच कर लें कि इस प्रश्न-पत्र में मुद्रित पृष्ठ 11 हैं ।
- प्रश्न-पत्र में दाहिने हाथ की ओर दिए गए कोड नम्बर को छात्र उत्तर-पुस्तिका के मुख-पृष्ठ पर लिखें ।
- कृपया जाँच कर लें कि इस प्रश्न-पत्र में 26 प्रश्न हैं ।
- कृपया प्रश्न का उत्तर लिखना शुरू करने से पहले, प्रश्न का क्रमांक अवश्य लिखें ।
- इस प्रश्न-पत्र को पढ़ने के लिए 15 मिनट का समय दिया गया है । प्रश्न-पत्र का वितरण पूर्वाह्न में 10.15 बजे किया जाएगा । 10.15 बजे से 10.30 बजे तक छात्र केवल प्रश्न-पत्र को पढ़ेंगे और इस अवधि के दौरान वे उत्तर-पुस्तिका पर कोई उत्तर नहीं लिखेंगे ।
- Please check that this question paper contains 11 printed pages.
- Code number given on the right hand side of the question paper should be written on the title page of the answer-book by the candidate.
- Please check that this question paper contains 26 questions.
- **Please write down the Serial Number of the question before attempting it.**
- 15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the students will read the question paper only and will not write any answer on the answer-book during this period.

जीव विज्ञान (सैद्धांतिक)

BIOLOGY (Theory)

निर्धारित समय : 3 घण्टे

Time allowed : 3 hours

अधिकतम अंक : 70

Maximum Marks : 70

सामान्य निर्देश :

- (i) प्रश्न-पत्र में पाँच खण्डों में **26** प्रश्न दिए गए हैं । सभी प्रश्न अनिवार्य हैं ।
- (ii) खण्ड **A** में प्रश्न संख्या **1** से **5** अति लघु-उत्तरीय प्रश्न हैं, प्रत्येक प्रश्न **1** अंक का है ।
- (iii) खण्ड **B** में प्रश्न संख्या **6** से **10** लघु-उत्तरीय प्रश्न प्रकार **I** के हैं, प्रत्येक प्रश्न **2** अंकों का है ।
- (iv) खण्ड **C** में प्रश्न संख्या **11** से **22** लघु-उत्तरीय प्रश्न प्रकार **II** के हैं, प्रत्येक प्रश्न **3** अंकों का है ।
- (v) खण्ड **D** में प्रश्न संख्या **23** मूल्य आधारित प्रश्न **4** अंकों का है ।
- (vi) खण्ड **E** में प्रश्न संख्या **24** से **26** दीर्घ-उत्तरीय प्रश्न हैं, प्रत्येक प्रश्न **5** अंकों का है ।
- (vii) प्रश्न-पत्र में समग्र पर कोई विकल्प नहीं है, फिर भी **2** अंकों वाले एक प्रश्न में, **3** अंकों वाले एक प्रश्न में और **5** अंकों वाले सभी तीनों प्रश्नों में भीतरी चयन-विकल्प दिए गए हैं । प्रत्येक परीक्षार्थी को ऐसे प्रश्नों के दो विकल्पों में से कोई एक प्रश्न हल करना है ।

General Instructions :

- (i) There are a total of **26** questions and five sections in the question paper. **All** questions are compulsory.
- (ii) Section **A** contains questions number **1** to **5**, very short-answer type questions of **1** mark each.
- (iii) Section **B** contains questions number **6** to **10**, short-answer type **I** questions of **2** marks each.
- (iv) Section **C** contains questions number **11** to **22**, short-answer type **II** questions of **3** marks each.
- (v) Section **D** contains question number **23**, value based question of **4** marks.
- (vi) Section **E** contains questions number **24** to **26**, long-answer type questions of **5** marks each.
- (vii) There is no overall choice in the question paper, however, an internal choice is provided in one question of **2** marks, one question of **3** marks and all the three questions of **5** marks. In these questions, an examinee is to attempt any one of the two given alternatives.

खण्ड A
SECTION A

1. उस संकरण के प्रकार का नाम बताइए जिससे बैंगनी रंग के फूलों वाले मटर के पौधे का जीनप्ररूप पता लगाने में सहायता मिलती है । 1
Name the type of cross that would help to find the genotype of a pea plant bearing violet flowers.
2. ओपैरिन और हाल्डेन की जीवन की उत्पत्ति के संदर्भ में दी गई दो धारणाओं का उल्लेख कीजिए । 1
State two postulates of Oparin and Haldane with reference to origin of life.
3. गायों के एक झुंड में जनन-क्षमता और उत्पादकता की कमी दृष्टिगोचर होती है । इस समस्या पर पार पाने के लिए एक कारण और एक सुझाव दीजिए । 1
A herd of cattle is showing reduced fertility and productivity. Provide one reason and one suggestion to overcome this problem.
4. क्राई जीन क्या होते हैं ? यह किस जीव में पाए जाते हैं ? 1
What are *Cry* genes ? In which organism are they present ?
5. किसी ताप बिजली संयंत्र में एक स्थिर-वैद्युत अवक्षेपित्र कई हज़ार उच्च वोल्टता उत्पन्न करने में समर्थ नहीं है । इसके कारण होने वाला पारितंत्रीय परिणाम लिखिए । 1
An electrostatic precipitator in a thermal power plant is not able to generate high voltage of several thousands. Write the ecological implication because of it.

खण्ड B
SECTION B

6. परागकोश से स्फुटन के समय एक ऐन्जियोस्पर्म में परागकण 2-कोशिकीय हो सकता है अथवा 3-कोशिकीय । व्याख्या कीजिए । 2-कोशिकीय अवस्था पर परागकण के झड़ते समय कोशिकाएँ किस प्रकार व्यवस्थित होती हैं ? 2
A pollen grain in angiosperm at the time of dehiscence from an anther could be 2-celled or 3-celled. Explain. How are the cells placed within the pollen grain when shed at a 2-celled stage ?

7. नीचे दिए गए आनुवंशिक कूटों में अंतर बताइए : 2

- (a) असंदिग्ध और सार्वत्रिक
- (b) अपहासित और प्रारंभक

Differentiate between the genetic codes given below :

- (a) Unambiguous and Universal
- (b) Degenerate and Initiator

8. निम्नलिखित में से प्रत्येक का एक-एक अनुप्रयोग बताइए : 2

- (a) निष्क्रिय प्रतिरक्षीकरण
- (b) प्रतिहिस्टामिन
- (c) नवदुग्ध
- (d) साइटोकाइनिन-रोध

Mention one application for each of the following :

- (a) Passive immunization
- (b) Antihistamine
- (c) Colostrum
- (d) Cytokinin-barrier

9. उन सूक्ष्मजीवियों के नाम बताइए जो निम्नलिखित उत्पादों के व्यावसायिक उत्पादन में सहायता करते हैं : 2

- (a) स्टैटिन
- (b) सिट्रिक अम्ल
- (c) पेनिसिलीन
- (d) ब्यूटिरिक अम्ल

Name the microbes that help production of the following products commercially :

- (a) Statin
- (b) Citric acid
- (c) Penicillin
- (d) Butyric acid

10. CFCs का उपयोग बंद करने से मानव जीवन को होने वाले चार लाभों की सूची बनाइए । 2

अथवा

उन दो विधियों का एक-एक उदाहरण देते हुए सुझाव दीजिए, जो विरले अथवा संकटापन्न स्पीशीज़ की सुरक्षा करने में सहायता करती हैं । 2

List four benefits to human life by eliminating the use of CFCs.

OR

Suggest two practices giving one example of each, that help protect rare or threatened species.

खण्ड C

SECTION C

11. (a) क्या मुंबई में उग रहा कोई पौधा उसी स्पीशीज़ के नई दिल्ली में उग रहे पौधे के परागकों के द्वारा परागित हो सकता है ? अपने उत्तर के लिए स्पष्टीकरण दीजिए ।

(b) एक ऐसे स्त्रीकेसर का आरेख बनाइए जहाँ परागण सफलतापूर्वक संपन्न हो चुका है । उन भागों को नामांकित कीजिए जो नर युग्मकों को उनके वांछित स्थान तक पहुँचाने में निहित होते हैं । 3

(a) Can a plant flowering in Mumbai be pollinated by pollen grains of the same species growing in New Delhi ? Provide explanations to your answer.

(b) Draw the diagram of a pistil where pollination has successfully occurred. Label the parts involved in reaching the male gametes to its desired destination.

12. हीमोफीलिया और थैलासीमिया मानवों के दो रुधिर-संबंधित विकार हैं। उनके कारण बताइए तथा दोनों के बीच अंतर भी स्पष्ट कीजिए। आनुवंशिक विकार की उस श्रेणी का नाम बताइए जिसके अंतर्गत ये दोनों आते हैं। 3

Both Haemophilia and Thalassemia are blood related disorders in humans. Write their causes and the difference between the two. Name the category of genetic disorder they both come under.

13. (a) मानव जीनोम परियोजना में निहित दो प्रणालियों की सूची बनाइए। बताइए कि उन्हें किस प्रकार प्रयुक्त किया गया था। 3
- (b) 'YAC' का पूरा नाम बताइए और उल्लेख कीजिए कि उसे किसके लिए इस्तेमाल किया गया था।
- (a) List the two methodologies which were involved in human genome project. Mention how they were used.
- (b) Expand 'YAC' and mention what was it used for.

14. रामापिथेकस, ड्रायोपिथेकस और निऐन्डरथल मानव की विशिष्टताएँ बताइए। 3

Write the characteristics of *Ramapithecus*, *Dryopithecus* and Neanderthal man.

15. मानव मल पदार्थ से संदूषित जल और भोजन के सेवन के कारण मानवों में फैलने वाला रोग, उसका रोगकारक जीव, रोगलक्षण (कोई तीन) तथा उसके वेक्टर का नाम बताइए। 3

अथवा

- (a) अभिभावकों को इस बात का डर क्यों रहता है कि कहीं उनके किशोर आश्रित बच्चों को नशीले पदार्थों/मदिरा की लत न पड़ जाए ?
- (b) किशोर बच्चों को नशीले पदार्थों/मदिरा की लत पड़ जाने के संदर्भ में 'व्यसन' और 'निर्भरता (dependence)' की व्याख्या कीजिए। 3

Name a human disease, its causal organism, symptoms (any three) and vector, spread by intake of water and food contaminated by human faecal matter.

OR

- (a) Why is there a fear amongst the guardians that their adolescent wards may get trapped in drug/alcohol abuse ?
- (b) Explain 'addiction' and 'dependence' in respect of drug/alcohol abuse in youth.

- 16.** (a) कोई किसान अपनी गन्ने की फ़सल में कौन-से वांछित लक्षण देखना चाहता है ?
(b) वांछित लक्षणों वाला गन्ना उगाने में पादप प्रजनन तकनीकों ने उत्तरी भारत के किसानों की किस प्रकार मदद की ?

3

- (a) Write the desirable characters a farmer looks for in his sugarcane crop.
- (b) How did plant breeding techniques help north Indian farmers to develop cane with desired characters ?

- 17.** वाहित मल के द्वितीयक उपचार को जैविक उपचार भी कहते हैं । इस कथन की पुष्टि कीजिए तथा प्रक्रिया की व्याख्या कीजिए ।

3

Secondary treatment of the sewage is also called Biological treatment. Justify this statement and explain the process.

- 18.** (a) पुनर्योगज DNA बनाने में 'विलोमानुक्रमी न्यूक्लिओटाइड अनुक्रम' के महत्त्व की व्याख्या कीजिए ।

- (b) उपर्युक्त प्रक्रिया में प्रतिबंधन एंडोन्यूक्लिऐज़ का उपयोग बताइए ।

3

- (a) Explain the significance of 'palindromic nucleotide sequence' in the formation of recombinant DNA.

- (b) Write the use of restriction endonuclease in the above process.

19. PCR प्रक्रिया में ताप, प्राइमरों और जीवाणु *थर्मस एक्वेटिकस* की भूमिकाओं का वर्णन कीजिए । 3
- Describe the roles of heat, primers and the bacterium *Thermus aquaticus* in the process of PCR.
20. कृत्रिम इंसुलिन के उत्पादन में निहित विभिन्न चरणों की व्याख्या कीजिए । 3
- Explain the various steps involved in the production of artificial insulin.
21. (a) “जीव संरूपी हो सकते हैं अथवा नियामक ।” इस कथन की व्याख्या कीजिए तथा प्रत्येक का एक-एक उदाहरण दीजिए ।
- (b) प्राणी जगत् में नियामकों की अपेक्षा संरूपी अधिक क्यों होते हैं ? 3
- (a) “Organisms may be conformers or regulators.” Explain this statement and give one example of each.
- (b) Why are there more conformers than regulators in the animal world ?
22. उत्पादकता, सकल प्राथमिक उत्पादकता और शुद्ध उत्पादकता के बीच पारस्परिक संबंध का वर्णन कीजिए । 3
- Describe the inter-relationship between productivity, gross primary productivity and net productivity.

खण्ड D

SECTION D

23. आमतौर पर यह देखा जाता है कि लैंगिकता और जनन के बारे में माता-पिता अपने किशोर बच्चों के साथ खुलकर चर्चा करने में उलझन महसूस करते हैं । माता-पिता की इस उलझन का परिणाम यह होता है कि बच्चे कभी-कभी भटक जाते हैं ।
- (a) आपकी राय में इन विषयों के बारे में अपने बढ़ते बच्चों के साथ खुलकर चर्चा न करने के पीछे कुछ माता-पिताओं की उलझनों का क्या कारण है ? व्याख्या कीजिए ।
- (b) एक स्थानीय पौधे और एक जंतु का उदाहरण देते हुए, आप इन माता-पिताओं की जनन और लैंगिकता के बारे में इन उलझनों से पार पाने में किस प्रकार सहायता करेंगे ? 4

It is commonly observed that parents feel embarrassed to discuss freely with their adolescent children about sexuality and reproduction. The result of this parental inhibition is that the children go astray sometimes.

- (a) Explain the reasons that you feel are behind such embarrassment amongst some parents to freely discuss such issues with their growing children.
- (b) By taking one example of a local plant and animal, how would you help these parents to overcome such inhibitions about reproduction and sexuality ?

खण्ड E

SECTION E

24. (a) नारंगी के एक बीज को जब निचोड़ा जाता है, तब एक भ्रूण के स्थान पर अनेक भ्रूण देखे जाते हैं। समझाइए कि यह किस प्रकार संभव है।
- (b) क्या ये भ्रूण आनुवंशिक रूप से समान होते हैं अथवा भिन्न ? चर्चा कीजिए। 3+2=5

अथवा

- (a) एक मानव स्त्री के आर्तव चक्र की निम्नलिखित प्रावस्थाओं की व्याख्या कीजिए :
- (i) आर्तव प्रावस्था
 - (ii) पुटकीय प्रावस्था
 - (iii) पीतपिंड (ल्यूटिअल) प्रावस्था
- (b) आर्तव चक्र की सही-सही जानकारी परिवार नियोजन में अत्यधिक सहायता कर सकती है। क्या आप इस कथन से सहमत हैं ? अपने उत्तर के लिए कारण दीजिए। 4+1=5
- (a) When a seed of an orange is squeezed, many embryos, instead of one are observed. Explain how it is possible.
- (b) Are these embryos genetically similar or different ? Comment.

OR

- (a) Explain the following phases in the menstrual cycle of a human female :
- Menstrual phase
 - Follicular phase
 - Luteal phase
- (b) A proper understanding of menstrual cycle can help immensely in family planning. Do you agree with the statement ? Provide reasons for your answer.

- 25.** (a) किसी स्पीशीज़ की समष्टि वृद्धि के J-आकार और S-आकार मॉडलों की कारण बताते हुए तुलना कीजिए ।
- (b) डार्विन द्वारा बताई गई “स्पीशीज़ की क्षमता” की व्याख्या कीजिए । 3+2=5

अथवा

- (a) पारिस्थितिकीय पिरैमिड क्या होता है ? ऊर्जा, जैव-संहति और संख्या के पिरैमिडों की तुलना कीजिए ।
- (b) पारिस्थितिकीय पिरैमिडों की कोई दो सीमाएँ बताइए । 4+1=5
- (a) Compare, giving reasons, the J-shaped and S-shaped models of population growth of a species.
- (b) Explain “fitness of a species” as mentioned by Darwin.

OR

- (a) What is an ecological pyramid ? Compare the pyramids of energy, biomass and numbers.
- (b) Write any two limitations of ecological pyramids.

- 26.** (a) t-RNA अणु की संरचना और उसके कार्य का वर्णन कीजिए । इसे एक अनुकूली अणु क्यों कहते हैं ?
- (b) सुकेंद्रकी कोशिका में hn-RNA समबंधन की प्रक्रिया की व्याख्या कीजिए । 3+2=5

अथवा

ई. कोलाई में लैक-ओपेरॉन के विविध घटकों को बताइए । इसकी ‘ओपन’ अवस्था में अभिव्यक्ति की व्याख्या कीजिए ।

- (a) Describe the structure and function of a t-RNA molecule. Why is it referred to as an adapter molecule ?
- (b) Explain the process of splicing of hn-RNA in a eukaryotic cell.

OR

Write the different components of a *lac*-operon in *E. coli*. Explain its expression while in an 'open' state.

Question Paper Code 57/1

SECTION – A

Q. Nos. 1 - 5 are of one marks each

1. Name the type of cross that would help to find the genotype of a pea plant bearing violet flowers.

Ans Test cross =1 [1 Mark]

2. State two postulates of Oparin and Haldane with reference to origin of life.

Ans (i) First form of life could have come from pre-existing non-living organic molecules / RNA & Protein = $\frac{1}{2}$

(ii) Formation of life was preceded by chemical evolution / formation of diverse organic molecules from inorganic constituents = $\frac{1}{2}$

[1 Mark]

3. A herd of cattle is showing reduced fertility and productivity. Provide one reason and one suggestion to overcome this problem.

Ans Reason: Inbreeding depression / continuous inbreeding = $\frac{1}{2}$

Suggestion: Should be mated with unrelated superior cattle of the same breed / out - breeding / out - crossing = $\frac{1}{2}$

[1 Mark]

4. What are Cry genes ? In which organism are they present ?

Ans. The genes which code for Bt toxin / Cry proteins / toxic proteins , *Bacillus thuringiensis* = $\frac{1}{2} + \frac{1}{2}$ [1 Mark]

5. An electrostatic precipitator in a thermal power plant is not able to generate high voltage of several thousands. Write the ecological implication because of it.

Ans Air Pollution // particulate matter / dust particles released in the air.

[1 Mark]

SECTION - B

Q Nos. 6-10 are of two marks each

6. A pollen grain in angiosperm at the time of dehiscence from an anther could be 2-celled or 3-celled. Explain. How are the cells placed within the pollen grain when shed at a 2-celled stage ?

Ans • In 2-celled stage the mature pollen grain contains a generative and vegetative cell, whereas in 3-celled stage one vegetative cell and two male gametes are present = $\frac{1}{2} + \frac{1}{2}$

• The generative cell floats in the cytoplasm of vegetative cell =1

[2 Marks]

7. Differentiate between the genetic codes given below :

(a) Unambiguous and Universal

(b) Degenerate and Initiator

Ans	<p>(a) Unambiguous: One codon codes for only one amino acid = ½</p> <p>(b) Degenerate: More than one codon coding for the same amino acid. = ½</p>	<p>Universal: Genetic code / codons are(nearly) same for all organisms / from bacteria to human = ½</p> <p>Initiator: Start codon / AUG = ½</p>
-----	--	---

[2 Marks]

8. Mention one application for each of the following :

- (a) **Passive immunization**
- (b) **Antihistamine**
- (c) **Colostrum**
- (d) **Cytokinin-barrier**

- Ans
- (a) Provide preformed antibodies / anti-toxins for quick response in case of infection by deadly microbes(tetanus) or snake bite = ½
 - (b) Reduces symptoms of allergy = ½
 - (c) Provides passive immunity / antibodies / Ig A to new born = ½
 - (d) Protection of non-infected cells from further viral infection = ½

[2Marks]

9. Name the microbes that help production of the following products commercially:

- (a) **Statin**
- (b) **Citric acid**
- (c) **Penicillin**
- (d) **Butyric acid**

- Ans
- (a) *Monascus purpureus*
 - (b) *Aspergillus niger*
 - (c) *Penicillium notatum*
 - (d) *Clostridium butylicum* = ½ × 4

[2 Marks]

10. List four benefits to human life by eliminating the use of CFCs.

- Ans
- (i) Delay in aging of skin
 - (ii) Prevent damage to skin cells
 - (iii) Prevent skin cancer
 - (iv) Prevent snow blindness / inflammation of cornea
 - (v) Prevent cataract

- (vi) Prevents ozone depletion
- (vii) Prevents global warming
- (viii) Reduces greenhouse effect
- (ix) Reduces odd climatic changes or El Nino effect

(Any Four) = $\frac{1}{2} \times 4$

[2 Marks]

OR

Suggest two practices giving one example of each, that help protect rare or threatened species.

- Ans: (1) In situ conservation , biodiversity hotspot / biosphere reserve / national parks / sanctuaries / Ramsar sites / sacred groves (Any one) = $\frac{1}{2} + \frac{1}{2}$
- (2) Ex situ conservation , Zoological parks / botanical garden / wild life safari parks / cryopreservation techniques / Tissue culture / seed bank / pollen banks (Any one) = $\frac{1}{2} + \frac{1}{2}$

[2 Marks]

SECTION - C

Q Nos. 11-22 are of three marks each


11. (a) Can a plant flowering in Mumbai be pollinated by pollen grains of the same species growing in New Delhi ? Provide explanations to your answer.
- (b) Draw the diagram of a pistil where pollination has successfully occurred. Label the parts involved in reaching the male gametes to its desired destination.

Ans (a) Yes, By artificial means (any relevant explanation) = $\frac{1}{2} + \frac{1}{2}$

(b) Diagram with following labellings

Stigma , Pollen tube , Synergid / Filiform Apparatus , Micropyle

= $\frac{1}{2} \times 4$



[3 Marks]

12. Both Haemophilia and Thalassemia are blood related disorders in humans. Write their causes and the difference between the two. Name the category of genetic disorder they both come under.

Ans

Haemophilia	Thalassemia
Single protein involved in the clotting of blood is affected = $\frac{1}{2}$	Defects in the synthesis of globin leading to formation of abnormal haemeoglobin = $\frac{1}{2}$
Sex linked recessive disorder = $\frac{1}{2}$	Autosomal recessive disorder = $\frac{1}{2}$
Blood does not clot = $\frac{1}{2}$	Results in anaemia = $\frac{1}{2}$

(Any two) = $\frac{1}{2} \times 4$

Mendelian disorder = 1

[3 Marks]

13. (a) List the two methodologies which were involved in human genome project. Mention how they were used.
(b) Expand 'YAC' and mention what was it used for.

Ans (a) Expressed Sequence Tags, Identifying all the genes that are expressed as RNA = $\frac{1}{2} + \frac{1}{2}$

Sequence Annotation, sequencing the whole set of genome coding or non coding sequences and later assigning different region with functions = $\frac{1}{2} + \frac{1}{2}$

(b) Yeast Artificial Chromosome, used as cloning vectors (cloning / amplification) = $\frac{1}{2} + \frac{1}{2}$

[3 Marks]

14. Write the characteristics of *Ramapithecus*, *Dryopithecus* and Neanderthal man.

Ans *Ramapithecus*: hairy/ walked like gorillas and chimpanzees, more man like = $\frac{1}{2} + \frac{1}{2}$

Dryopithecus: hairy/ walked like gorillas and chimpanzees, more ape-like = $\frac{1}{2} + \frac{1}{2}$

Neanderthal man: brain size is 1400cc, used hides to protect their body / buried their dead

= $\frac{1}{2} + \frac{1}{2}$

[3 Marks]

15. Name a human disease, its causal organism, symptoms (any three) and vector, spread by intake of water and food contaminated by human faecal- matter.

Ans Amoebiasis (Amoebic dysentery), *Entamoeba histolytica*, constipation / abdominal pain / cramps / stools with excess mucus / blood clots (Any three symptoms), Housefly = $\frac{1}{2} \times 6$

//

Ascariasis, *Ascaris*, internal bleeding / muscular pain / fever / anaemia / blockage of intestinal passage (Any three symptoms), Housefly = $\frac{1}{2} \times 6$

//

Typhoid, *Salmonella typhi*, high fever / weakness / stomach pain / constipation / headache / loss of appetite (Any three symptoms), Housefly = $\frac{1}{2} \times 6$

[3 Marks]

OR

- (a) Why is there a fear amongst the guardians that their adolescent wards may get trapped in drug/alcohol abuse?
(b) Explain 'addiction' and 'dependence' in respect of drug/alcohol abuse in youth.

- Ans (a) Adolescents are easily affected by (vulnerable to) peer pressure /adventure /curiosity / excitement / experimentation / media (**Any two**) = $\frac{1}{2} + \frac{1}{2}$
- (b) Addiction -Psychological attachment to certain effects such as Euphoria / temporary feeling of well-being =1
Dependence-Tendency of the body to show withdrawal syndrome / symptoms if regular doses of drug / alcohol is abruptly discontinued = 1
- [3 Marks]

- 16. (a) Write the desirable characters a farmer looks for in his sugarcane crop.**
- (b) How did plant breeding techniques help north Indian farmers to develop cane with desired characters ?**

- Ans (a) High yield , thick stem,high sugar content , ability to grow in their areas = $\frac{1}{2} \times 4$
- (b) By crossing *Saccharum officinarum* / south Indian variety having desired characteristics with *Saccharum barberi* / north Indian low yield variety = 1
- [3 Marks]

- 17. Secondary treatment of the sewage is also called Biological treatment. Justify this statement and explain the process.**

- Ans Involves biological organism such as aerobic and anerobic microbes / bacteria and fungi to digest / consume organic waste = 1
- Primary effluent is passed into aeration tank where vigorous growth of aerobic microbes (flocs) take place, BOD reduced (microbes consume major part of organic matter), effluent is passed to settling tank where flocs sediment to produce activated sludge , sludge is pumped to anerobic sludge digester to digest bacteria and fungi = $\frac{1}{2} \times 4$
- [3 Marks]

- 18. (a) Explain the significance of ‘palindromic nucleotide sequence’ in the formation of recombinant DNA.**
- (b) Write the use of restriction endonuclease in the above process.**

- Ans (a) Palindromic nucleotide sequence is the recognition (specific) sequence present both on the vector and on a desired / alien DNA for the action of the same(specific) restriction endonuclease to act upon = 1
- (b) Same restriction endonuclease binds to both the vector and the foreign DNA , cut each of the two strands of the double helix at specific points in their sugar phosphate backbone of recognition sequence for restriction endonucleases / palindromic sequence of vector and foreign DNA , to cut strand a little away from the centre of the palindrome sites, creates overhanging stretches /sticky ends = $\frac{1}{2} \times 4$

//

- (b) If depicted diagrammatically showing the above mentioned value points it can be accepted
- [3 Marks]

- 19. Describe the roles of heat, primers and the bacterium *Thermus aquaticus* in the process of PCR.**

- Ans Heat - Denaturation / separation of DNA into two strands =1
- Primer- Enzyme DNA Polymerase extend the primers using the nucleotides provided in the reaction and the genomic DNA as template =1

Thermus aquaticus - source of thermostable DNA polymerase / Taq polymerase = 1

[3 Marks]

20. Explain the various steps involved in the production of artificial insulin.

Ans Two DNA sequences corresponding to A and B polypeptide chains of human insulin were prepared, these were introduced into *E.coli* to produce A and B chains separately, these chains were extracted and combined by creating disulphide bonds = 1+1+1

[3 Marks]

21. (a) “Organisms may be conformers or regulators.” Explain this statement and give one example of each.

(b) Why are there more conformers than regulators in the animal world ?

Ans (a) Conformers- organisms which cannot maintain a constant internal environment under varying external environmental conditions // change body temperature and osmotic concentration with change in external environment eg. all plants / fishes / amphibians / reptiles (**Any one**) = $\frac{1}{2} + \frac{1}{2}$
Regulators - organisms which can maintain homeostasis (by physiological means or behavioural means) // maintain constant body temperature and osmotic concentration eg. birds / mammals = $\frac{1}{2} + \frac{1}{2}$

b) Thermoregulation is energetically expensive for animals = 1

[3 Marks]

22. Describe the inter-relationship between productivity, gross primary productivity and net productivity.

Ans Productivity is the rate of biomass production per unit area over a period of time,
Gross primary productivity is the rate of production of organic matter during photosynthesis in an ecosystem,

Net productivity is the gross primary productivity minus respiration losses (R) = 1+1+1

[3 Marks]

SECTION - D

Q No. 23 is of four mark

23. It is commonly observed that parents feel embarrassed to discuss freely with their adolescent children about sexuality and reproduction. The result of this parental inhibition is that the children go astray sometimes.

(a) Explain the reasons that you feel are behind such embarrassment amongst some parents to freely discuss such issues with their growing children.

(b) By taking one example of a local plant and animal, how would you help these parents to overcome such inhibitions about reproduction and sexuality ?

Ans: (a) Illiteracy / conservative attitude / misconceptions / social myths / any other relevant point (**Any two**) = 1 + 1

(b) If a student gives the clarity of the concept of reproduction and sexuality by taking any example of a plant and an animal with respect to reproductive organs, gamete formation, fertilization, sexual behaviour etc = 1 + 1

[4 Marks]

SECTION - E

Q Nos. 24-26 are of five marks each

24. (a) When a seed of an orange is squeezed, many embryos, instead of one are observed. Explain how it is possible.

(b) Are these embryos genetically similar or different ? Comment.

Ans: (a) Polyembryony , nucellar cells surrounding embryosac start dividing , protrude into the embryo sac and develop into many embryos = $1 + 1 + 1$

(b) These embryos are genetically similar, as produced from nucellar cells by mitotic division / formed without fertilisation (but different from the embryo formed by fertilization) = $1 + 1$

[5 Marks]

OR

(a) Explain the following phases in the menstrual cycle of a human female:

(i) Menstrual phase

(ii) Follicular phase

(iii) Luteal phase

(b) A proper understanding of menstrual cycle can help immensely in family planning. Do you agree with the statement ? Provide reasons for your answer.

Ans: (a) (i) Menstrual phase - first 3-5 days of the cycle where menstrual flow occurs due to break down of endometrial lining of uterus, if the released ovum is not fertilised = $\frac{1}{2} + \frac{1}{2}$

(ii) Follicular phase - from 5th to 14th day of the cycle where the primary follicles grow to become a fully mature Graafian follicle , endometrium of uterus regenerates , Graafian follicle ruptures to release ova (ovulation on 14th day) = $\frac{1}{2} \times 3$

(iii) Luteal Phase - During 15th to 28th day remaining parts of graafian follicle transform into corpus luteum , secretion of progesterone (essential for maintenance of endometrium) = $\frac{1}{2} \times 2$

All these phases are under the influence of varying concentrations of pituitary and ovarian hormone = $\frac{1}{2}$

(b) Yes , can take appropriate precautions between 10th to 17th day of the menstrual cycle when the chances of fertilisation are high = $\frac{1}{2} + \frac{1}{2}$

[5 Marks]

25. (a) Compare, giving reasons, the J-shaped and S-shaped models of population growth of a species.

(b) Explain “fitness of a species” as mentioned by Darwin.

Ans

J shaped - growth curve	S shaped- growth curve
Resources are unlimited	Resources are limited
Growth is exponential	Logistic Growth
As resources are unlimited all individuals survive and reproduce	Fittest individual will survive and reproduce
Growth Equation $dN/dt=Rn$ (If explained)	Growth Equation $dN/dt=rN (k-N/K)$ (If explained)

(Any three) = 1 + 1 + 1

Note - Marks to be awarded only if the corresponding difference is written.

- (b) When resources are limited , Competition occurs between individuals , fittest will survive, who reproduce to leave more progeny = $\frac{1}{2} \times 4$

[5 Marks]

OR

- (a) **What is an ecological pyramid ? Compare the pyramids of energy, biomass and numbers.**
 (b) **Write any two limitations of ecological pyramids.**

Ans: (a) Graphical representation of the relationship among the organisms at different trophic level = 1

Pyramid of Energy	Pyramid of Bio Mass	Pyramid of Numbers
Shows transfer of Energy from one tropic level to other	Shows transfer of amount of food/ biomass from one tropic level to other	Pyramid of Numbers shows numbers of organism at each tropic level.
Always upright	Mostly upright but can be inverted	Mostly upright can be inverted

= $\frac{1}{2} \times 6$

- (b) It does not accomodate the food web / does not take into account the same species belonging to two or more tropic levels , Saprophytes are not given any place = $\frac{1}{2} + \frac{1}{2}$

[5 Marks]

26. (a) **Describe the structure and function of a t-RNA molecule. Why is it referred to as an adapter molecule?**
 (b) **Explain the process of splicing of hn-RNA in a eukaryotic cell.**

Ans: (a) Clover-leaf shaped / inverted L shaped molecules has an anti codon loop with bases complementary to specific codon , has an amino acid acceptor end = 1+1

As it reads the code on one hand and binds with the specific amino acid on the other hand.=1

- (b) Introns are removed , exons are joined in a definite order = 1 + 1

//

Process of splicing shown diagrammatically.

[5 Marks]


OR

Write the different components of a lac-operon in *E.coli*. Explain its expression while in an 'open' state.

Ans: It consists of one regulatory gene(i), promotor gene, operator gene, and three structural genes(z,y,a)
 $= \frac{1}{2} \times 4$

Lactose/ inducer binds to the repressor protein, makes it inactive so it cannot bind with operator, allows RNA Polymerase access to the promotor and transcription proceeds, β -galactosidase, permease, transacetylase formed (by translation process for Lactose metabolism) $= \frac{1}{2} \times 6$

//



$= \frac{1}{2} \times 10$

[5 Marks]